



















VERTICAL WALL TRACK


Installation Instructions




HM-WT004-800


PARTS LIST


<p>A</p> <p>Wall Track Mount 2x 8328</p> 	<p>F</p> <p>10-32 x 3/8" FPhMS w/Lock Patch 2x 705198</p> 	<p>K</p> <p>Cable Cap 2x 114810</p> 	<p>P</p> <p>3/32" Allen Wrench 1x 700146</p> 
<p>B</p> <p>M4 x 12mm Phillips Pan Head Screw (4-pack) 1x 702096</p> 	<p>G</p> <p>10-32 x 3/8" PhPHS (4-pack) 1x 702281</p> 	<p>L</p> <p>Track Mount Cable Cap 2x 104599</p> 	<p>Q</p> <p>7/32" Allen Wrench 1x 701127</p> 
<p>C</p> <p>Quick Connect VESA Plate 1x 114808</p> 	<p>H</p> <p>Monitor Tilter 1x 405397</p> 	<p>M</p> <p>Wall Track End Cap 2x 104596</p> 	
<p>D</p> <p>Monitor Tilter 1x 8500 Tilter</p> 	<p>I</p> <p>Mouse Pad 1x 700865</p> 	<p>N</p> <p>Wall Track Cable Cap 1x 104985-31</p> 	
<p>E</p> <p>Dog Washer 2x 105189</p> 	<p>J</p> <p>Forearm Cable Cap 1x 115584</p> 	<p>O</p> <p>1/8" Allen Wrench 1x 701312</p> 	





Mounting hardware not included.
Use appropriate hardware to
secure to the mounting surface.





2x






















IMPORTANT!

- Monitor and keyboard tray with peripherals must be on arms
- Arm must be in mount



Press the arm down to a horizontal position
prior to turning the strength
adjustment screw.

2x



If the arm **drifts upward**,
turn the adjustment screw
clockwise.

If the arm **drifts downward**,
turn the adjustment screw
counter-clockwise.

Depending on the weight of your monitor, **you may have to make 15-20 turns.**

