

VHA IDIQ



About Us

We create human-centered products that enable seamless interactions between people and technology.

Our thoughtfully designed solutions adapt to the individual and provide healthier, more productive experiences.

HEIGHT ADJUSTABLE TABLES	3
HAW3 S-Collection SE, 2-Stage	4
HAW3 S-Collection SX, 3-Stage	5
HAW3 S-Collection, 3-Leg	6
HAW2 M-Series Freestanding	7
DESKTOP CONVERTERS	8
CS5 Winston Workstation	9
CS5 Winston-E Workstation	10
MONITOR ARMS	11
CS2 E5 Single	12
CS2 E5 Dual	13
CS2 E5 Dual Crossbar	14
CS2 E5 Pole Configurations	15
WALL MOUNT WORKSTATIONS	18
CS4 Wall Track w/Keyboard & Monitor Arms	19
ACCESSORIES	20
CS1 Keyboard Trays	21



Height Adjustable Tables

Height-adjustable base and worksurface creates the optimal ergonomic work experience.





S-COLLECTION SE, 2-STAGE



The SE 2 Leg, 2-Stage desking solution exemplifies the Danish design principles of simplicity and functionality. This electric, height-adjustable table offers a slightly smaller height range than the 3-Stage, but with equal weight capacity and visual configurations.

A wide range of color combinations, finishes, and surface shapes make the 2-Stage a highly customizable option. This electric sit-to-stand table comes in a 2-leg configuration with a long list of optional features.

FEATURES

- Adjustable: Electric motor allows for a 350 lb. lift capacity, raising at 1.5" per second.
- Smart: Standard, software-based collision detection mitigates damage.
- Certified: Meets ANSI/BIFMA standards and is ETL listed to UL 962.
- · A Safe Space™ Product: Easily reconfigured to allow for social distancing in the workplace.

SPECIFICATIONS

Frame Finishes White

Silver

Black

Worksurface Finishes:

We proudly offer WilsonArt®, Pionite®, Nevamar® and Formica® laminates. Worksurface thickness is 1.125".*

Worksurface Edge Finishes:

We proudly offer Rehau edges.*

Worksurface Shapes:

Rectilinear, 90°, 120° (radius corners are standard on all worksurfaces)

Height Range: 27.1" - 45.6"

Size Options: $36" - 72" L \times 24" - 30" W$ Frame-Only Weight Capacity: 350 lbs.

Adjustability: Electric Control Speed: 1.5" Per Second

Max Power Draw: 120 V, 60 Hz, 5 A

Standby Power: 0.1W Special Features: Soft Stop

Switch Options: Up Down, Digital Switch, Personal Health Assistant Tracker

WARRANTY

Motor & Parts: 7 Years Craftsmanship: Lifetime



S-COLLECTION SX, 3-STAGE



The SX 2-Leg, 3-Stage offers S-Collection's largest height range. This electric sit-to-stand table comes in a 2-leg configuration, with all of the bells and whistles we could fit onto one worksurface.

Elegance meets powerful functionality in this 2-leg, 3-stage height-adjustable desking solution. Choose from a wide range of laminates, finishes, and optional tech features to create your ideal workspace.

FEATURES

- · Adjustable: Electric motor allows for a 350 lb. lift capacity, raising at 1.5" per second.
- Smart: Premium, hardware-based collision detection mitigates damage.
- · Certified: Meets ANSI/BIFMA standards and is ETL listed to UL 962.
- · A Safe Space™ Product: Easily reconfigured to allow for social distancing in the workplace.

SPECIFICATIONS

Frame Finishes White





Black

Worksurface Finishes:

We proudly offer WilsonArt®, Pionite®, Nevamar® and Formica® laminates. Worksurface thickness is 1.125".*

Worksurface Edge Finishes: We proudly offer Rehau edges.*

Worksurface Shapes: Rectilinear, 90°, 120° (Radius corners are standard

on all worksurfaces)

Height Range: 22.2" - 48.7"

Frame-Only Weight Capacity: 350 lbs. Adjustability: Electric Control Speed: 1.5" Per Second

Max Power Draw: 120 V, 60 Hz, 5 A

Standby Power: 0.1W Special Features: Soft Stop

Switch Options: Up Down, Digital Switch, Personal Health Assistant Tracker

WARRANTY

Motor & Parts: 7 Years Craftsmanship: Lifetime



S-COLLECTION, 3-LEG



Office planning has never been easier. Our 3-Leg S-Collection offers beautifully comfortable, flexible, and ergonomic solutions for your work environment.

Our 3-leg electric desks are available in both 2 and 3-stage height adjustability, along with a multitude of opportunities for customization. No matter what your requirements, S-Collection can be configured to satisfy.

FEATURES

- · Adjustable: Electric motor allows for a 525 lb. lift capacity, raising at 1.5" per second.
- · Smart: Standard, software-based collision detection mitigates damage.
- · Certified: Meets ANSI/BIFMA standards and is ETL listed to UL 962.
- · A Safe Space™ Product: Easily reconfigured to allow for social distancing in the workplace.

SPECIFICATIONS

Frame Finishes

White

Black

Worksurface Finishes: We proudly offer WilsonArt®, Pionite®, Nevamar® and Formica® laminates. Worksurface thickness is 1.125".*

Worksurface Edge Finishes: We proudly offer Rehau edges.*

Worksurface Shapes: 90°, 120° (Radius corners are standard on all worksurfaces)

SE, 2-Stage

Height Range: 27.1" - 45.6" Anti-Collision: Standard Collision Detection Software

SX, 3-Stage

Height Range: 22.2" - 48.7" Anti-Collision: Premium Collision Detection Sensor

Adjustability: Electric Control Speed: 1.5" Per Second

Frame-Only Weight Capacity: 525 lbs. **Max Power Draw:** 120 V, 60 Hz, 5 A

Standby Power: 0.1W Special Features: Soft Stop

Switch Options: Up Down, Digital Switch, Personal Health Assistant Tracker

WARRANTY

Motor & Parts: 7 Years Craftsmanship: Lifetime



M-SERIES FREESTANDING



Whether as a stand-alone workstation, in a pod layout, or as a touch-down surface, the height-adjustable M-Series flexes to work for you. This customizable table is available in three models and a variety of specifications, which means it fits wherever you need it. Choose your ideal worksurface shape to get the base and top combo that best suits your needs.

FEATURES

- Ergonomic: The unique Constant Force Spring technology allows smooth and consistent movement.
- Customized: M-Series is available in multiple weight capacities and worksurface sizes.
- Secure: A safety brake with integrated locking mechanism keeps the table in place.
- A Safe Space™ Product: Easily cleaned and disinfected between users.


SPECIFICATIONS

Finishes **Height Range:** 27.6" - 44.1" Adjustability: Constant Force Spring White Frame-Only Weight Capacity: Supports a range of 15 - 105 lbs. (Column Silver available in Ultralight, Light, Medium, and Worksurface Shape: Rectangular Black Worksurface Range: 24" x 36" to 30" x 54" Base Shape: Organic H

WARRANTY

Parts: 12 Years

Craftsmanship: Lifetime



Desktop Converters

Our sit-stand workstations convert any desk into a healthy workspace.



WINSTON WORKSTATION









Seamless height adjustment

This workstation instantly converts any desk into a sit stand workspace, boosting health and productivity. Winston is available in single, dual, triple, and quadruple monitor support.

The Winston's worksurface easily reserves room for a keyboard, mouse, and storage tray. Retrofit your existing desk into a healthy workspace with three easy mounting options. Winston Compact is ideal for users with limited space who want to take advantage of a healthy sit-stand workstation.

FEATURES

- Stability: Features an overall height adjust range of 17" and a locking cylinder to keep the workstation in place.
- Easy: Retrofit your existing desk with freestanding, desk clamp, or thru mount options.
- Organized: Clips in the column and beam keep cables out of
- Convenient: Expansive worksurface and storage tray allows you to bring all necessities with you when you stand.
- A Safe Space™ Product: Can be easily disinfected between users.

SPECIFICATIONS

Finishes

Flat White 248



Silver 124



Vista Black 104

Part Numbers

WNST-1-__ (Winston Single) WNST-2-__ (Winston Dual) WNST-3-___ (Winston Triple) WNST-4-__ (Winston Quad)* Max Screen Size: 43" (Winston Single) 30" (Winston Triple) 24" (Winston Triple)

24" (Winston Quad)

Height Adjustment: 17.1" Max Monitor Height: 37.6"

Weight Capacity:

Worksurface: $30" \text{ W} \times 23" \text{ D}$ Base: 20.7" W x 22" D

7 - 20 lbs. (Winston Single)

10 - 26 lbs. (Winston Dual)

15 - 36 lbs. (Winston Triple)

24 - 40 lbs. (Winston Quad)

WARRANTY

5 years

WINSTON-E WORKSTATION





Focal depth adjustment



Independent monitor height adjustment

Winston-E is a responsive powered riser that takes the sitstand conversation to a whole new level. The next-generation retrofit worksurface with monitor arms is engineered for freedom of movement and is available in a single, dual, or triple monitor configuration.

Focal depth adjustment and independent movement keeps monitor at a comfortable, ergonomic level.

FEATURES

- Easy: Installers can get Winston-E from box to up-and-running in less than 20 minutes. No need to move or replace furniture.
- · Flexible: Independent monitor movement enable easy screen sharing.
- Convenient: Large worksurface and newly designed storage tray allow you to bring all necessities with you when standing.
- A Safe Space™ Product: Can be easily disinfected between users.

SPECIFICATIONS

Finishes



Grey Duotone

Part Numbers

WNSTE-1-270 (Winston-E Single) WNSTE-2-270 (Winston-E Dual) WNSTE-3-270 (Winston-E Triple) Height Adjustment: 18.4"

Monitor Height Adjust Range: 12.6" Max Monitor Height: 37.6"

Worksurface: $30" \text{ W} \times 22" \text{ D}$ Base: 16" W x 21" D

Power Output: 24VDC, 5Amp Power Input: 100-240VAC, 50-60Hz,


2.0Amps

Power Cord: 5', Nema 5-15P Plug Weight Capacity: Up to 40 lbs.

Max Screen Size: 43" (Winston-E Single)

30" (Winston-E Dual) 24" (Winston-E Triple)

WARRANTY



Monitor Arms

Regardless of application, our monitor mounts offer ergonomics, flexibility, and space-savings.



E5 SINGLE DYNAMIC





Top-down mount installs above desk for quick installation



Rotation and friction adjustments are made externally



Universal connections enable easy reconfiguration



Integrated cable management provides a clutter free space

Monitor arms must adapt to the needs of today's workers, as well as those of tomorrow in the evolving technology landscape. Meet E5 - a next gen monitor mounting system built for simplicity, efficiency, and compatibility.

FEATURES

- Fast Assembly: Our innovative top-down mount, one tool installation, and convenient integrated tool storage makes ${\sf E5}$ installation quick and easy.
- Easy Adjustments: Rotation stop adjustments are made externally for ease of use. No need to disassemble the arm, simply choose the amount of rotation from 90, 180, and 360 degrees.
- · Painless Configurability: With 12 components and universal push-button quick connections, E5 offers infinite possibilities for customization.
- Tension Indicator: Built-in tension indicator allows the user to pre-counterbalance arms based on monitor weight prior to installation.
- Quick-Disconnect: Monitors can be easily changed with the quick-disconnect integrated on the VESA adapter.
- Cable Management: Cables are routed down along the arm or pole keeping your workspace clutter free.

SPECIFICATIONS

Finishes

White WHT

Silver SLV

Black

Screen Size: Up to 49" Height Adjustment: 10.5"

Weight Capacity: E5-D1L, 0-25 lbs. E5-D1, 5-45 lbs.


Mount: C-Clamp, Grommet

Compatibility: Up to 1.5" desk thickness, 2.25" minimum grommet hole diameter

Part Number: E5-D1L-___ E5-D1-___

WARRANTY

E5 DUAL DYNAMIC





Integrated cable management provides a clutter free space

FEATURES

- Fast Assembly: Our innovative top-down mount, one tool installation, and convenient integrated tool storage makes E5 installation quick and easy.
- Easy Adjustments: Rotation stop adjustments are made externally for ease of use. No need to disassemble the arm, simply choose the amount of rotation from 90, 180, and 360 degrees.
- · Painless Configurability: With 12 components and universal push-button quick connections, E5 offers infinite possibilities for customization.
- Tension Indicator: Built-in tension indicator allows the user to pre-counterbalance arms based on monitor weight prior to installation.
- · Quick-Disconnect: Monitors can be easily changed with the quick-disconnect integrated on the VESA adapter.
- Cable Management: Cables are routed down along the arm or pole keeping your workspace clutter free.

SPECIFICATIONS

Finishes

White

WHT

Silver SLV

Black BLK

Screen Size: Up to 32" Height Adjustment: 10.5"

Weight Capacity: 0-25 lbs. per monitor


Mount: C-Clamp, Grommet

Compatibility: Up to 1.5" desk thickness, 2.25" minimum grommet hole diameter

Part Number: E5-D2-___

WARRANTY

E5 DUAL CROSSBAR DYNAMIC





Integrated cable management provides a clutter free space

FEATURES

- Space-Saving: Mount dual monitors off a single arm to save valuable space.
- **Responsive:** Handle allows for movement of dual monitors in tandem for quick, easy repositioning.
- Fast Assembly: Our innovative top-down mount, one tool installation, and convenient integrated tool storage makes E5 installation quick and easy.
- Easy Adjustments: Rotation stop adjustments are made externally for ease of use. No need to disassemble the arm, simply choose the amount of rotation from 90, 180, and 360 degrees.
- · Painless Configurability: With 12 components and universal push-button quick connections, E5 offers infinite possibilities for customization.
- · Tension Indicator: Built-in tension indicator allows the user to pre-counterbalance arms based on monitor weight prior to installation.
- Quick-Disconnect: Monitors can be easily changed with the quick-disconnect integrated on the VESA adapter.
- Cable Management: Cables are routed down along the arm or pole keeping your workspace clutter free.

SPECIFICATIONS

Finishes

White WHT

Silver SLV

Black

Screen Size: Up to 32" Height Adjustment: 10.5"

Weight Capacity: 0-20 lbs. per monitor

Mount: C-Clamp, Grommet

Compatibility: Up to 1.5" desk thickness, 2.25" minimum grommet hole diameter Part Number: E5G-D2C-___

WARRANTY

E5 POLE CONFIGURATIONS



E5 SINGLE DYNAMIC POLE

Screen Size: Up to 49" Weight Capacity: 0-25 lbs. Part Number: E5G-P01SD-___



E5 DUAL DYNAMIC POLE

Screen Size: Up to 32"

Weight Capacity: 0-25 lbs. per monitor

Part Number: E5G-P02D-___



E5 DUAL DYNAMIC POLE

Screen Size: Up to 32"

Weight Capacity: 0-25 lbs. per monitor

Part Number: E5G-P02D-___



E5 DUAL DYNAMIC WIDE POLE

Screen Size: Up to 44" bezel measured Weight Capacity: 0-20 lbs. per monitor

Part Number: E5G-P02SD-___

E5 POLE CONFIGURATIONS CONTINUED



E5 TRIPLE DYNAMIC POLE

Screen Size: Up to 27"

Weight Capacity: 0-20 lbs. per monitor

Part Number: E5G-P03SD-___



E5 SINGLE STATIC POLE

Screen Size: Up to 49" Weight Capacity: 0-45 lbs. Part Number: E5G-P01-___



E5 DUAL STATIC POLE

Screen Size: Up to 32"

Weight Capacity: 0-25 lbs. per monitor

Part Number: E5G-P02S-___



E5 TRIPLE STATIC POLE

Screen Size: Up to 27"

Weight Capacity: 0-20 lbs. per monitor

Part Number: E5G-P03SS-___

E5 POLE CONFIGURATIONS CONTINUED



E5 ONE OVER ONE STATIC POLE

Screen Size: Up to 49" Weight Capacity: 0-30 lbs. per monitor

Part Number: E5G-P11-___




E5 TWO OVER TWO STATIC POLE

Screen Size: Up to 27"

Weight Capacity: 0-15 lbs. per monitor

Part Number: E5G-P22S-___



E5 THREE OVER THREE STATIC POLE

Screen Size: Up to 27"

Weight Capacity: 0-10 lbs. per monitor Part Number: E5G-P33SS-___



Wall-Mounted Workstations

Optimize space in busy work environments with our adjustable wall-mounted workstations that adapt to each user's ideal position for comfort and efficiency.







Cables are routed through track and hidden behind cable channel



Optional CPU Holders available, can be mounted to wall track or directly to wall

Caregivers can work sitting or standing with everything they need with our flexible wall track workstation. Easily reposition your screen or keyboard up and down, side-to-side to keep eye contact with your patients. The monitor and keyboard are easy to reposition and store, improving patient care by making caregivers' jobs easier and more comfortable.

FEATURES

- · Control: Monitor and keyboard arms move independently, offering the ultimate in flexibility.
- Ergonomic: Keyboard tray tilts up and down to protect wrists from injury.
- Space-Saving: The monitor arm and keyboard arm can be folded flat against wall when not in use.
- · Organized: Cables stay hidden behind cable channel keeping spaces clean and clutter-free.
- Cleanability: Easy-to-clean surfaces allows for thorough and efficient cleaning.
- Compatible: VESA-monitor compatible 75 & 100mm VESA adapter included.

SPECIFICATIONS

Finishes



Vista Black 104

Track Length: 31"

Monitor Height Adjustment: 16" Monitor Weight Capacity: 10 - 22 lbs.

Screen Size: Up to 32"

Keyboard Height Adjustment: 16" Keyboard Tray Size: 27" L x 11" W

Part Number

HM-WT004-800-

Accessories

8335-SM-___ Small CPU Holder 8335-MD-___ Medium CPU Holder 8335-LG-___ Large CPU Holder

WARRANTY

Accessories

Make your workspace work for you with helpful add-ons.



KEYBOARD TRAYS & ARMS

EXTENDED REACH



EXTENDED REACH KEYBOARD ARM W/19" KEYBOARD TRAY

- · 19" keyboard tray
- · 12.5" total height adjustment range (7" up; 5.5" down)
- · 23" track length
- \cdot No knob, lever, or ratchet handle required to set height; simply lift to desired position and release

Part Number: 8491-8494



EXTENDED REACH KEYBOARD ARM W/27" KEYBOARD TRAY

- · 27" keyboard tray
- · 12.5" total height adjustment range (7" up; 5.5" down)
- · 23" track length
- \cdot No knob, lever, or ratchet handle required to set height; simply lift to desired position and release

Part Number: 8491-8495

COMPACT



COMPACT KEYBOARD ARM W/19" KEYBOARD TRAY

- · 19" keyboard tray
- \cdot 8" total height adjustment (3" above; 5" below the work surface)
- \cdot No knob, lever, or ratchet handle required to set height; simply lift to desired position and release

Part Number: 8492-8494



COMPACT KEYBOARD ARM W/27" KEYBOARD TRAY

- · 27" keyboard tray
- \cdot 8" total height adjustment (3" above; 5" below the work surface)
- · 23" track length
- \cdot No knob, lever, or ratchet handle required to set height; simply lift to desired position and release

Part Number: 8492-8495



COMPACT KEYBOARD ARM W/27" KEYBOARD TRAY

- · 27" keyboard tray
- · 11" track length
- · +10/-10° tilter adjustment
- · 360° swivel

Part Number: KT-27-US



Human Active Technology, LLC 100 Kuebler Road Easton, PA 18040

800 524 2744 gsainfo@team-hat.com team-hat.com