

# VHA IDIQ



## **About Us**

We create human-centered products that enable seamless interactions between people and technology. Our thoughtfully designed solutions adapt to the individual and provide healthier, more productive experiences.

HEIGHT ADJUSTABLE TABLES	3
HAW3   S-Collection SE, 2-Stage	4
HAW3   S-Collection SX, 3-Stage	5
HAW3   S-Collection, 3-Leg	6
HAW2   M-Series Freestanding	7
DESKTOP CONVERTERS	8
CS5   Winston Workstation	9
CS5   Winston-E Workstation	10
MONITOR ARMS	11
MONITOR ARMS  CS2   7000	
	12
<b>CS2</b>   7000	12
<b>CS2</b>   7000 Dual	12
CS2   7000 Dual	12 13 14 15
CS2   7000 Dual	12 13 14 15
CS2   7000 Dual	12 13 14 15



# Height Adjustable Tables

Height-adjustable base and worksurface creates the optimal ergonomic work experience.





#### S-COLLECTION SE, 2-STAGE



The SE 2 Leg, 2-Stage desking solution exemplifies the Danish design principles of simplicity and functionality. This electric, height-adjustable table offers a slightly smaller height range than the 3-Stage, but with equal weight capacity and visual configurations.

A wide range of color combinations, finishes, and surface shapes make the 2-Stage a highly customizable option. This electric sit-to-stand table comes in a 2-leg configuration with a long list of optional features.

#### **FEATURES**

- Adjustable: Electric motor allows for a 350 lb. lift capacity, raising at 1.5" per second.
- Smart: Standard, software-based collision detection mitigates damage.
- Certified: Meets ANSI/BIFMA standards and is ETL listed to UL 962.
- · A Safe Space™ Product: Easily reconfigured to allow for social distancing in the workplace.

#### **SPECIFICATIONS**

## Frame Finishes White

Silver

Black

#### Worksurface Finishes:

We proudly offer WilsonArt®, Pionite®, Nevamar® and Formica® laminates. Worksurface thickness is 1.125".\*

#### Worksurface Edge Finishes:

We proudly offer Rehau edges.\*

#### Worksurface Shapes:

Rectilinear, 90°, 120° (radius corners are standard on all worksurfaces)

Height Range: 27.1" - 45.6"

Size Options:  $36" - 72" L \times 24" - 30" W$ Frame-Only Weight Capacity: 350 lbs.

Adjustability: Electric Control Speed: 1.5" Per Second

**Max Power Draw:** 120 V, 60 Hz, 5 A

Standby Power: 0.1W Special Features: Soft Stop

Switch Options: Up Down, Digital Switch, Personal Health Assistant Tracker

#### WARRANTY

Motor & Parts: 7 Years Craftsmanship: Lifetime



#### S-COLLECTION SX, 3-STAGE



The SX 2-Leg, 3-Stage offers S-Collection's largest height range. This electric sit-to-stand table comes in a 2-leg configuration, with all of the bells and whistles we could fit onto one worksurface.

Elegance meets powerful functionality in this 2-leg, 3-stage height-adjustable desking solution. Choose from a wide range of laminates, finishes, and optional tech features to create your ideal workspace.

#### **FEATURES**

- · Adjustable: Electric motor allows for a 350 lb. lift capacity, raising at 1.5" per second.
- Smart: Premium, hardware-based collision detection mitigates damage.
- · Certified: Meets ANSI/BIFMA standards and is ETL listed to UL 962.
- · A Safe Space™ Product: Easily reconfigured to allow for social distancing in the workplace.

#### **SPECIFICATIONS**

## Frame Finishes White

Silver

Black

#### Worksurface Finishes: We proudly offer WilsonArt®, Pionite®,

Nevamar® and Formica® laminates. Worksurface thickness is 1.125".\*

Worksurface Edge Finishes: We proudly offer Rehau edges.\*

Rectilinear, 90°, 120° (Radius corners are standard on all worksurfaces)

Worksurface Shapes:

Height Range: 22.2" - 48.7"

Frame-Only Weight Capacity: 350 lbs. Adjustability: Electric Control Speed: 1.5" Per Second

**Max Power Draw:** 120 V, 60 Hz, 5 A

Standby Power: 0.1W Special Features: Soft Stop

Switch Options: Up Down, Digital Switch, Personal Health Assistant Tracker

#### WARRANTY

Motor & Parts: 7 Years Craftsmanship: Lifetime



#### S-COLLECTION, 3-LEG



Office planning has never been easier. Our 3-Leg S-Collection offers beautifully comfortable, flexible, and ergonomic solutions for your work environment.

Our 3-leg electric desks are available in both 2 and 3-stage height adjustability, along with a multitude of opportunities for customization. No matter what your requirements, S-Collection can be configured to satisfy.

#### **FEATURES**

- · Adjustable: Electric motor allows for a 525 lb. lift capacity, raising at 1.5" per second.
- · Smart: Standard, software-based collision detection mitigates damage.
- · Certified: Meets ANSI/BIFMA standards and is ETL listed to UL 962.
- · A Safe Space™ Product: Easily reconfigured to allow for social distancing in the workplace.

#### **SPECIFICATIONS**

## Frame Finishes

White

Black

Worksurface Finishes: We proudly offer WilsonArt®, Pionite®, Nevamar® and Formica® laminates. Worksurface thickness is 1.125".\*

Worksurface Edge Finishes: We proudly offer Rehau edges.\*

Worksurface Shapes: 90°, 120° (Radius corners are standard on all worksurfaces)

#### SE, 2-Stage

Height Range: 27.1" - 45.6" Anti-Collision: Standard Collision Detection Software

#### SX, 3-Stage

Height Range: 22.2" - 48.7" Anti-Collision: Premium Collision Detection Sensor

Adjustability: Electric Control Speed: 1.5" Per Second

Frame-Only Weight Capacity: 525 lbs. **Max Power Draw:** 120 V, 60 Hz, 5 A

Standby Power: 0.1W Special Features: Soft Stop

Switch Options: Up Down, Digital Switch, Personal Health Assistant Tracker

#### WARRANTY

Motor & Parts: 7 Years Craftsmanship: Lifetime



#### M-SERIES FREESTANDING





Whether as a stand-alone workstation, in a pod layout, or as a touch-down surface, the height-adjustable M-Series flexes to work for you. This customizable table is available in three models and a variety of specifications, which means it fits wherever you need it. Choose your ideal worksurface shape to get the base and top combo that best suits your needs.

#### **FEATURES**

- Ergonomic: The unique Constant Force Spring technology allows smooth and consistent movement.
- Customized: M-Series is available in multiple weight capacities, worksurface angles, and base designs.
- Secure: A safety brake with integrated locking mechanism keeps the table in place.
- A Safe Space™ Product: Easily cleaned and disinfected between users.

#### **SPECIFICATIONS**

#### Finishes

White W

Silver

Black

Mocha\*

#### Worksurface Finishes:

We proudly offer WilsonArt®, Pionite®, Nevamar® and Formica® laminates. Worksurface thickness is 1".\*

Worksurface Edge Finishes: We proudly offer Rehau edges.\*\*

Height Range: 27.6" - 44.1"

Adjustability: Constant Force Spring

Frame-Only Weight Capacity:

Supports a range of 15 - 105 lbs. (Column available in Ultralight, Light, Medium, and Heavv)

#### MC-Corner

Worksurface Angle: 90° Max Worksurface Width: 36" - 48"

Max Worksurface Depth: 24"

Base: Available in two designs with glides, optional upgrade to casters

#### MR-Rectilinear

Worksurface Angle: Rectilinear

Max Worksurface Range: 30" - 60" x 24" - 30"

Base: Available in 3 designs with casters, optional upgrade to glide

#### MV-120-Degree

Worksurface Angle: 120°


Max Worksurface Range: 36" - 42" x 24"

Base: Available in two designs with casters, optional upgrade to glide

#### WARRANTY

Parts: 10 Years

Craftsmanship: Lifetime



# **Desktop Converters**

Our sit-stand workstations convert any desk into a healthy workspace.



#### WINSTON WORKSTATION









Seamless height adjustment

This workstation instantly converts any desk into a sit stand workspace, boosting health and productivity. Winston is available in single, dual, triple, and quadruple monitor support.

The Winston's worksurface easily reserves room for a keyboard, mouse, and storage tray. Retrofit your existing desk into a healthy workspace with three easy mounting options. Winston Compact is ideal for users with limited space who want to take advantage of a healthy sit-stand workstation.

#### **FEATURES**

- Stability: Features an overall height adjust range of 17" and a locking cylinder to keep the workstation in place.
- Easy: Retrofit your existing desk with freestanding, desk clamp, or thru mount options.
- Organized: Clips in the column and beam keep cables out of
- Convenient: Expansive worksurface and storage tray allows you to bring all necessities with you when you stand.
- A Safe Space™ Product: Can be easily disinfected between users.

#### **SPECIFICATIONS**

#### Finishes

Flat White 248



Silver 124



Vista Black 104

#### **Part Numbers**

WNST-1-\_\_ (Winston Single) WNST-2-\_\_ (Winston Dual) WNST-3-\_\_\_ (Winston Triple) WNST-4-\_\_ (Winston Quad)\* Max Screen Size: 43" (Winston Single) 30" (Winston Triple) 24" (Winston Triple)

24" (Winston Quad)

Height Adjustment: 17.1" Max Monitor Height: 37.6"

Weight Capacity:

Worksurface:  $30" \text{ W} \times 23" \text{ D}$ Base: 20.7" W x 22" D

7 - 20 lbs. (Winston Single)

10 - 26 lbs. (Winston Dual)

15 - 36 lbs. (Winston Triple)

24 - 40 lbs. (Winston Quad)

#### WARRANTY

5 years

#### WINSTON-E WORKSTATION





Focal depth adjustment



Independent monitor height adjustment

Winston-E is a responsive powered riser that takes the sitstand conversation to a whole new level. The next-generation retrofit worksurface with monitor arms is engineered for freedom of movement and is available in a single, dual, or triple monitor configuration.

Focal depth adjustment and independent movement keeps monitor at a comfortable, ergonomic level.

#### **FEATURES**

- Easy: Installers can get Winston-E from box to up-and-running in less than 20 minutes. No need to move or replace furniture.
- · Flexible: Independent monitor movement enable easy screen sharing.
- Convenient: Large worksurface and newly designed storage tray allow you to bring all necessities with you when standing.
- A Safe Space™ Product: Can be easily disinfected between users.

#### **SPECIFICATIONS**

#### **Finishes**



Grey Duotone

#### Part Numbers

WNSTE-1-270 (Winston-E Single) WNSTE-2-270 (Winston-E Dual) WNSTE-3-270 (Winston-E Triple) Height Adjustment: 18.4"

Monitor Height Adjust Range: 12.6" Max Monitor Height: 37.6"

Worksurface:  $30" \text{ W} \times 22" \text{ D}$ Base: 16" W x 21" D

Power Output: 24VDC, 5Amp Power Input: 100-240VAC, 50-60Hz,


2.0Amps

Power Cord: 5', Nema 5-15P Plug Weight Capacity: Up to 40 lbs.

Max Screen Size: 43" (Winston-E Single)

30" (Winston-E Dual) 24" (Winston-E Triple)

#### WARRANTY




## **Monitor Arms**

Regardless of application, our monitor mounts offer ergonomics, flexibility, and space-savings.











Space-saving design

This articulating monitor mount enables you to reclaim your desktop while you work in greater ergonomic comfort. Suspend your monitor above your desk and take advantage of this arm's 360 degrees of rotation.

#### **FEATURES**

- Space-Saving: Folds to occupy only 3" of space.
- Responsive: One-touch monitor adjustment.
- Flexible: Easily rotate monitor for portrait or landscape viewing.
- Compatible: VESA-monitor compatible 75mm& 100mm VESA adapter included.

#### **SPECIFICATIONS**

#### **Finishes**



Flat White 248



Silver 124



#### **Dimensions**


Screen Size: Up to 32" Height Adjustment: 16" Max Monitor Height: 17" Extension Range: 23.4" Rotation: 180° or 360° at base Weight Capacity: 3 - 28 lbs. Mount: C-Clamp, Grommet Compatibility: Up to 1.5" desk thickness

#### Part Numbers

7000-500-\_\_\_ (3 - 10 lbs. monitor) 7000-800-\_\_\_ (10 - 22 lbs. monitor) 7000-1000-\_\_\_ (13 - 28 lbs. monitor)

#### WARRANTY

#### **7000 DUAL**



This articulating monitor mount enables you to reclaim your desktop while you work in greater ergonomic comfort. Suspend your monitor above your desk and take advantage of this arm's 360 degrees of rotation.

#### **FEATURES**

- Quick-Install: Top down mounting makes installation fast and easy.
- · Sliders: Allows the user to fine tune monitor positioning and achieve their ideal viewing angle.
- **Responsive:** One-touch monitor adjustment.
- Flexible: Easily rotate monitor for portrait or landscape viewing.
- Compatible: VESA-monitor compatible 75mm & 100mm VESA adapters included.

#### **SPECIFICATIONS**

#### Finishes

Flat White 248



Silver



#### **Dimensions**


Screen Size: Up to 32" Height Adjustment: 16" Max Monitor Height: 16.7" Extension Range: 23.4" Rotation: 180° or 360° at base Weight Capacity: 3 - 22 lbs. per monitor Mount: C-Clamp, Grommet

#### Part Numbers

7000-2-500-SLD-\_\_\_(3-10 lbs. per monitor) 7000-2-800-SLD-\_\_\_ (10-22 lbs. per monitor)

#### **WARRANTY**

#### 7000 DUAL CROSSBAR





Integrated cable management provides a clutter free space



Instantly adjust dual monitors with bar

7000 Dual Crossbar combines ergonomics and ease of use into one streamlines, functional monitor arm. The Dual Crossbar promotes a healthier posture and effortless movement of dual monitors. Experience increase performance and productivity with the convenience of the 7000 Dual Crossbar.

#### **FEATURES**

- Space-Saving: Mount dual monitors off a single arm to save valuable space.
- Responsive: Handle allows for movement of dual monitors in tandem for quick, easy repositioning.
- Flexible: Independent monitor movement: pivot, rotate, pan and tilt each monitor individually.
- Quick: Fast installation provided by top down clamp mount and quick-install tilter.
- Compatible: VESA-monitor compatible 75mm & 100mm VESA adapter(s) included.

#### **SPECIFICATIONS**

Finish	nes	
	Flat	Wh

248 Silver 124

Vista Black

#### **Dimensions**


Screen Size: Up to 27" Height Adjustment: 15.5" Extension Range: 17.8" Rotation: 180° or 360° at base Weight Capacity: 6 - 14 lbs. per monitor Mount: C-Clamp, Grommet Compatibility: Up to 1.5" desk thickness

#### Part Numbers

7000-1-8537H-\_\_\_

#### **WARRANTY**

#### **7500 HEAVY DUTY**









Integrated cable management



Space saving design

The 7500 desk monitor mount features our patented HD tilter, a spring-assisted pivot for the monitor which makes adjustments remarkably easy, even with larger screens. Other features include internal cable management and unique joint bearings for ease of movement.

#### **FEATURES**

- $\mbox{\bf Effortless:}$  Instantly raise and lower your monitor with one handed repositioning.
- · Flexible: Easily rotate flat panel monitor for portrait or landscape viewing.
- $\mathbf{Smooth}$ : Monitor arm includes our spring-assisted HD tilter for smoother monitor pivoting.
- Compatible: VESA-monitor compatible 75mm & 100mm VESA adapter included.

#### **SPECIFICATIONS**

#### **Finishes**



Flat White 248



Silver 124



#### **Dimensions**

Screen Size: Up to 43" Height Adjustment: 18" Max Monitor Height: 19" Extension Range: 27" Rotation: 360° at base Weight Capacity: 2 - 40 lbs.

Mount: Desk Edge, Thru-Desk, Grommet, Wall, Reverse Wall, Side Bolt

#### Part Numbers

7500-500-\_\_\_(2-13 lbs. monitor) 7500-800-\_\_\_(6-21 lbs. monitor) 7500-1000-\_\_\_(8-27 lbs. monitor) 7500-1500-\_\_\_(12-40 lbs. monitor)

#### WARRANTY

#### STAXX MULTI-MONITOR SYSTEM



Designed for modularity, this groundbreaking display system can accommodate up to six monitors using a single mount. Staxx™ is a completely configurable pole-based solution allowing the addition of monitors by stacking more of the same parts on top of each other.

#### **FEATURES**

- Scalable: Easy to install and reconfigure.
- · Capable: Mount large screens stacked or side by side.
- Customizable: Available in a wide range of sizes and configurations.
- · Adjustable: Flexible extension arms provide easy positioning and personalized viewing angles.
- **Sliders:** Allows the user to fine tune monitor positioning and achieve their ideal viewing angle when utilizing 2 or more monitors (available in four configurations).

#### **SPECIFICATIONS**

#### Finishes

Flat White 248

124

Vista Black

Mount: C-Clamp, Grommet

Compatibility:

Up to 1.5" desk thickness

See pages 17-18 for additional specs

#### WARRANTY



#### STAXX MULTI-MONITOR SYSTEM CONTINUED

#### STAXX™ STANDARD



#### STAXX SINGLE

Screen Size: Up to 50" Weight Capacity:

> Flat Monitor: Up to 30 lbs. Curved Monitor: Up to 22 lbs.

Part Number: STX-01S-\_\_\_



#### STAXX DUAL

Screen Size: Up to 24"

Weight Capacity: Up to 20 lbs. per monitor

Part Number: STX-02S-\_\_\_



#### STAXX ONE OVER ONE

Screen Size: Up to 30"

Weight Capacity: Up to 20 lbs. per monitor

Part Number: STX-11S-\_\_\_



#### STAXX TWO OVER TWO

Screen Size: Up to 24"

Weight Capacity: Up to 15 lbs. per monitor

Part Number: STX-22S-\_\_\_




#### STAXX TRIPLE

Screen Size: Up to 24"

Weight Capacity: Up to 15 lbs. per monitor

Part Number: STX-03S-\_\_\_



#### STAXX THREE OVER THREE

Screen Size: Up to 24"

Weight Capacity: Up to 10 lbs. per monitor

Part Number: STX-33S-\_\_\_



#### STAXX MULTI-MONITOR SYSTEM CONTINUED

#### STAXX WIDE



#### STAXX DUAL WIDE

Screen Size: 24" - 30"

Weight Capacity: Up to 20 lbs. per monitor

Part Number: STX-02W-\_\_\_




#### STAXX TRIPLE WIDE

Screen Size: 24" - 30"

Weight Capacity: Up to 15 lbs. per monitor

Part Number: STX-03W-\_\_\_




#### STAXX TWO OVER TWO WIDE

Screen Size: 24" - 30"

Weight Capacity: Up to 15 lbs. per monitor

Part Number: STX-22W-\_\_\_



#### STAXX THREE OVER THREE WIDE

Screen Size: 24" - 30"

Weight Capacity: Up to 10 lbs. per monitor

Part Number: STX-33W-\_\_\_

#### STAXX ARTICULATING



#### STAXX DUAL ARTICULATING

Screen Size: Up to 27"

#### Weight Capacity:

- 10 23 lbs. per monitor, STX-450-\_\_\_
- 3 10 lbs. per monitor, STX-500-\_\_\_
- 7 17 lbs. per monitor, STX-600-\_\_\_
- 10 22 lbs. per monitor, STX-800-\_\_\_
- 13 28 lbs. per monitor, STX-1000-\_\_\_



#### STAXX DUAL ARTICULATING w/LAPTOP HOLDER

Screen Size: Up to 27"

#### Weight Capacity:

- 10 23 lbs. per monitor, STX-450-\_\_\_
- 3 10 lbs. per monitor, STX-500-\_\_\_
- 7 17 lbs. per monitor, STX-600-\_\_ 10 22 lbs. per monitor, STX-800-\_\_
- 13 28 lbs. per monitor, STX-1000-\_\_\_

Laptop: 3 - 13.5 lbs., all sku's

## Accessories

Make your workspace work for you with helpful add-ons.



#### **KEYBOARD TRAYS & ARMS**

#### **EXTENDED REACH**



#### EXTENDED REACH KEYBOARD ARM W/19" KEYBOARD TRAY

- · 19" keyboard tray
- · 12.5" total height adjustment range (7" up; 5.5" down)
- · 23" track length
- $\cdot$  No knob, lever, or ratchet handle required to set height; simply lift to desired position and release

Part Number: 8491-8494



#### EXTENDED REACH KEYBOARD ARM W/27" KEYBOARD TRAY

- · 27" keyboard tray
- · 12.5" total height adjustment range (7" up; 5.5" down)
- · 23" track length
- $\cdot$  No knob, lever, or ratchet handle required to set height; simply lift to desired position and release

Part Number: 8491-8495

#### **COMPACT**



#### COMPACT KEYBOARD ARM W/19" KEYBOARD TRAY

- · 19" keyboard tray
- $\cdot$  8" total height adjustment (3" above; 5" below the work surface)
- $\cdot$  No knob, lever, or ratchet handle required to set height; simply lift to desired position and release

**Part Number:** 8492-8494



#### COMPACT KEYBOARD ARM W/27" KEYBOARD TRAY

- · 27" keyboard tray
- $\cdot$  8" total height adjustment (3" above; 5" below the work surface)
- $\cdot$  No knob, lever, or ratchet handle required to set height; simply lift to desired position and release

**Part Number:** 8492-8495



#### COMPACT KEYBOARD ARM W/27" KEYBOARD TRAY

- · 27" keyboard tray
- · 11" track length
- · Tilt Adjustment: +10/-10°
- · Swivel: 360°

Part Number: KT-27-US



Human Active Technology, LLC 100 Kuebler Road Easton, PA 18040

800 524 2744 gsainfo@team-hat.com team-hat.com