

CYNERGY SERIES

MEDICAL CARTS



RUGGED MOBILITY.

The Cynergy Series is designed to endure the most demanding environments and is rugged yet easily maneuverable.



FEATURES

- **Ergonomic:** Various monitor mounts available that offer tilt, swivel and pivot adjustments.
- **Durable:** The polyethylene material innately inhibits the growth of bacteria and mold.
- **Expansive:** Ample, desktop workspace. An extended worksurface is also available.
- **Integrated:** Built-in handles allow easy maneuvering and control.
- **Retractable:** Keyboard tray retracts when not in use. Keyboard tray also includes a built-in wrist rest and a sliding mouse tray for left or right-handed compatibility.
- **Adjustable:** Single hand height adjustment for user comfort when standing or sitting.
- **Multi-Purpose:** A convenient storage container is secured to the base and easy to remove.
- **Movement:** The contoured base features an open design for an unobstructed stride and unparalleled stability.
- **Easy:** Ships fully assembled.

SPECIFICATIONS

Finishes



Granite

Dimensions

Base: 20" W x 20" D

Casters: 6" single wheels
(2 non-locking, 2 locking)

Worksurface Construction: High-density polypropylene & polyethylene
Cart Sleeve & Base: Styrene & injected molded plastic

Mobile Power Options

See page 4

WARRANTY

5 Years (excluding accessories & power components)

CYNERGY CONFIGURATIONS



CYNERGY HYBRID

Worksurface Area: 23" W x 12.25" D

Worksurface Height: 37.5" - 49"

Keyboard Tray Size: 20" W x 10" D

Keyboard Tray Height: 30" - 42"



CYNERGY ALL-IN-ONE

Worksurface Area: 20.5" W x 11.5" D

Worksurface Height: 35.25" - 45.25"

Keyboard Tray Size: 20" W x 10" D

Keyboard Tray Height: 30" to 42"



CYNERGY LAPTOP

Worksurface Area: 23" W x 12.25" D

Worksurface Height: 37.5" - 49"

Keyboard Tray Size: 20" W x 10" D

Keyboard Tray Height: 30" - 42"

CYNERGY POWER SYSTEMS

	Laptop Computer		Hybrid / Thin Client Computer w/Monitor		All-in-One Computer	
	Option 1	Option 2	Option 1	Option 2	Option 1	Option 2
Power System Model	Stealth Power Basic 450W / 22.2 Ah	Stealth Power 450W / 44.4 Ah	Stealth Power 450W / 44.4 Ah	Stealth Power Plus 450W / 66.6 Ah	Stealth Power 450W / 66. Ah	Stealth Power Plus 450W / 66.6 Ah
Battery Chemistry	LiFePO4 Lithium Iron Phosphate	LiFePO4 Lithium Iron Phosphate	LiFePO4 Lithium Iron Phosphate	LiFePO4 Lithium Iron Phosphate	LiFePO4 Lithium Iron Phosphate	LiFePO4 Lithium Iron Phosphate
Battery Capacity	12.8 Volt / 44.4 Ah	12.8 Volt / 44.4 Ah	12.8 Volt / 44.4 Ah	12.8 Volt / 66.6 Ah	12.8 Volt / 44.4 Ah	12.8 Volt / 66.6 Ah
Battery Run Time	8 Hours @ 35 Watts 4.5 Hours @ 65 Watts	25 Hours @ 35 Watts 13 Hours @ 65 Watts	13 Hours @ 65 Watts 10 Hours @ 90 Watts 8 Hours @ 110 Watts	20 Hours @ 65 Watts 15 Hours @ 90 Watts 12 Hours @ 110 Watts	13 Hours @ 65 Watts 10 Hours @ 90 Watts 8 Hours @ 110 Watts	20 Hours @ 65 Watts 15 Hours @ 90 Watts 12 Hours @ 110 Watts
Recharge Time	≤ 2 Hours	≤ 2 Hours	≤ 2 Hours	2.25 Hours	≤ 2 Hours	2.25 Hours
Battery Life	2500 - 3000 Cycles	2500 - 3000 Cycles	2500 - 3000 Cycles	2500 - 3000 Cycles	2500 - 3000 Cycles	2500 - 3000 Cycles
Technology / Flexibility	Built-in AC & DC Output AC Plug w/ 3 Outlets 3 DC Outputs: 5v, 12v & 19.5v	Built-in AC & DC Output AC Plug w/ 3 Outlets 3 DC Outputs: 5v, 12v & 19.5v	Built-in AC & DC Output AC Plug w/ 3 Outlets 3 DC Outputs: 5v, 12v & 19.5v	Built-in AC & DC Output AC Plug w/ 3 Outlets 3 DC Outputs: 5v, 12v & 19.5v	Built-in AC & DC Output AC Plug w/ 3 Outlets 3 DC Outputs: 5v, 12v & 19.5v	Built-in AC & DC Output AC Plug w/ 3 Outlets 3 DC Outputs: 5v, 12v & 19.5v
Total Power Available	450 Watts	450 Watts	450 Watts	450 Watts	450 Watts	450 Watts
Safety Compliance	UL 60601 3rd Edition	UL 60601 3rd Edition	UL 60601 3rd Edition	UL 60601 3rd Edition	UL 60601 3rd Edition	UL 60601 3rd Edition