

OMNICENTER

MEDICAL CARTS



ENDLESS POSSIBILITIES.

The OmniCenter workstation is the perfect solution in any work environment. There are endless possibilities of configurations and customizations to accommodate any computer equipment, specific needs and applications or work area requirements. All OmniCenters are constructed with sturdy and long-lasting materials. Ask about other options to meet your project requirements.



FEATURES

- **Ergonomic:** Various monitor mounts available that offer tilt, swivel and pivot adjustments.
- **Expansive:** Ample desktop workspace.
- **Smart:** Desktop overlay indicates the power system's battery run-time and charge time in hours/minutes (powered carts).
- **Integrated:** Ergonomic, easy-grip handles located on both left and right sides allow you to either push or pull the workstation.
- **Retractable:** Keyboard tray retracts when not in use and offers a sliding mouse tray for left or right-handed compatibility.
- **Easy:** Ships fully assembled.

SPECIFICATIONS

Finishes

Grey

Dimensions

Base Size: 25.75" W x 21.25" D

Caster Size: 6" wheels
(2 locking, 2 non-locking)

Worksurface Construction:
High-density polyethylene

Mobile Power Options

See page 4

WARRANTY

5 Years (excluding accessories & power components)

OMNICENTER CONFIGURATIONS



OMNICENTER HYBRID
Worksurface Area: 24.25" W x 19.75" D
Worksurface Height: 42"
Keyboard Tray Size: 20" W x 10" D
Keyboard Tray Height: 35.5"



OMNICENTER ALL-IN-ONE
Worksurface Area: 24.25" W x 19.75" D
Worksurface Height: 42"
Keyboard Tray Size: 20" W x 10" D
Keyboard Tray Height: 35.5"



OMNICENTER LAPTOP
Worksurface Area: 24.25" W x 19.75" D
Worksurface Height: 42"
Keyboard Tray Size: 20" W x 10" D
Keyboard Tray Height: 35.5"

OMNICENTER POWER SYSTEMS

	Laptop Computer		Hybrid / Thin Client Computer w/Monitor		All-in-One Computer	
	Option 1	Option 2	Option 1	Option 2	Option 1	Option 2
Power System Model	Stealth Power Basic 450W / 22.2 Ah	Stealth Power 450W / 44.4 Ah	Stealth Power 450W / 44.4 Ah	Stealth Power Plus 450W / 66.6 Ah	Stealth Power 450W / 66. Ah	Stealth Power Plus 450W / 66.6 Ah
Battery Chemistry	LiFePO4 Lithium Iron Phosphate	LiFePO4 Lithium Iron Phosphate	LiFePO4 Lithium Iron Phosphate	LiFePO4 Lithium Iron Phosphate	LiFePO4 Lithium Iron Phosphate	LiFePO4 Lithium Iron Phosphate
Battery Capacity	12.8 Volt / 44.4 Ah	12.8 Volt / 44.4 Ah	12.8 Volt / 44.4 Ah	12.8 Volt / 66.6 Ah	12.8 Volt / 44.4 Ah	12.8 Volt / 66.6 Ah
Battery Run Time	8 Hours @ 35 Watts 4.5 Hours @ 65 Watts	25 Hours @ 35 Watts 13 Hours @ 65 Watts	13 Hours @ 65 Watts 10 Hours @ 90 Watts 8 Hours @ 110 Watts	20 Hours @ 65 Watts 15 Hours @ 90 Watts 12 Hours @ 110 Watts	13 Hours @ 65 Watts 10 Hours @ 90 Watts 8 Hours @ 110 Watts	20 Hours @ 65 Watts 15 Hours @ 90 Watts 12 Hours @ 110 Watts
Recharge Time	≤ 2 Hours	≤ 2 Hours	≤ 2 Hours	2.25 Hours	≤ 2 Hours	2.25 Hours
Battery Life	2500 - 3000 Cycles	2500 - 3000 Cycles	2500 - 3000 Cycles	2500 - 3000 Cycles	2500 - 3000 Cycles	2500 - 3000 Cycles
Technology / Flexibility	Built-in AC & DC Output AC Plug w/ 3 Outlets 3 DC Outputs: 5v, 12v & 19.5v	Built-in AC & DC Output AC Plug w/ 3 Outlets 3 DC Outputs: 5v, 12v & 19.5v	Built-in AC & DC Output AC Plug w/ 3 Outlets 3 DC Outputs: 5v, 12v & 19.5v	Built-in AC & DC Output AC Plug w/ 3 Outlets 3 DC Outputs: 5v, 12v & 19.5v	Built-in AC & DC Output AC Plug w/ 3 Outlets 3 DC Outputs: 5v, 12v & 19.5v	Built-in AC & DC Output AC Plug w/ 3 Outlets 3 DC Outputs: 5v, 12v & 19.5v
Total Power Available	450 Watts	450 Watts	450 Watts	450 Watts	450 Watts	450 Watts
Safety Compliance	UL 60601 3rd Edition	UL 60601 3rd Edition	UL 60601 3rd Edition	UL 60601 3rd Edition	UL 60601 3rd Edition	UL 60601 3rd Edition