



**AUGUST 2023**

Current as of: August 25, 2023



**HAT  
COLLECTIVE™**  
HUMAN ACTIVE TECHNOLOGY

# WORK YOUR WAY.

Our product collection empowers you to choose the way you work. An individualized workspace ultimately leads to increased job satisfaction, improved health and well-being, and higher levels of engagement and productivity. Whether in the office or at home, sitting or standing, together or at a distance, our flexible, sophisticated range of workplace solutions lets you work your way.



## TABLE OF CONTENTS

### INTRODUCTION

Warranty .....	4
Terms & Conditions .....	5
Freight .....	8
Lead Times .....	10

### WORKSTATIONS

Workstations .....	16
Bases.....	19
Power & Data Beam .....	52
Benching.....	56
Group & Conference.....	50, 58
Desktop Converters .....	60
Mobile .....	40
Dividers.....	66

MONITOR ARMS .....	80
--------------------	----

STORAGE .....	92
---------------	----

SEATING.....	98
--------------	----

### ACCESSORIES

Wire Management .....	102
Lighting.....	101
Power & Docking.....	103
CPU Holders .....	106
Mounts & Adapters .....	106
Keyboard Trays .....	109



WARRANTY

Seller warrants that its products will be free from defects in material and workmanship when the title passes to the buyer. Seller will repair (only pre-approved labor and service costs are covered under this warranty) or replace (or issue a pro-rated credit if a similar product is no longer available), at its discretion, any defective product without charge (shipping charges excluded).

Seller may require proof of purchase before performing any repairs or replacing any products during the warranty period. Except as specifically set forth above, Seller makes no warranties, express or implied and specifically disclaims any warranty of merchantability or fitness for a particular purpose. Repair or replacement of the product ordered from Seller shall be buyer’s exclusive remedy.

Seller will not be responsible for incidental or consequential damages.

THIS WARRANTY DOES NOT APPLY TO:

- Damage caused by a carrier.
- Labor charges.
- Normal wear and tear.\*
- Defects caused by failure to follow instructions related to the product's installation or intended use.
- COM or other third party materials applied to the products.
- Products subjected to improper use and conditions.
- User modification of, or attachments to the product, including application of your own materials
- Damage resulting from misuse, negligence, accident or alteration.

\* Normal use consists of a 5 day, 40 hour work week.

This warranty shall be effective for the applicable time period starting from date of purchase as shown on your original receipt or other proof of purchase. The warranty covers the original purchaser of the product.

PRODUCTS:

- Bases, Power and Data Beam, Benching: craftsmanship for the life of the product. Electrical and mechanical components are warranted for 7 years.
- Pedestals are warranted for their lifetime
- Pedestal Cushions are warranted for 2 years.
- Worksurfaces & Dividers are warranted for 5 years. (Worksurface & Divider exclusions include: normal wear and tear, which are to be expected over the course of ownership; damage caused by abuse, misuse, neglect, vandalism, accident, disaster, improper storage, chemical damage, water or fire; damage caused by the carrier in-transit, which will be handled as claims against the carrier; modifications or attachments to the product that are not approved by the Company or use of a product in combination with products or equipment not appropriate for that product; products that were not installed, used or maintained in accordance with product instructions and warnings; causes external to a product such as use of improper cleaning supplies or environmental factors; products which have been modified or altered, repaired or refurbished by someone other than the company.)
- Winston Series: 5 years
- One Touch: 10 years unit/parts, 2 years motor
- Movel: 3 years
- Seating: Parts and components: 10 years, Mesh: 5 years

ACCESSORIES:

- Keyboard Trays: 1 year
- Monitor Arms: 10 years
- Power Modules: 5 years
- CPU Holders: 5 years
- Lighting: 2 years
- Docking Station: 1 year

TERMS & CONDITIONS

The following terms and conditions shall apply to all orders by buyer (“Buyer” or “you”) for goods and services purchased from Human Active Technology (individually the “Seller” or “Us”, and, together with Buyer, the “parties”). By accepting delivery, Buyer agrees to be bound by and accepts these terms and conditions. These terms and conditions supersede the terms and conditions of or attached to the Buyer’s purchase order or any similar document submitted by Buyer (a “Purchase Order”), meaning any provision of the Buyer’s Purchase Order or attachment thereto which conflicts with these terms and conditions shall be ineffective and these terms and conditions shall govern each Purchase Order unless the Seller shall subsequently agree otherwise in writing.

1. RESERVATION OF RIGHTS

Seller reserves the right to change at any time without notice these terms and conditions.

2. PAYMENT TERMS

a. CREDIT – Credit may be extended to Buyer at Seller’s sole discretion. Credit approval is required for all orders on open account. All products, parts and services sold to Buyer on open account are due ‘Net 30 Days’ from date of invoice, unless otherwise agreed to in writing at the time of sale. A service charge at the then-current prevailing rate is assessed on delinquent balances. Seller reserves the right to change this rate or the ‘Net 30 Days’ payment due date from time to time. Service charges will be assessed monthly. The current rate is 1.5% per month (18% annually) or the maximum rate allowed by law, whichever is less. Buyer is responsible for cancellation costs and attorney’s fees associated with collection of monies owed to Seller by Buyer. Buyer shall notify Seller in writing of errors contained in invoices within 30 days of issuance. Invoices are deemed correct 30 days following issuance. Credit accounts past due will be placed on hold– pending orders will not be shipped and work-in-process for pending orders will be stopped until account is made current by Buyer.

b. DEPOSIT FOR LARGE ORDERS – For orders from new customers of \$20,000 or more, standard terms are: 1/2 deposit with the Purchase Order and 1/2 payment prior to shipment. For orders from established customers of \$50,000 or more, standard terms are: 1/2 deposit with the Purchase Order and 1/2 payment Net 30 Days.

3. CURRENCY

All prices quoted and monies due are in U.S. dollars. For non-U.S. customers, payment may be made by certified check, wire transfer or VISA, MasterCard or American Express.

4. DELIVERY & FREIGHT

a. U.S. SHIPMENTS – Unless otherwise negotiated, standard freight terms for order shipments within the 48 contiguous states of the United States are prepay and add to final invoice. Seller reserves the right to reasonably charge the buyer for all non-standard delivery requirements which may include but are not limited to:

- Consolidation and delivery on the same truck
- Expedited or air freight
- Special shipping or packaging methods
- Liftgates/forklift
- Delivery outside of normal hours
- Inside delivery
- Redelivery, notification, etc.
- Improper refusal of product
- Detention charges
- Street unloads
- Redirection of product
- Storage past acknowledged ship date

(All products in the catalog will receive ship dates respective of their product category and can be found on the following page: 10.

i. Title passes to Buyer at the dock of the shipping origin. Choice of carrier is at Seller's discretion, unless specified by Buyer's Purchase Order. Freight charges are added to Buyer's invoice unless Buyer's Purchase Order specifies carrier routing, notes "freight collect," and includes applicable carrier account numbers and/or billing information.

ii. For Alaska – freight is prepaid to Port of Seattle, Washington. For Hawaii, freight is prepaid to Port of Oakland, California.

iii. Customer arranged pick up (will-call) is available with timely and reasonable coordination. Once confirmed, Buyer will have three (3) business days from notification to pick up the order. If the order is not picked up within this time frame, storage charges may apply.

iv. All requests for carrier-guaranteed delivery times shall be considered and will include an additional fee, if accepted. This additional fee will be the maximum liability to the Seller. If the carrier misses the guaranteed delivery time, a refund will be issued to customer.

b.NON-U.S. SHIPMENTS – Unless otherwise negotiated and accepted by the Seller in writing, shipments outside of the U.S. are shipped Freight On Board (FOB) Origin or Shipping Origin. Title passes to Buyer at the dock of Shipping Origin regardless of method of shipment. Transportation costs will be added to invoice unless Buyer's Purchase Order specifies carrier routing, notes "freight collect" and includes applicable carrier account numbers and/or billing information. Unless otherwise negotiated, Buyer is responsible for arranging customs clearance and for filing and paying all applicable duties and taxes outside of the United States.

c.DAMAGE – Seller is not responsible for damage that occurred in transit or during storage. Before accepting a shipment from the carrier, Buyer (and/or its designated receiver) is to carefully review the packing list and inspect the quantity and condition of the items. For any external damage, Buyer should document all damage on the Bill of Lading and request a carrier inspection of the product.

d.CONCEALED DAMAGE – Buyer must report concealed damage to the carrier and Seller, in writing, within 48 hours of receipt. In the event of damage, Buyer shall accept the order and contact Seller for issue resolution. Seller agrees to take all reasonable measures to assist Buyer in resolving claims for loss or damage.

e.EARLY SHIPMENTS – Estimated ship dates are sent with order acknowledgements. Seller may ship up to 5 days early, unless requested otherwise on Buyer’s Purchase Order.

f. REPACKING CHARGES – Any Buyer requests to change shipment methods or destinations stated on Purchase Order, or any requests from Buyer for special packaging not stated on Purchase Order may result in repacking charges if requests require Seller to repack order.

5. TAXES AND DUTIES

Buyer shall be responsible for all taxes and duties which result from the transfer of title, sale or delivery of the goods and services purchased hereunder. Taxes may not be applied if a valid and correct tax exemption certificate is furnished to Seller prior to shipment.

6. CANCELLATIONS

Purchase Orders may not be changed or canceled, in whole or in part, without prior written consent of Seller. Changes or revisions must be clearly indicated on the new Purchase Order and may affect delivery dates. Expenses incurred because of changes will be charged to the Buyer as customer. In the event of cancellations, the customer will be liable for reasonable cancellation charges established by Seller. Charges may be incurred by Buyer for the entire amount of the order. Orders for customized products, custom finishes or applying Customer's Own Material (COM) may not be canceled. All such custom orders are final

TERMS & CONDITIONS  
(CONTINUED)

and non-refundable.

7. RETURNS AND CLAIM POLICY

a. RESPONSIBILITY. It is Buyer’s responsibility to examine goods upon receipt and to notify Seller with any concerns. Any claims against Seller for apparent defects, errors or shortages must be made by the Buyer within 48 hours after any receipt date. Failure by the Buyer to make any claim against Seller within 48 hours shall constitute acceptance of the goods and waive any apparent defects, errors or shortages.

b. DEFECTIVE ITEMS – Defective items may be returned within limits of the Warranty.

c. CUSTOM-CONFIGURED ITEMS – Non-defective Custom-configured Items are not returnable.

d. RETURNS  
Authorized merchandise returns must be approved prior to the arrival of any goods at our dock. Unauthorized returns will not be accepted by Seller. All returns must be labeled with a valid Return Authorization (R/A) number on the outside of packaging. Shipments without R/A numbers will be rejected. R/A numbers may be obtained by calling Seller. Products must be returned to Seller within 30 days of receipt. Returns are subject to up to a 25% restocking fee plus return freight charges. Product must be returned in original cartons in "as new" condition.

8. BLANKET ORDERS

Blanket Orders include any order by Buyer to be received in multiple shipments (“releases”).  
·Buyer must accept all releases within 6 months of Purchase Order receipt, unless agreed by Seller otherwise in writing. Units not requested to be shipped by Buyer within 6 months of Purchase Order receipt will be shipped and invoiced to Buyer immediately following the 6 month deadline. Cancellation and order change fees apply as specified in sections 6a and 6b.

9. WARRANTY

Seller warrants that its products will be free from defects in material and workmanship when the title passes to the Buyer. Seller will repair (only pre-approved labor and service costs are covered under this warranty) or replace (or issue a pro-rated credit if a similar product is no longer available) at its discretion any defective product without charge (shipping charges excluded).

Seller may require proof of purchase before performing any repairs or replacing any products during the warranty period. Except as specifically set forth above, Seller makes no warranties, express or implied, and specifically disclaims any warranty of merchantability or fitness for a particular purpose. Repair or replacement of the product ordered from Seller shall be Buyer’s exclusive remedy. Seller will not be responsible for incidental or consequential damages.

THIS WARRANTY DOES NOT APPLY TO:

- Damage caused by a carrier.
- Buyer’s labor charges.
- Normal use, wear and tear.\*
- Defects caused by failure to follow instructions related to the product’s installation or intended use.
- Products subjected to improper use and conditions.
- User modification of, or attachments to the product, including application of your own materials (i.e., COM) or a third party’s materials.
- Damage resulting from misuse, negligence, accident or alteration.

TERMS & CONDITIONS  
(CONTINUED)

and determine any suit instituted under these terms and conditions (and all Purchase Orders). Each party expressly submits in advance to such jurisdiction in any action or proceeding commenced by the other, and agrees that service of such summons and complaint, or other process or papers, may be made in accordance with the physical Notice provisions hereof concerning certified mail, return receipt requested.

17. NOTICE

The parties may give notice to each other by certified mail, return receipt requested or overnight courier, according to the addresses set forth in the Purchase Order. Ordinary course email notice may be given concerning details of or changes to any given Purchase Order, provided the sender has received electronic confirmation of

\*Normal use consists of a 5 day, 40 hour work week.

This warranty shall be effective for the applicable time period starting from date of purchase as shown on your original receipt or other proof of purchase. The warranty covers the original purchaser of the product.

Individual product warranty time periods can be found on the Seller’s websites.

10. INSTALLATION

Seller does not take responsibility for Buyer’s installation of Seller’s products. Buyer must supply own installation or acquire installation services from a third party.

11. ONLINE AUCTIONS

Buyer agrees that product purchased from Seller will not be sold at online auction for less than Seller’s suggested retail price, unless clearly marked as “Used” in both auction subject line and descriptive text. Buyer is obligated to inform prospective bidders that Seller’s warranties are voided by sale at online auction and product purchased at online auction may not for any reason be returned to Seller for repair, credit or exchange. Seller reserves the right to refuse to sell to any Buyer discovered to be in violation of these terms and conditions.

12. RESALE

Subject to Section 11, on any resale of purchased items the Buyer will contractually limit its buyer’s rights and remedies against both Buyer and Seller to the same extent as Buyer’s rights and remedies covered in Warranty and Returns and Claim Policy above.

13.PERMITS & COMPLIANCE

Seller is not responsible for obtaining any permits, inspections or licenses required for installation or operation of the goods or services. Seller makes no promise or representation that the goods or services will conform to any federal, state, local, foreign or other laws, ordinances, regulations, codes or standards.

14. LIMITED LIABILITY

The entire liability of Seller to Buyer for any cause whatsoever, regardless of the form of action, whether in contract, tort or otherwise, shall be limited to the direct damages proven or an amount equal to the purchase price of the products or services, whichever is less. In no event shall Seller be liable for any indirect, special reliance, incidental or consequential damages (including lost profits or savings) sustained or incurred in connection with the product. This paragraph shall survive failure of any exclusive remedy.

15.NON-WAIVER

Any failure on Seller’s part to insist upon the strict performance of any term or condition set forth herein shall not be deemed a waiver of any of Seller’s rights or remedies hereunder, nor of its right to insist upon the strict performance of the same or of any other term of this document in the future. No waiver of any condition of this document shall be valid unless in writing and signed by an authorized representative of Seller.

16. PREVAILING LAW

The parties hereto hereby agree that these terms and conditions (and all Purchase Orders) shall be governed by and construed in accordance with, for all purposes, the laws of the Commonwealth of Pennsylvania, without reference to its rules concerning conflicts of laws, and further agree that the Pennsylvania State courts or the federal court for the Eastern District of Pennsylvania shall have exclusive jurisdiction to hear



FREIGHT

All pricing includes free freight, except for orders under \$2,000 Net. Monitor arms do not incur a freight charge regardless of order value. Any exceptions are noted in this document.

Orders below \$2,000 Net will incur a freight charged based on the information below.

· There is a \$20 minimum freight charge for orders under \$2,000 net, excluding monitor arm and wall mount only orders.

· All orders requiring a residential delivery will be charged a \$50 handling fee

Height Adjustable Bases, Desktop Converters (Winston, One-Touch), Accessories  
· For order value less than \$2,000 net, 12% of net

Storage  
· For order value less than \$2,000 net, 12% of net with a \$100 minimum Not available to ship via Parcel

Seating  
· For order value less than \$2,000 net: \$55 per unit

Worksurfaces, when shipped with bases  
· For order value less than \$2,000 net, for worksurfaces of up to 60" x 30, \$89 per worksurface and base combination. Any worksurface larger than 60" x 30" will need to be shipped via LTL and cost will be greater

The following products are excluded from free freight over \$2,000 net. Freight quote required (customerservice@team-hat.com or 800-524-2744)  
· Orders for worksurfaces that do not include a base  
· Elle  
· Ellehaven  
· Fiello  
· M Series  
· Special Order/Custom Product

· Alaska: freight is prepaid to Port of Seattle.  
· Hawaii: freight is prepaid to Port of Oakland

**DELIVERY**  
Seller reserves the right to reasonably charge the buyer for all non-standard delivery requirements which may include but are not limited to:

· Consolidation and delivery on the same truck

· Expedited or air freight

· Special shipping or packaging methods

· Liftgates/forklift

· Delivery outside of normal hours

· Inside delivery

· Redelivery, notification, etc.

· Improper refusal of product

· Detention charges

· Street unloads

- Redirection of product
- Storage past acknowledged ship date

**WILL CALL**  
Bay Area orders require will call. Freight surcharge of 5% of net applied if shipping required within the Bay Area.

Will Call orders will have a confirmed pick up date. Customers will have three (3) business days from notification to pick up their order. If the order is not picked up within this time frame, storage charges may apply.

**TAXES AND DUTIES**  
Buyer shall be responsible for all taxes and duties which result from the transfer of title or sale or delivery of the Goods & Services purchased hereunder. Taxes may not be applied if a valid and correct tax exemption certificate is furnished to Seller prior to shipment.

**CANCELLATIONS**  
Purchase Orders may not be changed or canceled, in whole or in part, without prior written consent of Seller. Changes or revisions must be clearly indicated on the new Purchase Order and may affect delivery dates. Expenses incurred because of changes will be charged to the Buyer as customer. In the event of cancellations, the customer will be liable for reasonable cancellation charges established by Seller. Charges may be incurred by Buyer for the entire amount of the order. Orders for customized products, custom finishes or applying Customer's Own Material (COM) may not be canceled. All such custom orders are final and non-refundable.

**SHIPMENT DAMAGE CLAIMS**  
Seller is not responsible for damage that occurred in transit or during storage. Before accepting a shipment from the carrier Buyer (and/or their designated receiver) is to carefully review the packing list and inspect the quantity and condition of the items. For any external damage, Buyer should document all damage on the Bill of Lading and request a carrier inspection of the product. Buyer must report concealed damage to the Carrier and Seller in writing, within 48 hours of delivery.

**ROUTING**  
Standard courier shipments are made via common carrier, unless otherwise specified by customer. Special routing requests made by the customer may result in additional charges to the purchaser. All LTL/full-trailer shipments are dock-to-dock.

Shipments are not guaranteed. Should you require guaranteed service please contact Customer Service. We will work to arrange a specific delivery timetable with the carrier, charges may apply.

	LTL: Over \$2,000 NET	LTL: Under \$2,000 NET	Parcel: Over \$2,000 NET	Parcel: Under \$2,000 NET
MONITOR ARMS	Free Freight	Free Freight	Free Freight	Free Freight
BASES	Free Freight	12% of net	Free Freight	12% of net
WORKSURFACES AND BASE COMBO *WORKSURFACES UP TO 60" X 30"	Free Freight	\$89 per unit	Free Freight	\$89 per unit
DESKTOP CONVERTERS	Free Freight	12% of net	Free Freight	12% of net
ACCESSORIES	Free Freight	12% of net	Free Freight	12% of net
SEATING	Free Freight	\$55 per unit	Free Freight	\$55 per unit
STORAGE	Free Freight	12% of net, \$100 min- imum	Not available	Not available
WORKSURFACES *STANDARD FINISHES AND SIZES	Call for quote	Call for quote	Call for quote	Call for quote
ELLE   ELLEHAVEN FIELLO   M SERIES	Call for quote	Call for quote	Call for quote	Call for quote
CARTS	7% of net	7% of net	7% of net	7% of net
WALL MOUNTS	Free Freight	Free Freight	Free Freight	Free Freight
SPECIAL ORDER   CUSTOM	Call for quote	Call for quote	Call for quote	Call for quote

## WORKSTATION LEAD TIMES

ALL LEAD TIMES REFLECT BUSINESS DAYS

PRODUCT CATEGORY	MODELS	IN-STOCK FINISH LEAD TIME	STANDARD FINISH LEAD TIME
Bases	Mid HAT	3 Days	8-12 Weeks
	Hi HAT	3 Days	8-12 Weeks
	L Unit	3 Days	8-12 Weeks
	Kita	-	20-30 Days
	S-Collection Electric Frame Only	-	30-40 Days
	S-Collection Electric Frame & Top	-	30-40 Days
	M-Series Frame & Top	-	30-40 Days
	Elle Frame Only	-	30-40 Days
	Elle Frame & Top	-	30-40 Days
Power & Data Beam	Beam Frame	3 Days	-
	Posts	3 Days	-
	Duplex Receptacle	3 Days	-
	Power Pole	3 Days	-
	Power Trac	3 Days	-
	Power Feed	3 Days	-
Benching	Dual Benching Unit	3 Days	-
Group & Conference	Conference Table	3 Days	-
	Ellehaven Frame Only	-	30-40 Days
	Ellehaven Frame & Top	-	30-40 Days
Mobile	Movel	3 Days	-
Worksurfaces	Rectangular: 24" x 48", 24" x 60", 30" x 48", 30" x 60" *Limited Finishes	3-5 Days*	10-15 Days
	Rectangular: 17 sizes available	-	10-15 Days

\* Orders over 99, please call  
\*\* Orders over 50, please call  
\*\* 19 or less: 2-3 weeks, 20 or more: 4 weeks

## WORKSTATION LEAD TIMES

ALL LEAD TIMES REFLECT BUSINESS DAYS

PRODUCT CATEGORY	MODELS	IN-STOCK FINISH LEAD TIME	STANDARD FINISH LEAD TIME
Dividers	PET (Surface/Beam Mounted)	-	10-20 Days***
	Fabric Fold (Surface/Beam Mounted)	-	10-20 Days***
	Acrylic (Surface/Beam Mounted)	-	20 Days***
	White Board (Surface/Beam Mounted)	-	20 Days
	Acrylic Modesty Panel	-	10-20 Days***
	Aura	-	15-20 Days

\* Orders over 99, please call  
\*\* Orders over 50, please call  
\*\* 19 or less: 2-3 weeks, 20 or more: 4 weeks

PRODUCT CATEGORY	MODELS	1-10 UNITS	11-25 UNITS	26-50 UNITS	51+ UNITS
	Winston Desk Corner	3 Days	5 Days	7 Days	Call
	Winston E-Desk	3 Days	5 Days	7 Days	Call
	Winston Workstation Single*	1 Day	3 Days	5 Days	Call
	Winston Workstation Dual*	1 Day	3 Days	5 Days	Call
	Winston Workstation Triple*	3 Days	5 Days	7 Days	Call
	Winston Workstation Quad*	3 Days	5 Days	7 Days	Call
	Winston-E Single	3 Days	5 Days	7 Days	Call
	Winston-E Dual	3 Days	5 Days	7 Days	Call
	Winston-E Triple	3 Days	5 Days	7 Days	Call
	One Touch Single Freestand	3 Days	5 Days	7 Days	Call
	One Touch Dual Freestand	3 Days	5 Days	7 Days	Call
	One Touch Dual Ultra	3 Days	5 Days	7 Days	Call
	One Touch Triple Ultra	3 Days	5 Days	7 Days	Call
	One Touch Quad Ultra	3 Days	5 Days	7 Days	Call
	One Touch One over Three Ultra	3 Days	5 Days	7 Days	Call
	One Touch Two over Two Ultra	3 Days	5 Days	7 Days	Call
	One Touch Three over Three Ultra	3 Days	5 Days	7 Days	Call

\* Finish 248 (White) has a 20 Day lead time.

## MONITOR ARMS LEAD TIMES

ALL LEAD TIMES REFLECT BUSINESS DAYS

MODELS	1-10 UNITS	11-25 UNITS	26-50 UNITS	51+ UNITS
Envoy Single	3 Days	5 Days	7 Days	Call
Envoy Dual	3 Days	5 Days	7 Days	Call
E2 Single	Next Day	3 Days	5 Days	Call
E2 Dual	Next Day	3 Days	5 Days	Call
Staxx	3 Days	5 Days	7 Days	Call

MODELS	1-49 UNITS	50-149 UNITS	150+ UNITS
E2 Connex	20 Days	Call	Call
7000 Single*	2 Days	3 Days	Call
7000 Dual*	2 Days	3 Days	Call
7000 Dual Crossbar	2 Days	3 Days	Call
7500	2 Days	4 Days	Call

\* Finish 248 (White) has a 20 Day lead time.

## STORAGE LEAD TIMES

ALL LEAD TIMES REFLECT BUSINESS DAYS

MODELS	IN-STOCK FINISH LEAD TIME	STANDARD FINISH LEAD TIME
HAT Mobile Pedestal Slim	3 Days	-
HAT Mobile Pedestal	3 Days	-
HAT Mobile Pedestal Cushions	3 Days	8-12 Weeks 50 minimum order qty.
Collective Storage Mobile Locker	Call	-
Collective Storage Mobile Pedestal Slim	Call	-
Collective Storage Mobile Pedestal	Call	-
Collective Storage Mobile Credenza 30"	Call	-
Collective Storage Mobile Credenza 48"	Call	-
Collective Storage Cushions	Call	Call

## SEATING LEAD TIMES

ALL LEAD TIMES REFLECT BUSINESS DAYS

MODELS	IN-STOCK FINISH LEAD TIME	STANDARD FINISH LEAD TIME
Iku	3 Days	Call

\* Orders over 50, please call.

## ACCESSORIES LEAD TIMES

MODELS	LEAD TIMES
Surface Power Modules	3 Days
Wire Management Sleeve	3 Days
Cable Management Sleeve	3 Days
Casters	3 Days
CPU Holders	3 Days
Docking Station	3 Days

MODELS	1-10 UNITS	11-25 UNITS	26-50 UNITS	51+ UNITS
Slider	20 Days	20 Days	20 Days	Call



# IN-STOCK PROGRAM

In-Stock products ship in three business days or less.

**In-Stock products include:**

- Bases
- Power and Data Beams
- Benching
- Worksurfaces (limited skus)
- Mobile Workstations
- Dividers (limited skus)
- Mobile Pedestals
- Seating (limited skus)

**Accessories**

- Surface Mounted Power
- Wire Management Sleeve
- Cable Management Tray
- Casters
- CPU Holders
- Docking Station

\* For more information, please contact your sales representative.

# CERTIFICATIONS

HAT Collective leads the way in exceptional quality by combining products that perform with award winning design. We pride ourselves on meeting and exceeding industry standards so customers can feel confident they have invested in quality, high-performing products that will last.

**CLEAN AIR GOLD**

ANSI/BIFMA e3-2019, Sections 7.6.1, 7.6.2, 7.6.3: Open Plan Office and Private Office  
Number: CA-88279-2021a, CA-81406-2021a, CA-80639-2021a, and CA-80639-2021b  
Certification Status: Certified  
Certification Period(s): 12/09/2021 – 12/09/2022

**UL 962 / CE / TUV MARKINGS**

HAT bases meet UL testing standards.

**ANSI / BIFMA**

HAT products within this price list generally meet or exceed applicable BIFMA and ANSI standards.

**LEED CREDITS**

HAT bases qualify for a variety of LEED credits.





# WORKSTATIONS

HAT Collective workstations epitomize innovative design and functionality, helping to easily create an active, productive office environment. Sleek aesthetic and quality construction come together to provide a beautiful, healthy, and personalized work experience. Our standard product line offers unmistakable European flare and our in-stock bases are ideal for quick installations.

Problem solving for a complex environment or specific requests? Our Enhanced Design Solutions program enables total customization through professional design support and direct access to our manufacturing team.


To complete your personalized work environment, add power, modesty panels, storage, and more to create a comprehensive HAT Collective workspace.




# WORKSTATIONS

## STATEMENT OF LINE


### BASES




Mid HAT, 2-Stage




Hi HAT, 3-Stage




HAT L Unit, 3-Leg




S-Collection  
SE 2-Leg, 2-Stage




S-Collection  
SX 2-Leg, 3-Stage




S-Collection  
SXL 2-Leg, 3-Stage




S-Collection  
3-Leg, 2-Stage or 3-Stage




S-Collection  
Panel Mounted




S-Collection  
Wall Mount




Kita  
MID 2-Leg, 2-Stage




Kita  
HI 2-Leg, 3-Stage




Elle




M-Series Freestanding



M-Series Tripod




M-Series Quad




M-Series Wall Mount

### POWER & DATA BEAM




Beam Frames

### BENCHING




Dual Benching Unit

### GROUP & CONFERENCE



Conference Table



Ellehaven

### WORKSURFACES



Rectangle

WORKSTATIONS  
STATEMENT OF LINE

MOBILE




M-Series Nesting


DESKTOP CONVERTERS




Winston Desk Corner




Winston E-Desk




Winston Workstation Single




Winston Workstation Dual




Winston Workstation Triple




Winston Workstation Quad



Winston-E Single



Winston-E Dual



Winston-E Triple



One Touch Single



One Touch Dual



One Touch Triple



One Touch Quad



One Touch One over Three



One Touch Two over Two



One Touch Three over Three

DIVIDERS




Surface Mount  
(PET, Fabric, Acrylic  
& White Board)




Beam Mount  
(PET, Fabric, Acrylic  
& White Board)




Slide  
(PET)



Wrap  
(PET & Acrylic)




Modesty Panel  
(Acrylic)



Aura


HAT BASES  
OVERVIEW

MID HAT, 2-STAGE




- Electric height adjustable table base (2 Legs)
- Exclusive, easy to assemble, folding frame design
- Expandable width frame (S: 24"- 41", L: 42"- 74")
- 2 stage legs adjust from 27.25"- 46.75" (frame height)
- LED 4 position programmable handset
- Dual sync motors / 300 lb. lift capacity (including top)
- Cable manager included
- Anti collision safety function
- BIFMA, UL, CE, TUV and GreenGuard Gold Certified
- Qualifies for LEED credits
- Raises at 1.2" per second

HI HAT, 3-STAGE



- Electric height adjustable table base (2 Legs)
- Exclusive, easy to assemble, folding frame design
- Expandable width frame (S: 24"- 41", L: 42"- 74")
- 3 stage legs adjust from 23.75"- 49" (frame height)
- LED 4 position programmable handset
- Dual sync motors / 300 lb. lift capacity (including top)
- Cable manager included
- Anti collision safety function
- BIFMA, UL, CE, TUV and GreenGuard Gold Certified
- Qualifies for LEED credits
- Raises at 1.5" per second

HAT L UNIT






- Electric height adjustable table base (3 Legs)
- Exclusive, easy to assemble, folding frame design
- Expandable width frame (L: 42"- 74")
- 3 stage legs adjust from 23.75"- 49" (frame height)
- LED 4 position programmable handset
- Tri sync motors / 350 lb. lift capacity (including top)
- Cable manager included
- Anti collision safety function
- BIFMA, UL, CE, TUV and GreenGuard Gold Certified
- Qualifies for LEED credits
- Raises at 1.5" per second



MID HAT BASES

2-STAGE

	MODEL	TOP SIZE RECOMMENDED		WEIGHT	LIST PRICE
		WIDTH	DEPTH		
Rectangular, 2 Legs	HAT2-MID-S-__	28" - 45"	24" - 30"	64 lbs.	\$1,034
	HAT2-MID-L-__	46" - 96"	24" - 30"	68 lbs.	\$1,034
	<b>Description:</b> • Expandable width frame (S: 24"- 41", L: 42"- 74")				
Corner Unit, 2 Legs	HAT2-MID-S-__	36" - 48"/36" - 48"	24" - 30"	64 lbs.	\$1,034
	<b>Note:</b> For corner units over 48" wide use the HAT3-HI-L 3-Leg Base (See L-Unit section on page 19)				
120 Degree Unit, 2 Legs	HAT2-MID-S-__	36" - 48"/36" - 48"	24" - 30"	70 lbs.	\$1,034
	<b>Note:</b> For 120 Degree corner units over 48" wide order the HAT3-HI-L 3-Leg Base (See L-Unit section on page 19)				






**Please specify color:**  
SI = Silver, WH = White, BK = Black  
DM = Industrial Steel Antique, HC = Industrial Steel Matte  
(DM and HC are special order only, upcharge applies)

Add code to end of model number.  
**Example: HAT2-MID-S-SI**

**Notes:**  
• See page 19 for table frame specifications  
• Worksurfaces not included  
• Stocked in silver, white, black  
• Custom color match available - standard lead times apply  
• DM and HC: 2 Leg List Upcharge = \$70

HI HAT BASES

3-STAGE

	MODEL	TOP SIZE RECOMMENDED		WEIGHT	LIST PRICE
		WIDTH	DEPTH		
Rectangular, 2 Legs	HAT2-HI-S-__	28" - 45"	24" - 30"	70 lbs.	\$1,259
	HAT2-HI-L-__	46" - 96"	24" - 30"	74 lbs.	\$1,259
	<b>Description:</b> • Expandable width frame (S: 24"- 41", L: 42"- 74")				
Corner Unit, 2 Legs	HAT2-HI-S-__	36" - 48"/36" - 48"	24" - 30"	70 lbs.	\$1,259
	<b>Note:</b> For corner units over 48" wide use the HAT3-HI-L 3-Leg Base (See L-Unit section below)				
120 Degree Unit, 2 Legs	HAT2-HI-S-__	36" - 48"/36" - 48"	24" - 30"	70 lbs.	\$1,259
	<b>Note:</b> For 120 Degree corner units over 48" wide order the HAT3-HI-L 3-Leg Base (See L-Unit section below)				
L Unit, 3-Legs	HAT3-HI-L-__	48" - 84"/48" - 84"	24" - 30"	100 lbs.	\$1,889
	<b>Notes:</b> • This 3-leg base adjusts for multiple sizes of L-shaped units • This 3-leg base cannot be used with a 3-piece top • This 3-leg base is used for 120 Degree corner units over 48" wide				
	Example: 				

**Please specify color:**  
SI = Silver, WH = White, BK = Black  
DM = Industrial Steel Antique, HC = Industrial Steel Matte  
(DM and HC are special order only, upcharge applies)

Add code to end of model number.  
**Example: HAT2-HI-S-SI**

**Notes:**  
• See page 19 for table frame specifications  
• Worksurfaces not included  
• Stocked in silver, white, black  
• Custom color match available - standard lead times apply  
• DM and HC: 2 Leg List Upcharge = \$70,  
3 Leg List Upcharge = \$105

S-COLLECTION  
OVERVIEW

SPECIFICATIONS	SE 2-STAGE	SX 3-STAGE	SXL 3-STAGE	3-LEG 2-STAGE or 3-STAGE
Height Range* (Including 1.125" worksurface)	27.1" - 45.6"	22.2" - 48.7"	22.2" - 48.7"	2-Stage: 27.1" - 45.6" 3-Stage: 22.2" - 48.7"
Frame-Only Weight Load*	350 lbs.	350 lbs.	220 lbs.	525 lbs.
Adjustment Speed Per Second	1.5"	1.5"	1.5"	1.5"
Worksurface Leg Configuration	2, 3 Legs	2, 3 Legs	2 Legs	3 Legs
Standard Color Options	Silver, Black, White	Silver, Black, White	Silver, Black, White	Silver, Black, White
National Electric Code Compliant	Yes	Yes	Yes	Yes
ETL Listed to UL 962**	Yes	Yes	Yes	Yes

\* Wall Mount not included.  
\*\* Restrictions may apply such as Panel Mount and Wall Mount.

SWITCH OPTIONS

Standard Up/Down switch included.  
Additional \$194 charge for DS and \$216 for PH.



**UD** Up Down  
Up/down controls.



**DS** Digital Switch  
3 programmable positions, digital display for height read-out (in cm or inch), up/down controls.



**PH** Personal Health Assistant Tracker  
4 programmable positions, LED reminder indicates when to change your position, Bluetooth® integration, digital display for height read-out (in cm or inch), tilt up/down for height adjust.  
  
\* The Bluetooth® integration is available for both your computer and your phone (iOS and Android) and gives you the power to set your standing goals.

OPTIONAL FEATURES


- Premium Collision Sensor
- Standard Collision Software
- Gyroscopic Sensor
- Factory Programmable Lockout
- Lithium Battery Operation
- Available as Frame-Only
- UD Up/Down Switch
- DS Digital Memory Switch
- PH Personal Health Assistant Tracker

SE    SX    SXL



Available  
Not Available

8 GAUGE METAL FOOT	CODE	FOOT LENGTH	TABLE DEPTH OPTIONS
10" Centered	C	9.85" (250mm)	Panel Mount and 3-Leg Center Only
17" Cantilevered	S	15.76" (400mm)	17" - 30" (3-Leg Only)
22" Cantilevered	M	21.56" (547.6mm)	22" - 27"
28" Cantilevered	L	27.56" (700mm)	28" - 30"
28" Conference T-Foot	T	27.56" (700mm)	28" - 50" (42" - 50" for Conference Only)*


\* Worksurface depth above 30" is not ETL listed.




28" T




28" L



22" M




17" S




10" C


WORKSURFACE SHAPES & CROSSBARS




**90°**  
3-Leg  
Equal Returns



**90°**  
3-Leg  
Long Right Return




**90°**  
3-Leg  
Long Left Return



**120°**  
2-Leg & 3-Leg  
Equal Returns



**RECTILINEAR**  
2-Leg




**90°**  
2-Leg

**A** Crossbar = 36" - 48"    **B** Crossbar = 49" - 72"    **C** Crossbar = 73" - 90" (excluding SXL)    **F** Fixed Crossbar = Additional Sizes


Additional worksurface dimensions and specifications available upon request.  
Shape and size of worksurface determines crossbar needed.  
Crossbar adjusts in 1" increments.

S-COLLECTION  
FINISHES


HPL WORKSURFACE LAMINATE




**KM**  
Kensington  
Maple




**RC**  
River  
Cherry




**WC**  
Wild  
Cherry




**NO**  
New Age  
Oak




**BM**  
Birch  
Matrix



**DW**  
Designer  
White




**FG**  
Fashion  
Grey




**NS**  
North  
Sea

HAT Collective proudly offers all WilsonArt®, Pionite®, Nevamar® and Formica® laminates. Extended lead times and pricing changes may apply for laminates not listed above. Worksurface thickness is 1.125".


EDGE FINISHES




**CH**  
Charcoal




**LG**  
Light  
Grey




**DW**  
Designer  
White




**GH**  
Graphite



**NS**  
North  
Sea




**FM**  
Fusion  
Maple



**ST**  
Storm

HAT Collective proudly offers all 3mm Rehau edges. Extended lead times and pricing changes may apply for edge finishes not listed above. Non-standard finishes subject to quote.

FRAME FINISHES



**S (30)**  
Silver




**B (10)**  
Black




**W (04)**  
White

ENHANCED DESIGN SOLUTION FINISHES


FRAME FINISHES




**M (40)**  
Mocha



**CL**  
Clear




**CH**  
Charcoal



**G (20)**  
Grey


EDGE FINISHES



**EP**  
Exposed Plywood

Enhanced Design Solution Finishes may require engineering approval, minimum order quantities extended lead times, and a price increase. Contact your sales rep for a custom quote.

ORDER FRAME ONLY



**Product Name:** Specify product name to determine height adjustability.  
**Frame Model:** Obtain model information from charts on pricing pages.  
**Frame Color:** Specify **B** (black), **W** (white), **S** (silver).  
**Switch:** Specify **UD** (up/down), **DS** (digital), **PH** (health tracker).

SE2

-

A-MM

-

S

-

UD


NAME

MODEL

FRAME  
COLOR

SWITCH  
SELECTION

ORDER FRAME & WORKSURFACE



**Product Name:** Specify product name to determine height adjustability.  
**Frame Model:** Obtain model information from charts on pricing pages.  
**Frame Color:** Specify **B** (black), **W** (white), **S** (silver).  
**Switch:** Specify **UD** (up/down), **DS** (digital), **PH** (health tracker).  
**Surface Color:** Specify laminate color from our list of favorites.  
**Edge Color:** Specify edge color.

SX2

-

3624

-

S

-

UD

-

DW

-

DW

NAME

MODEL

FRAME  
COLOR

SWITCH  
SELECTION

SURFACE  
COLOR





SURFACE  
EDGE



SX2, SE2 & SXL2 FRAME ONLY

FRAME ONLY WITH 22" CANTILEVER L FEET

Depth Range: 22" - 27"







MODEL	SX2	SE2	SXL2
A-MM	\$2,529	\$1,390	\$1,101
B-MM	\$2,749	\$1,477	\$1,194

W	D	W	D	W	D
36" - 48"	22" - 27"	-	-	36" - 41"	22" - 27"
49" - 72"	22" - 27"	-	-	42" - 48"	22" - 27"

FRAME ONLY WITH 28" CANTILEVER L FEET

Depth Range: 28" - 30"



MODEL	SX2	SE2	SXL2
A-LL	\$2,689	\$1,433	\$1,149
B-LL	\$2,808	\$1,520	\$1,240





W	D	W	D	W	D
36" - 48"	28" - 30"	40" - 48"	28" - 30"	36" - 41"	28" - 30"
49" - 72"	28" - 30"	-	-	42" - 48"	28" - 30"



SX2, SE2 & SXL2 FRAME ONLY

FRAME ONLY WITH 28" T FEET

Depth Range: 28" - 30"





MODEL	SX2	SE2	SXL2
A-TT	\$2,689	\$1,433	\$1,149
B-TT	\$2,808	\$1,520	\$1,241

W	D	W	D	W	D
36" - 48"	28" - 30"	40" - 48"	28" - 30"	36" - 41"	28" - 30"
49" - 72"	28" - 30"	-	-	42" - 48"	28" - 30"

FRAME ONLY WITH WALL MOUNT

Depth Range: 24" - 30"



MODEL	SX2 WM	SE2 WM
A-WM	\$2,768	\$1,572
B-WM	\$2,881	\$1,655


W	D
36" - 48"	24" - 30"
49" - 72"	24" - 30"



SX2 & SE2 PANEL MOUNT FRAME ONLY

FRAME ONLY FOR RECTILINEAR WORKSURFACE

10" Feet



RECTILINEAR

MODEL	PANEL	SX2	SE2
A-CC	PM**	\$2,797	\$1,542
B-CC	PM**	\$2,917	\$1,629 <sup>i</sup>

W	D
35" - 47"	22" - 30"
48" - 71"	22" - 30"

For panel integration systems not listed, please contact your sales rep for a custom quote.  
Extended lead times may apply subject to HAT Engineering Review.

\*\*AVAILABLE PANEL INTEGRATIONS

Steelcase Answer	01	Knoll Reff	05
Steelcase Avenir	15	Knoll Autostrad	05
Haworth Compose	02	Knoll Dividends	11
Haworth Unigroup	03	Allsteel	06
Herman Miller Canvas	02	Dirtt Wall	07
Herman Miller A02	04	AIS Divi	10
Teknion Leverage	02	AIS M Wall	10

SX2

-

A-CC

-

PM01

-

S

-

UD

NAME

MODEL

PANEL MOUNT  
(PM\*\*)

FRAME  
COLOR

SWITCH  
SELECTION


SX3 & SE3 FRAME ONLY

FRAME ONLY FOR 90° WORKSURFACE


17" Cantilever Feet

**SE3:** 2-Stage Leg, Height Range: 27.1" - 45.6"

**SX3:** 3-Stage Leg, Height Range: 22.2" - 48.7"



MODEL	SX3	SE3
AA-SS-C	\$3,096	\$2,085
BB-SS-C	\$3,150	\$2,172



90°

W	D
42" - 54"	22" - 30"
54" - 78"	22" - 30"


SXV3 & SEV3 FRAME ONLY

FRAME ONLY FOR 120° WORKSURFACE


22" or 28" Cantilever Feet

**SEV3:** 2-Stage Leg, Height Range: 27.1" - 45.6"

**SXV3:** 3-Stage Leg, Height Range: 22.2" - 48.7"



MODEL	SXV3	SEV3
BB-MM-C	\$3,205	\$2,195
BB-LL-C	\$3,259	\$2,281



120°

W	D
60" - 78"	22" - 27"
60" - 78"	28" - 30"

SX3

-

AA-SS-C

-

S

-

UD

NAME

MODEL

FRAME  
COLOR

SWITCH  
SELECTION

KITA  
OVERVIEW

SPECIFICATIONS	MID 2-STAGE	HI 3-STAGE	HIL 3-STAGE
Height Range*	27.1" - 45.6"	21.1" - 47.6"	21.1" - 47.6"
Frame-Only Weight Load*	350 lbs.	350 lbs.	220 lbs.
Adjustment Speed Per Second	1.5"	1.5"	1.5"
Worksurface Leg Configuration	2	2	2
Standard Color Options	Silver, Black, White	Silver, Black, White	Silver, Black, White
National Electric Code Compliant	Yes	Yes	Yes

SWITCH OPTIONS

Digital switch included.  
Additional \$216 for PH.



DS Digital Switch

3 programmable positions, digital display for height read-out (in cm or inch), up/down controls.




PH Personal Health Assistant Tracker

4 programmable positions, LED reminder indicates when to change your position, Bluetooth® integration, digital display for height read-out (in cm or inch), tilt up/down for height adjust.


\* The Bluetooth® integration is available for both your computer and your phone (iOS and Android) and gives you the power to set your standing goals.

8 GAUGE METAL FOOT	CODE	FOOT LENGTH	TABLE DEPTH OPTIONS
28" Cantilevered	L	27.56" (700mm)	28" - 30"
28" Centered T-Foot	T	27.56" (700mm)	28" - 50" (42" - 50" for Conference Only)*

\* Worksurface depth above 30" is not ETL listed.




28" L




28" T

ORDER FRAME ONLY





**Product Name:** Specify product name to determine height adjustability.  
**Frame Model:** Obtain model information from charts on pricing pages.  
**Frame Color:** Specify **B** (black), **W** (white), **S** (silver).  
**Switch:** **DS** (digital), **PH** (health tracker).



KITA FRAME ONLY

FRAME ONLY WITH 28" CANTILEVER L FEET AND 28" CENTERED T FEET

MODEL	LIST
MID	\$1,436
HI	\$1,545
HIL	\$1,327







FIELLØ®  
OVERVIEW

SPECIFICATIONS	FIELLØ
Height Range (frame only)	21.1" - 47.6"
Fiellø Frame Only Weight Capacity	350 lbs.
Adjustment Speed Per Second	1.5"
Worksurface Leg Configuration	2 Legs
Standard Color Options	White, Silver, Black
Foot	27.5" L foot

SWITCH OPTIONS

Standard Up/Down switch included.  
Additional \$194 charge for DS and \$216 for PH.



UD Up Down

Up/down controls.



DS Digital Switch

3 programmable positions, digital display  
for height read-out (in cm or inch),  
up/down controls.



PH Personal Health Assistant Tracker

4 programmable positions, LED reminder indicates when to  
change your position, Bluetooth® integration, digital display for  
height read-out (in cm or inch), tilt up/down for height adjust.

\* The Bluetooth® integration is available for both your computer  
and your phone (iOS and Android) and gives you the power  
to set your standing goals.



FRAME

FL2-L-30

NAME

-

W

FRAME FINISH

-

PH

SWITCH

FRAME FINISHES

White

Silver

Black

WORKSURFACE

MODEL	A	B
6030	60"	30"
7230	72"	30"

WORKSURFACE FINISHES

Linen

Tier 1: LNLN (Matte)  
Tier 2: LVLN (Fingerprint resistant)

Feather

Tier 1: NA  
Tier 2: FVPD (Fingerprint resistant)

Platinum\*

Tier 1: PLPL (Matte)  
Tier 2: PVPL (Fine velvet)

Charcoal

Tier 1: NA  
Tier 2: CVCH (Traceless)

Black\*

Tier 1: BLBL (Matte)  
Tier 2: BVBL (Tracelless)

F2T

NAME

-


6030

MODEL

-

BVBL

FINISH



RB RIBBON PANEL (2 PANELS)

MODEL	A	B	C
MP-RB-X-WW	30.5"	13.75"	16"
MP-RB-X-FFF	30.5"	13.75"	16"

PANELS

RECYCLED PET

Oatmeal

Latte

Pebble

Slate


Night

Black

WOOD VENEER

Oak

Walnut



DR DRAWER

MODEL*	A	B	C	FINISH
DR-SM-X-WW	15.75"	.7"	14.5"	STEEL & WOOD

X = METAL

White


Silver

Black

WW = WOOD VENEER

WO  
Oak

WW  
Walnut



BH BAG HOOK


MODEL	A	B	C	FINISH
BH-X	1.5"	2.33"	1.18"	STEEL

X = METAL

White



Silver

Black



FP FULL PANEL (2 PANELS)

MODEL	A	B	C	FINISH
MP-FP-X-WW	30.5"	30"	16"	WOOD
MP-FP-X-FFF	30.5"	30"	16"	FABRIC




M-SERIES  
OVERVIEW


SPECIFICATIONS	MR, MC, MV	NESTING	WALL MOUNT	BENCHING
Height Range*	27.6" - 44.1"	28.6" - 45.1"	29.4" - 45.9" **	27.6" - 44.1"
Frame-Only Weight Load	15 - 105 lbs.	15 - 25 lbs.	15 - 60 lbs.	15 - 105 lbs.
Column Selections	UL, L, M, H	UL	UL, L	UL, L, M, H
Base Options	H, LC, X	N	WM	TP, Q
Standard Color Options	Silver, Black, White	Silver, Black, White	Silver, Black, White	Silver, Black, White

\*Including 1.125" worksurface.  
\*\*When placed at the recommended height of 3" from the floor.


AVERAGE TASK LOAD WEIGHTS




Monitor  
5-7 lbs.



Laptop  
5-10 lbs.




Monitor Arm  
12-15 lbs.



CPU  
18-20 lbs.

COLUMN SELECTION EQUATION



Frame only  
Weight Load

- 15 - 32 lbs.
- 33 - 46 lbs.
- 47 - 63 lbs.
- 64 - 81 lbs.
- 82 - 105 lbs.

Column Option


- UL Ultra Light
- ULP Ultra Light+
- L Light
- M Medium\*
- H Heavy\*

\* Not available for Nesting or Wall Mount.


5/16" METAL PLATE	CODE	# OF GLIDES	TABLE DEPTH OPTIONS	WORKSURFACE SHAPE
Organic H	H	6*	24" - 30"	90°, 120°, Rectilinear
Large Clover	LC	4*	24" - 30"	90°, 120°, Rectilinear
Bowtie	BW	6*	30"	Rectilinear
Nesting	N	4*	22"	Petal
Wall Mount	WM	-	18" - 24"	Rectilinear
Tripod Bench	TP	6	18" - 24"	120°
Quad Bench	Q	8	18" - 24"	90°

\* Casters available for additional cost.


BASES




H  
Organic H




LC  
Large Clover




BW  
Bowtie



N  
Nesting




Q  
Quad Benching




TP  
Tripod Benching

WORKSURFACE SHAPES




90°




90° S




Rectilinear



120°











120° S



Petal




## M-SERIES FINISHES

### HPL WORKSURFACE LAMINATE

							
<b>KM</b> Kensington Maple	<b>RC</b> River Cherry	<b>WC</b> Wild Cherry	<b>NO</b> New Age Oak	<b>BM</b> Birch Matrix	<b>DW</b> Designer White	<b>FG</b> Fashion Grey	<b>NS</b> North Sea


HAT Collective proudly offers all WilsonArt®, Pionite®, Nevamar® and Formica® laminates. Extended lead times and pricing changes may apply for laminates not listed above. Worksurface thickness is 1.125".

### EDGE FINISHES

						
<b>CH</b> Charcoal	<b>LG</b> Light Grey	<b>DW</b> Designer White	<b>GH</b> Graphite	<b>NS</b> North Sea	<b>FM</b> Fusion Maple	<b>ST</b> Storm

HAT Collective proudly offers all 3mm Rehau edges. Extended lead times and pricing changes may apply for edge finishes not listed above. Non-standard finishes subject to quote.

### FRAME FINISHES


		
<b>S (30)</b> Silver	<b>B (10)</b> Black	<b>W (04)</b> White

## ENHANCED DESIGN SOLUTION FINISHES

### FRAME FINISHES


		
<b>M (40)</b> Mocha	<b>CH</b> Charcoal	<b>G (20)</b> Grey

### EDGE FINISHES


<b>EP</b> Exposed Plywood

Enhanced Design Solution Finishes may require engineering approval, minimum order quantities extended lead times, and a price increase. Contact your sales rep for a custom quote.


## M-SERIES ORDER FRAME & WORKSURFACE



**Product Name:** Specify product name to determine height adjustability.  
**Frame Model:** Obtain model information from charts on pricing pages.  
**Base Option:** Specify **H** (organic h), **LC** (large clover), **BW** (bowtie).  
**Column Option:** Specify **UL** (ultra light), **ULP** (ultra light plus), **L** (light), **M** (medium), **H** (heavy).  
**Frame Color:** Specify **B** (black), **W** (white), **S** (silver).  
**Surface Color:** Specify laminate from our list of favorites.  
**Edge Color:** Specify edge color for laminate tops only.




## M-SERIES RECTILINEAR



MR WORKSURFACE, COLUMN, & BASE


MODEL	TOP WEIGHT	W	D	<div><div></div><div></div><div></div></div>		
				LC	H	BW
3024	22 lbs.	30"	24"	\$1,575	-	-
3030	28 lbs.	30"	30"	\$1,618	-	-
3624	27 lbs.	36"	24"	\$1,596	\$1,596	-
3630	34 lbs.	36"	30"	\$1,640	\$1,640	-
4224	31 lbs.	42"	24"	\$1,618	\$1,618	-
4230	39 lbs.	42"	30"	\$1,662	\$1,662	-
4824	36 lbs.	48"	24"	-	\$1,640	-
4830	45 lbs.	48"	30"	-	\$1,683	-
5424	40 lbs.	54"	24"	-	\$1,662	-
5430	50 lbs.	54"	30"	-	\$1,727	\$2,063
6030	56 lbs.	60"	30"	-	-	\$2,118



Pricing reflects frame with standard laminate worksurface and edge finishes.


All worksurface sizes reflect actual dimensions.

## M-SERIES NESTING



NP WORKSURFACE, COLUMN, & BASE (INCLUDING CASTERS)

MODEL	TOP WEIGHT	W	D	<div><div></div><div></div><div></div></div>		
				N		
2822	16 lbs.	28"	22"	\$1,268		



Pricing reflects frame with standard laminate worksurface and edge finishes.

All worksurface sizes reflect actual dimensions.

\* M-Series Nesting table is only available with an Ultra Light column with a petal shaped top and V shaped nesting base.

NP

NAME

-

2822

MODEL

-

N

FLOOR BASE

-

UL

COLUMN

-

B

FRAME COLOR

-

FG

SURFACE COLOR

-

LG


SURFACE EDGE

## M-SERIES 90°



MC WORKSURFACE, COLUMN, & BASE

MODEL	TOP WEIGHT	W	D	<div><div></div><div></div></div>	
				LC	H
362	37 lbs.	36"	24"	\$1,707	-
422	48 lbs.	42"	24"	\$1,629	\$1,629
482	60 lbs.	48"	24"	-	\$1,738



Pricing reflects frame with standard laminate worksurface and edge finishes.

All worksurface sizes reflect actual dimensions.

## M-SERIES 120°



MV WORKSURFACE, COLUMN, & BASE

MODEL	TOP WEIGHT	W	D	<div><div></div><div></div></div>	
				LC	H
362	45 lbs.	36"	24"	\$1,797	-
422	54 lbs.	42"	24"	-	\$1,797



Pricing reflects frame with standard laminate worksurface and edge finishes.

All worksurface sizes reflect actual dimensions.

MV

NAME

-

362

MODEL

-

LC

FLOOR BASE

-

L

COLUMN

-

W

FRAME COLOR

-

FG

SURFACE COLOR


-

LG

SURFACE EDGE



## M-SERIES WALL MOUNT




WM WORKSURFACE, COLUMN, & BASE


MODEL	TOP WEIGHT	W	D	WM
2018	12 lbs.	20"	18"	\$1,326
2024	15 lbs.	20"	24"	\$1,337
2418	13.5 lbs.	24"	18"	\$1,337
2424	18 lbs.	24"	24"	\$1,359
3024	22.5 lbs.	30"	24"	\$1,380
3624	27 lbs.	36"	24"	\$1,402
4224	31 lbs.	42"	24"	\$1,434
4824	36 lbs.	48"	24"	\$1,587

Pricing reflects frame with standard laminate worksurface and edge finishes.

All worksurface sizes reflect actual dimensions.



## M-SERIES WALL MOUNT WITH TILT




WMT WORKSURFACE, COLUMN, & BASE

MODEL	TOP WEIGHT	W	D	WMT
2018	12 lbs.	20"	18"	\$1,576
2024	15 lbs.	20"	24"	\$1,587
2418	13.5 lbs.	24"	18"	\$1,587
2424	18 lbs.	24"	24"	\$1,609
3024	22.5 lbs.	30"	24"	\$1,631
3624	27 lbs.	36"	24"	\$1,652
4224	31 lbs.	42"	24"	\$1,684
4824	36 lbs.	48"	24"	\$1,761

Pricing reflects frame with standard laminate worksurface and edge finishes.

All worksurface sizes reflect actual dimensions.



WMT

NAME

-

3024

MODEL

-

UL

COLUMN

-

W

FRAME COLOR

-

FG

SURFACE COLOR

-



LG

SURFACE EDGE

## M-SERIES QUAD BENCHING




MC-Q WORKSURFACE, COLUMN, & BASE

MODEL	TOP WEIGHT	W	D	 90° S	 90°
2418*	17 lbs.	24"	18"	\$6,792	-
3618*	35 lbs.	36"	18"	\$7,010	-
3624*	37 lbs.	36"	24"	\$7,118	\$7,118
4018*	42 lbs.	40"	18"	\$7,227	-
4024*	45.5 lbs.	40"	24"	\$7,335	\$7,335


Pricing reflects frame with standard laminate worksurface and edge finishes.

All worksurface sizes reflect actual dimensions.

\* For straight edge worksurface, add an "s" to the model number. ex: 3618s



## M-SERIES TRIPOD BENCHING




MV-TP WORKSURFACE, COLUMN, & BASE

MODEL	TOP WEIGHT	W	D	 120° S	 120°
3618*	43 lbs.	36"	18"	\$6,303	-
3624*	45 lbs.	36"	24"	\$6,358	\$6,358
4018*	51 lbs.	40"	28"	\$6,412	-
4024*	51 lbs.	40"	24"	\$6,466	\$6,466

Pricing reflects frame with standard laminate worksurface and edge finishes.

All worksurface sizes reflect actual dimensions.

\* For straight edge worksurface, add an "s" to the model number. ex: 3618s



MV-TP

NAME

-

3618s

MODEL

-

L

COLUMN

-

W

FRAME COLOR

-

FG

SURFACE COLOR

-

LG

SURFACE EDGE

## ELLEHAVEN

### OVERVIEW

SPECIFICATIONS	FRAME ONLY	LAMINATE*	BUTCHERBLOCK**
Height Range	27" – 46.7"	28" – 47.7"	28.75" – 48.45"
Frame-Only Weight Load	450 lbs.	450 lbs.	450 lbs.
Adjustment Speed Per Second	1.5"	1.5"	1.5"
Standard Color Options	Silver, Black, White	Silver, Black, White	Silver, Black, White
Width Options	84", 96", 108", 120"	84", 96", 108", 120"	84", 96", 108", 120"
Depth Options	36", 42", 48"	36", 42", 48"	36", 42", 48"

\* Laminate = 1" worksurface.  
\* Butcherblock = 1.75" worksurface.

## ELLE HEIGHT ADJUSTABLE

### OVERVIEW

SPECIFICATIONS	FRAME ONLY	LAMINATE*	BUTCHERBLOCK*
Height Range	27" – 46.7"	27" – 46.7" (Enshrined) 28" – 47.7" (Top Mounted)	27" – 46.7" (Enshrined) 28" – 47.7" (Top Mounted)
Available With Sliding Worksurface	No	Yes	Yes
Frame-Only Weight Load	400 lbs.	400 lbs.	400 lbs.
Adjustments Speed Per Second	1.5"	1.5"	1.5"
Standard Color Options	Silver, Black, White	Silver, Black, White	Silver, Black, White
Width Options	60", 72"	60", 72"	60", 72"
Depth Options	30"	30"	30"

\* Laminate and Butcherblock = 1" worksurface.

## ELLE STATIC

### OVERVIEW

SPECIFICATIONS	FRAME ONLY	LAMINATE*	BUTCHERBLOCK*
Height Options	29", 42"	29", 42"	29", 42"
Frame-Only Weight Load	400 lbs.	400 lbs.	400 lbs.
Standard Color Options	Silver, Black, White	Silver, Black, White	Silver, Black, White
Width Options	60", 72"	60", 72"	60", 72"
Depth Options	24," 30"	24," 30"	24," 30"

### SWITCH OPTIONS \*ELLEHAVEN, ELLE HEIGHT ADJUSTABLE

Standard Up/Down switch included.  
Additional \$194 charge for DS and \$216 for PH.



**UD** Up Down

Up/down controls.



**DS** Digital Switch

3 programmable positions, digital display for height read-out (in cm or inch), up/down controls.



**PH** Personal Health Assistant Tracker

4 programmable positions, LED reminder indicates when to change your position, Bluetooth® integration, digital display for height read-out (in cm or inch), tilt up/down for height adjust.

\* The Bluetooth® integration is available for both your computer and your phone (iOS and Android) and gives you the power to set your standing goals.

## ELLEHAVEN & ELLE

### FINISHES

#### HPL WORKSURFACE LAMINATE



**KM**  
Kensington  
Maple



**RC**  
River  
Cherry



**WC**  
Wild  
Cherry



**NO**  
New Age  
Oak




**BM**  
Birch  
Matrix



**DW**  
Designer  
White



**FG**  
Fashion  
Grey



**NS**  
North  
Sea

HAT Collective proudly offers all WilsonArt®, Pionite®, Nevamar® and Formica® laminates. Extended lead times and pricing changes may apply for laminates not listed above. Worksurface thickness is 1".

#### BUTCHERBLOCK WORKSURFACE



**MP**  
Maple\*



**BW**  
Black  
Walnut\*



**OA**  
Oak\*

\* Requires custom pricing.

#### FRAME FINISHES



**S (30)**  
Silver



**B (10)**  
Black



**W (04)**  
White

## ENHANCED DESIGN SOLUTION FINISHES

#### FRAME FINISHES



**M (40)**  
Mocha



**CL**  
Clear



**CH**  
Charcoal



**G (20)**  
Grey

#### EDGE FINISHES



**EP**  
Exposed Plywood

Enhanced Design Solution Flnishes may require engineering approval, minimum order quantities extended lead times, and a price increase. Contact your sales rep for a custom quote.



## ELLE HEIGHT ADJUSTABLE FRAME ONLY

EL FRAME ONLY

**SURFACE OPTIONS:**  
**FOT** Frame Only Top Mounted   **FOE** Frame Only Enshrined Mounted   **FTS** Frame Only Top Sliding   **FES** Frame Only Enshrined Sliding

MODEL	FOT	FOE	FTS	FES	W	D
ADJ	\$2,445	\$2,445	\$2,608	\$2,608	60" - 72"	30"

Frame only for sliding worksurface includes wire management solution. Maximum opening width is 5". Rear fixed worksurface is 9" deep and front sliding worksurface is 21".


## ELLE STATIC FRAME ONLY

ELS FRAME ONLY


**SURFACE OPTIONS:**  
**FOT** Frame Only Top Mounted

MODEL	FOT	W	D
ADJ-28	\$1,474	60" - 72"	24", 30"
ADJ-42	\$1,591	60" - 72"	24", 30"

**FOT**  
Frame Only  
Top Mounted



**FOE**  
Frame Only  
Enshrined  
Mounted



**FTS**  
Frame Only  
Top Sliding

**FES**  
Frame Only  
Enshrined Sliding

EL

NAME

-

ADJ

MODEL

-

FOT

SURFACE TYPE

-

W

FRAME COLOR

-

UD

SWITCH SELECTION







ELLE

EL FRAME & FIXED WORKSURFACE

SURFACE OPTIONS: **TM** Top Mounted    **EM** Enshrined Mounted

MODEL	TM	EM	W	D
6030	\$3,315	\$3,315	60"	30"
7230	\$3,369	\$3,369	72"	30"

Standard Elle does include wire management solution. Available solutions are the Mesh Wire Manager and the Flex Wire Manager.






EL FRAME & SLIDING WORKSURFACE

SURFACE OPTIONS: **TS** Top Sliding    **ES** Enshrined Sliding

MODEL	TS	ES	W	D
6030	\$3,532	\$3,532	60"	30"
7230	\$3,587	\$3,587	72"	30"

Standard Elle for sliding worksurface includes wire management solution. Maximum opening width is 5". Rear fixed worksurface is 9" deep and front sliding worksurface is 21".



EL

NAME

-

6030

MODEL

-

TM

SURFACE TYPE

-

W

FRAME COLOR

-

UD

SWITCH SELECTION

-

DW

SURFACE COLOR

-

DW


SURFACE EDGE (LAMINATE ONLY)

ELLEHAVEN

EH Frame Only, Frame & Worksurface

SURFACE OPTIONS: FO Frame Only LM Laminate

MODEL	FO	LM	W	D
8436	\$4,531	\$5,508	84"	36"
8442	\$4,585	\$5,726	84"	42"
8448	\$4,639	\$5,835	84"	48"
9636	\$4,694	\$5,889	96"	36"
9642	\$4,748	\$6,107	94"	42"
9648	\$4,803	\$6,215	94"	48"
10836	\$4,856	\$6,270	108"	36"
10842	\$4,911	\$6,487	108"	42"
10848	\$4,965	\$6,595	108"	48"
12036	\$4,965	\$6,378	120"	36"
12042	\$5,020	\$6,595	120"	42"
12048	\$5,074	\$6,704	120"	48"



EH

-

9636

-

W

-

UD

-

FO

NAME

MODEL

FRAME COLOR

SWITCH SELECTION

SURFACE MATERIAL



EH

-

9636

-

W

-

UD

-

BB

-

OA

-

NAME

MODEL

FRAME COLOR






SWITCH SELECTION

SURFACE MATERIAL

SURFACE COLOR

SURFACE EDGE (LAMINATE ONLY)

POWER & DATA BEAM





	MODEL	SIZE	WEIGHT	LIST PRICE
<b>End Post with Foot</b> 	HRPF23-E-__	23" x 3.25" x 3.25"	7 lbs.	\$259
<b>Note:</b> · Post ships with 15" foot				
<b>180 Degree Post with Foot</b> 	HRPF23-180-__	23" x 3.25" x 3.25"	7 lbs.	\$285
<b>Note:</b> · Post ships with 15" foot				
<b>L Post, 2 Way</b> 	HRP24-L-__	24" x 3.25" x 3.25"	5 lbs.	\$224
<b>Note:</b> · Post ships with a leveling glide				
<b>T Post, 3 Way</b> 	HRP24-T-__	24" x 3.25" x 3.25"	5 lbs.	\$247
<b>Note:</b> · Post ships with a leveling glide				
<b>X Post, 4 Way</b> 	HRP24-X-__	24" x 3.25" x 3.25"	5 lbs.	\$269
<b>Note:</b> · Post ships with a leveling glide				

**Please specify color:**  
SI = Silver, WH = White, BK = Black

Add code to end of model number.  
**Example: HRP24-L-SI**

**Note:**  
· All posts ship with mounting hardware, connecting hinges and top cap

POWER & DATA BEAM

	MODEL	SIZE	WEIGHT	LIST PRICE
<b>120 Degree 2 Way Post</b> 	HRP24-2-120-__	24" H	3 lbs.	\$243
<b>Note:</b> · Post ships with a leveling glide				
<b>120 Degree 3 Way Post</b> 	HRP24-3-120-__	24" H	3 lbs.	\$267
<b>Note:</b> · Post ships with a leveling glide				
<b>Beam Frame</b> 	HRLB-36-__ HRLB-48-__ HRLB-60-__ HRLB-72-__	6" x 36" x 2.75" 6" x 48" x 2.75" 6" x 60" x 2.75" 6" x 72" x 2.75"	8 lbs. 10 lbs. 12 lbs. 15 lbs.	\$742 \$807 \$872 \$937
<b>Description:</b> · Raceway covers include 2 outlet cutouts and 1 voice/data cutout · Each raceway cover ships with voice/date cover plate and data jack adapter kit · Posts ordered separately · Beam ships pre-marked to accept beam mounted divider clamps				
<b>Cable Management Tray</b> 	CMT2-36-__ CMT2-48-__ CMT2-60-__ CMT2-72-__	4" x 36" 4" x 48" 4" x 60" 4" x 72"	3 lbs. 4 lbs. 5 lbs. 6 lbs.	\$84 \$93 \$102 \$111
<b>Description:</b> · Allows user to lay cables outside of Power Beam · Mounts to underside of beam - one required for each side · Mounts left or right · When ordering for use with a benching system, please order one size smaller than worksurface Example: 72" worksurface: Order a 60" Cable Management Tray · When ordering for use with a power beam, please order the matching size Example: 72" power beam: Order a 72" Cable Management Tray				





**Please specify color:**  
SI = Silver, WH = White, BK = Black

Add code to end of model number.  
**Example: HRP24-L-SI**

**Note:**  
· All posts ship with mounting hardware, connecting hinges and top cap



POWER & DATA BEAM

	MODEL	DESCRIPTION	SIZE	WEIGHT	LIST PRICE
<b>Power Trac</b> 	PT-36	Power Trac, 36" with Jumper	36"	4 lbs.	\$282
	PT-48	Power Trac, 48" with Jumper	48"	5 lbs.	\$298
	PT-60	Power Trac, 60" with Jumper	60"	6 lbs.	\$312
	PT-72	Power Trac, 72" with Jumper	72"	7 lbs.	\$329
	<b>Note:</b> <ul style="list-style-type: none"><li>• 4 circuit, 8 wire system</li><li>• Will accept up to 4 duplex receptacles per Trac (2 per side)</li></ul>				
<b>Duplex Receptacle</b> 	DR-1	Duplex Receptacle, Circuit 1		1 lb.	\$31
	DR-2	Duplex Receptacle, Circuit 2		1 lb.	\$31
	DR-3	Duplex Receptacle, Circuit 3		1 lb.	\$31
	DR-4	Duplex Receptacle, Circuit 4		1 lb.	\$31
	DR-1-T24	Duplex Receptacle, Circuit 1, Title 24		1 lb.	\$36
	DR-2-T24	Duplex Receptacle, Circuit 2, Title 24		1 lb.	\$36
	DR-3-T24	Duplex Receptacle, Circuit 3, Title 24		1 lb.	\$36
	DR-4-T24	Duplex Receptacle, Circuit 4, Title 24		1 lb.	\$36
	CHBX	Chicago Receptacle Box (sold individually)		1 lb.	\$337
	<b>Notes:</b> <ul style="list-style-type: none"><li>• DR models ship in color matching Power Beam</li><li>• For every Beam or Bench, order 2 CHBX (ie: 3 Beam or Bench x 2 CHBX = 6 CHBX)</li><li>• CHBX is double sided, and accommodates 2 electrician provided receptacles</li></ul>				
<b>Power Feed</b> 	BFK-E	Base Power Feed Kit, End Entry	72"	5 lbs.	\$256
	BFK-S	Base Power Feed Kit, Side Entry	72"	5 lbs.	\$280
	CFK	Ceiling Power Feed Kit	144"	9 lbs.	\$274
	BFK-E-NY-72/72	Base Power Feed Kit, End Entry for New York	72"	10 lbs.	\$446
	<b>Notes:</b> <ul style="list-style-type: none"><li>• NFK-E-NY-72/72 is stocked in a common size. Special sizes available upon request: please contact your sales rep for more information</li><li>• For complete Title 24 compliant electrical component, please call your sales rep for more information</li></ul>				
<b>Power Pole</b> 	PP12	Power Pole	144" x 3.25" x 3.25"	6 lbs.	\$618
	<b>Notes:</b> <ul style="list-style-type: none"><li>• Ceiling Power Feed Kit must be ordered separately</li><li>• Ships with a foot</li><li>• Includes Ceiling Trim Kit</li><li>• Can only be installed at end of run</li></ul>				



# HAT BENCHING

## OVERVIEW

### HOW TO ORDER


The HAT Benching System was designed to be very simply and easy to specify, order and install.

**To specify, please follow these simple steps:**

1. Specify a Dual Benching Unit for either a 48", 60" or 72" worksurface.

This unit includes 2 height adjustable frames (adjusts from 27.25" - 46.75" high) with adjustable glides, 2 horizontal connector bars, a Power Beam and Power Trac with Jumper Connector
2. Specify the Duplex Receptacles, Power Feed type (base or ceiling) and Power Pole (see page 56)
3. Specify a Connector Beam

The 11.25" Beam is used to connect a Dual Benching Unit to an adjoining Benching Unit or a power pole
4. Specify optional Cable Management Tray (see page 54)
5. Specify optional Dividers (see pages 66-79)
6. Specify Worksurfaces (see page 59)

	MODEL	TOP SIZE RECOMMENDED		WEIGHT	LIST PRICE
		WIDTH	DEPTH		
<b>Dual Benching Unit</b> 	DBUHAT-48-MID-L-__	48"	24" - 30"	118 lbs.	\$3,617
	DBUHAT-60-MID-L-__	60"	24" - 30"	122 lbs.	\$3,709
	DBUHAT-72-MID-L-__	72"	24" - 30"	126 lbs.	\$3,795
	<b>Description:</b> <ul style="list-style-type: none"><li>• Includes 2 height adjustable frames (adjusts 27.5" - 46.75" high)</li><li>• Includes 2 horizontal connector bars to connect base legs</li><li>• Includes Power Beam</li><li>• Includes Power Trac with jumper connector</li></ul> <b>Notes:</b> <ul style="list-style-type: none"><li>• Duplex Receptacles must be ordered separately</li><li>• Base/Ceiling Power Feed must be ordered separately</li><li>• Worksurfaces must be ordered separately</li><li>• Beam or Surfaces Mounted Dividers must be ordered separately</li><li>• Optional Cable Management Tray must be ordered separately</li><li>• Available in White, Silver or Black</li></ul>				


**Please specify color:**  
SI = Silver, WH = White, BK = Black


Add code to end of model number.  
**Example: DBUHAT-48-MID-L-SI**

**Notes:**

- Worksurfaces not included
- Stocked in silver, white, black
- Custom color match available - standard lead times apply

# HAT BENCHING

	MODEL	TOP SIZE RECOMMENDED		WEIGHT	LIST PRICE
		WIDTH	DEPTH		
<b>Chicago Dual Benching Unit</b> 	DBUHAT-48-MID-L-CH-__	48"	24" - 30"	118 lbs.	\$3,369
	DBUHAT-60-MID-L-CH-__	60"	24" - 30"	122 lbs.	\$3,446
	DBUHAT-72-MID-L-CH-__	72"	24" - 30"	126 lbs.	\$3,518
	<b>Description:</b> <ul style="list-style-type: none"><li>• Includes 2 height adjustable frames (adjusts 27.5" - 46.75" high)</li><li>• Includes 2 horizontal connector bars to connect base legs</li><li>• Includes Power Beam</li><li>• Please note CH model numbers do not included power trac with jumper connector</li></ul> <b>Notes:</b> <ul style="list-style-type: none"><li>• Duplex Receptacles must be ordered separately</li><li>• CHBX must be ordered separately</li><li>• Base/Ceiling Power Feed must be ordered separately</li><li>• Worksurfaces must be ordered separately</li><li>• Beam or Surfaces Mounted Dividers must be ordered separately</li><li>• Optional Cable Management Tray must be ordered separately</li><li>• Available in White, Silver or Black</li></ul>				

	MODEL	SIZE	WEIGHT	LIST PRICE
<b>Connector Beam</b> 	BENCH-9 CONNECT-__	6" x 9" x 2.75"	3 lbs.	\$209
	BENCH-10.5 CONNECT-__	6" x 10.0" x 2.75"	3 lbs.	\$209
	BENCH-11.25 CONNECT-__	6" x 11.25" x 2.75"	3 lbs.	\$209
	<b>Description:</b> <ul style="list-style-type: none"><li>• Connects 2 sections of Dual Benching</li><li>• Jumper cable passed through this beam</li><li>• 9" Connect Beam is used to connect to Power Pole</li><li>• 11.25" Connector Beam allows a Mobile Slim Pedestal to fit into the dead space between Dual Benching Units</li></ul>			

**Please specify color:**  
SI = Silver, WH = White, BK = Black


Add code to end of model number.  
**Example: DBUHAT-48-MID-L-SI**

**Notes:**


- Worksurfaces not included
- Stocked in silver, white, black
- Custom color match available - standard lead times apply

## HAT GROUP & CONFERENCE OVERVIEW

GROUP & CONFERENCE TABLE BASE, 2-STAGE



- Electric height adjustable table base (4 Legs)
- Exclusive, easy to assemble, folding frame design
- Expandable width frame (42"- 74")
- 2-stage legs adjust from 27.25"- 46.75" (frame height)
- LED 4 position programmable handset
- Quad sync motors / 350 lb. lift capacity (including top)
- Cable manager included
- Anti collision safety function
- UL, CE, TUV and GREENGUARD GOLD Certified
- Qualifies for LEED credits
- Raises at 1.2" per second

	MODEL	TOP SIZE RECOMMENDED		WEIGHT	LIST PRICE
		WIDTH	DEPTH		
Conference Table Base	HAT4-MID-L-__	72" - 120"	42" - 60"	110 lbs.	\$2,136
		<b>Notes:</b> <ul style="list-style-type: none"><li>• Ships without feet, includes adjustable glides</li><li>• Stocked only in black</li></ul>			

Please specify color:  
BK = Black

Add code to end of model number.  
Example: HAT4-MID-L-BK

**Notes:**

- Worksurface not included
- Stocked in black only

## WORKSURFACES OVERVIEW

WORKSURFACE DETAILS

- Edge Detail: 1.125" LPL/TFL Laminate with 2mm PVC Matching Edge
- Standard Laminate Colors: Pinnacle Walnut (PW), Fawn Cypress (FC), Manitoba Maple (MM), Designer White (DW)
- Grommets not offered

IN-STOCK PROGRAM


- Available in the most frequently ordered worksurface options:

Designer White

30" x 48", 30" x 60"
- Ships in 3 - 5 business days
- Worksurfaces must be ordered with a corresponding base/bench
- Quantity 1 to 99 worksurfaces
- Orders under \$2,000 NET will have a freight surcharge


STANDARD SHIP PROGRAM

- Available in: 17 size options, 4 laminates
- 10 - 15 business days plus shipping
- Worksurfaces must be ordered with a corresponding base/bench
- Orders under \$2,000 NET will have a freight surcharge

	MODEL	DEPTH	WIDTH	WEIGHT	LIST PRICE
<b>Rectangular</b> 	WS-2424-__	24"	24"	14 lbs.	\$291
	WS-2430-__	24"	30"	19 lbs.	\$296
	WS-2436-__	24"	36"	21 lbs.	\$319
	WS-2442-__	24"	42"	24 lbs.	\$323
	WS-2448-__	24"	48"	28 lbs.	\$335
	WS-2454-__	24"	54"	31 lbs.	\$354
	WS-2460-__	24"	60"	35 lbs.	\$373
	WS-2466-__	24"	66"	38 lbs.	\$503
	WS-2472-__	24"	72"	42 lbs.	\$526
	WS-3030-__	30"	30"	22 lbs.	\$307
	WS-3036-__	30"	36"	26 lbs.	\$321
	WS-3042-__	30"	42"	30 lbs.	\$327
	WS-3048-__	30"	48"	35 lbs.	\$347
	WS-3054-__	30"	54"	39 lbs.	\$360
	WS-3060-__	30"	60"	44 lbs.	\$396
	WS-3066-__	30"	66"	48 lbs.	\$517
	WS-3072-__	30"	72"	53 lbs.	\$535

Please specify color:  
PW = Pinnacle Walnut, FC = Fawn Cypress, MM = Manitoba Maple, DW = Designer White



Add code to end of model number.  
Example: WS-3072-PW











DESKTOP CONVERTERS




	MODEL	WEIGHT CAPACITY	SCREEN SIZE	LIST PRICE
Winston Desk 2 Corner	WNST2-DESK-36-CRN	Up to 35 lbs.	Single Monitor: Up to 32" Dual Monitor: Up to 24"	\$813
	<b>Description:</b> <ul style="list-style-type: none"><li>• Height Adjustment: 13.5"</li><li>• Upper Worksurface: 36" W x 24" D</li><li>• Lower Worksurface: 30.1" W x 9.7" D</li><li>• Base: 20.1" W x 24" D</li><li>• Retractable lower keyboard and mouse surface</li><li>• Available in Black</li></ul>			
Winston E-Desk	WNSTE-DESK	Up to 100 lbs.	Single Monitor: Up to 32" Dual Monitor: Up to 24"	\$1,218
	<b>Description:</b> <ul style="list-style-type: none"><li>• Height Adjustment: 19.0"</li><li>• Upper Worksurface: 32.25" W x 8.5" D</li><li>• Lower Worksurface: 32.25" W x 11.5" D</li><li>• Base: 35.5" W x 24.5" D</li><li>• Electric height adjustment with touchscreen controls and memory</li><li>• Available in White or Black</li></ul> <b>Notes:</b> <ul style="list-style-type: none"><li>• <b>Specify color:</b> White (WHT) Black (BLK)</li></ul>			








DESKTOP CONVERTERS

	MODEL	WEIGHT CAPACITY	SCREEN SIZE	LIST PRICE
<b>Winston Workstation Single</b>	WNST-1-__	7 – 20 lbs.	Up to 43"	\$1,157
	<b>Description:</b> <ul style="list-style-type: none"><li>• Height Adjustment: 17.1"</li><li>• Worksurface: 30" W x 23" D</li><li>• Base: 20.7" W x 22" D</li></ul> <b>Notes:</b> <ul style="list-style-type: none"><li>• <b>Specify color:</b> Black (104) Silver (124) White (248)</li></ul>			
<b>Winston Workstation Dual</b>	WNST-2-__	10 – 26 lbs.	Up to 30"	\$1,218
	<b>Description:</b> <ul style="list-style-type: none"><li>• Height Adjustment: 17.1"</li><li>• Worksurface: 30" W x 23" D</li><li>• Base: 20.7" W x 22" D</li></ul> <b>Notes:</b> <ul style="list-style-type: none"><li>• <b>Specify color:</b> Black (104) Silver (124) White (248)</li></ul>			
<b>Winston Workstation Triple</b>	WNST-3-__	15 – 36 lbs.	Up to 24"	\$1,456
	<b>Description:</b> <ul style="list-style-type: none"><li>• Height Adjustment: 17.1"</li><li>• Worksurface: 30" W x 23" D</li><li>• Base: 20.7" W x 22" D</li></ul> <b>Notes:</b> <ul style="list-style-type: none"><li>• <b>Specify color:</b> Black (104) Silver (124) White (248)</li></ul>			
<b>Winston Workstation Quad</b>	WNST-4-__	24 – 40 lbs.	Up to 24"	\$1,813
	<b>Description:</b> <ul style="list-style-type: none"><li>• Height Adjustment: 17.1"</li><li>• Worksurface: 30" W x 23" D</li><li>• Base: 20.7" W x 22" D</li></ul> <b>Notes:</b> <ul style="list-style-type: none"><li>• <b>Specify color:</b> Black (104) Silver (124) White (248)</li></ul>			




DESKTOP CONVERTERS

	MODEL	WEIGHT CAPACITY	SCREEN SIZE	LIST PRICE
<b>Winston-E Single</b>	WNSTE-1-270	Up to 40 lbs.	Up to 43"	\$1,718
	<b>Description:</b> <ul style="list-style-type: none"><li>• Height Adjustment: 18.4"</li><li>• Worksurface: 30" W x 22" D</li><li>• Base: 16" W x 21" D</li><li>• Electric height adjustment with memory</li><li>• Available in Grey Duotone</li></ul>			
<b>Winston-E Dual</b>	WNSTE-2-270	Up to 40 lbs.	Up to 30"	\$1,909
	<b>Description:</b> <ul style="list-style-type: none"><li>• Height Adjustment: 18.4"</li><li>• Worksurface: 30" W x 22" D</li><li>• Base: 16" W x 21" D</li><li>• Electric height adjustment with memory</li><li>• Focal depth and independent monitor height adjustments</li><li>• Available in Grey Duotone</li></ul>			
<b>Winston-E Triple</b>	WNSTE-3-270	Up to 40 lbs.	Up to 24"	\$2,065
	<b>Description:</b> <ul style="list-style-type: none"><li>• Height Adjustment: 18.4"</li><li>• Worksurface: 30" W x 22" D</li><li>• Base: 16" W x 21" D</li><li>• Electric height adjustment with memory</li><li>• Focal depth and independent monitor height adjustments</li><li>• Available in Grey Duotone</li></ul>			

DESKTOP CONVERTERS

	MODEL	WEIGHT CAPACITY	SCREEN SIZE	LIST PRICE
<b>One Touch Single Freestanding</b>	700-0-1328-1028-01	100 lbs. total, 25 lbs. per monitor	Up to 43"	\$2,050
	<b>Description:</b> <ul style="list-style-type: none"><li>• Height Adjustment: 20"</li><li>• Upper Worksurface: 13" D x 28" W</li><li>• Lower Worksurface: 10" D x 28" W</li><li>• Mount: Freestanding</li></ul>			
<b>One Touch Dual Freestanding</b>	700-0-1328-1028-02	100 lbs. total, 25 lbs. per monitor	Up to 30"	\$2,225
	<b>Description:</b> <ul style="list-style-type: none"><li>• Height Adjustment: 20"</li><li>• Upper Worksurface: 13" D x 28" W</li><li>• Lower Worksurface: 10" D x 28" W</li><li>• Mount: Freestanding</li></ul>			
<b>One Touch Dual Ultra</b>	700-FCG-1336-1336-02	100 lbs. total, 25 lbs. per monitor	Up to 30"	\$2,569
	<b>Description:</b> <ul style="list-style-type: none"><li>• Height Adjustment: 20"</li><li>• Upper Worksurface: 13" D x 36" W</li><li>• Lower Worksurface: 13" D x 36" W or 17" D x 36" W</li><li>• Mount: Flush, Clamp, Grommet</li></ul>			
<b>One Touch Triple Ultra</b>	700-FCG-1336-1336-03	100 lbs. total, 25 lbs. per monitor	Up to 24"	\$2,683
	<b>Description:</b> <ul style="list-style-type: none"><li>• Height Adjustment: 20"</li><li>• Upper Worksurface: 13" D x 36" W</li><li>• Lower Worksurface: 13" D x 36" W or 17" D x 36" W</li><li>• Mount: Flush, Clamp, Grommet</li></ul>			
<b>One Touch Quad Ultra</b>	700-FCG-1336-1336-04	100 lbs. total, 25 lbs. per monitor	Up to 19"	\$2,843
	<b>Description:</b> <ul style="list-style-type: none"><li>• Height Adjustment: 20"</li><li>• Upper Worksurface: 13" D x 36" W</li><li>• Lower Worksurface: 13" D x 36" W or 17" D x 36" W</li><li>• Mount: Flush, Clamp, Grommet</li></ul>			

DESKTOP CONVERTERS



	MODEL	WEIGHT CAPACITY	SCREEN SIZE	LIST PRICE
<b>One Touch One over Three Ultra</b>	700-FCG-1336-1336-13	100 lbs. total, 25 lbs. per monitor	Up to 24"	\$2,853
	<b>Description:</b> <ul style="list-style-type: none"><li>• Height Adjustment: 20"</li><li>• Upper Worksurface: 13" D x 36" W</li><li>• Lower Worksurface: 13" D x 36" W or 17" D x 36" W</li><li>• Mount: Flush, Clamp, Grommet</li></ul>			
<b>One Touch Two over Two Ultra</b>	700-FCG-1336-1336-22	100 lbs. total, 25 lbs. per monitor	Up to 30"	\$3,116
	<b>Description:</b> <ul style="list-style-type: none"><li>• Height Adjustment: 20"</li><li>• Upper Worksurface: 13" D x 36" W</li><li>• Lower Worksurface: 13" D x 36" W or 17" D x 36" W</li><li>• Mount: Flush, Clamp, Grommet</li></ul>			
<b>One Touch Three over Three Ultra</b>	700-FCG-1336-1336-33	100 lbs. total, 25 lbs. per monitor	Up to 24"	\$3,442
	<b>Description:</b> <ul style="list-style-type: none"><li>• Height Adjustment: 20"</li><li>• Upper Worksurface: 13" D x 36" W</li><li>• Lower Worksurface: 13" D x 36" W or 17" D x 36" W</li><li>• Mount: Flush, Clamp, Grommet</li></ul>			

DIVIDERS

Create privacy in any open environment with our easy-to-install partitions. Dividers add spatial barriers and distinctive design to an office landscape, prioritizing both functionality and aesthetic. Choose from opaque or transparent, permanent or portable to take advantage of the protection, acoustic control, and flexibility provided by HAT Collective dividers.






SURFACE MOUNTED DIVIDERS  
IN-STOCK

	MODEL	H	W	LIST PRICE
PET Dividers	EDDI-PET-4824-S	24"	48"	\$394
	EDDI-PET-6024-S	24"	60"	\$463
	<b>Description:</b> <ul style="list-style-type: none"><li>• Tackable PET Divider .75" thick, radius corners</li><li>• .90 NRC rating</li><li>• Made from 60% post consumer recycled PE plastic water bottles</li><li>• VOC free</li><li>• 100% recyclable polyester fiber</li><li>• Easily clamps onto surfaces .75" - 1.87"</li><li>• Mounting hardware included (silver finish)</li><li>• Orders over 50, please check stock</li></ul> <b>Notes:</b> <ul style="list-style-type: none"><li>• Specify color - "Ash" (SP-18) or "Slate" (SP-33)</li></ul>			
Mesa Slide Divider	SD-2424-_____	24"	24"	\$387
	<b>Description:</b> <ul style="list-style-type: none"><li>• Above desk height: 24"</li><li>• Tackable PET Divider 1.125" thick, radius corners</li><li>• .90 NRC rating</li><li>• Made from 60% post consumer recycled PE plastic water bottles</li><li>• VOC free</li><li>• 100% recyclable polyester fiber</li><li>• Easily slides onto surfaces 1.125" thick (1.125" opening for desk)</li><li>• Orders over 50, please check stock</li></ul> <b>Notes:</b> <ul style="list-style-type: none"><li>• Specify color - "Ash" (ASH) or "Slate" (SLATE)</li></ul>			









SURFACE MOUNTED DIVIDERS  
STANDARD



	MODEL	H	24"W	30"W	36"W	42"W	48"W	54"W	60"W	66"W	72"W
<b>White Board Dividers</b> 	WDD-WB-__-12	12"	\$439	\$489	\$529	\$567	\$605	\$762	\$775	\$892	\$935
	WDD-WB-__-18	18"	\$516	\$579	\$691	\$723	\$739	\$1087	\$1098	\$1233	\$1304
	WDD-WB-__-24	24"	\$580	\$664	\$732	\$827	\$846	\$1136	\$1155	\$1290	\$1364
	<b>Description:</b> <ul style="list-style-type: none"><li>• White board .7" thick, square corners</li><li>• Easily clamps onto surfaces .75" - 1.87"</li><li>• Mounting hardware included (silver finish) - 66"W and over ship with 3 clamps</li></ul> <b>Notes:</b> <ul style="list-style-type: none"><li>• Lead time on all orders: 4 weeks</li></ul>										
<b>Mesa Acrylic Dividers</b> 	ADD-__-12	12"	\$333	\$367	\$387	\$425	\$452	\$471	\$520	\$612	\$638
	ADD-__-18	18"	\$394	\$440	\$483	\$539	\$567	\$628	\$666	\$771	\$827
	ADD-__-24	24"	\$443	\$516	\$546	\$661	\$663	\$691	\$828	\$935	\$936
	<b>Description:</b> <ul style="list-style-type: none"><li>• Frosted Acrylic .25" thick, radius corners</li><li>• Easily clamps onto surfaces .75" - 1.87"</li><li>• Mounting hardware included (silver finish) - 66"W and over ships with 3 clamps</li></ul> <b>Notes:</b> <ul style="list-style-type: none"><li>• Lead time on all orders: 4+ weeks</li></ul>										
<b>Acrylic Modesty Panel</b> 	AMP-__-12	12"	N/A	N/A	\$326	\$365	\$392	\$409	\$459	\$519	\$546
	AMP-__-18	12"	N/A	N/A	\$422	\$478	\$507	\$562	\$606	\$677	\$736
	<b>Description:</b> <ul style="list-style-type: none"><li>• Frosted Acrylic .25" thick, radius corners</li><li>• Easily mounted under the worksurface</li><li>• Mounting hardware included (silver finish)</li></ul> <b>Notes:</b> <ul style="list-style-type: none"><li>• Lead time on all orders: 4+ weeks</li></ul>										

DIVIDER CLAMPS

	MODEL	LIST PRICE
<b>Adjustable Divider Clamps</b> 	ADC (1 pair)	\$110
<b>Description:</b> <ul style="list-style-type: none"><li>• Allows surface mounted dividers to adjust up or down</li><li>• Mounts to underside of surface</li><li>• For use with dividers .2" - 1.1" thick</li><li>• For use with PET &amp; Fabric Fold Dividers</li><li>• Silver finish</li><li>• Must be used with surface mounted dividers 30" H</li></ul> <b>Notes:</b> <ul style="list-style-type: none"><li>• Lead time on orders of 19 or less: 2-3 weeks</li><li>• Lead time on orders of 20 or more: 4 weeks</li><li>• Sold with accompanying divider only</li></ul>		
<b>Offset Bracket Plates</b> 	ADC-OSB (1 pair)	No Charge
<b>Description:</b> <ul style="list-style-type: none"><li>• The offset bracket plate allows for a .5" gap from worksurface to divider, providing extra room for a clamp mounted monitor arm or power module.</li></ul> <b>Notes:</b> <ul style="list-style-type: none"><li>• Shipped upon request only</li></ul>		
<b>Gallery End Panel Bracket Kit</b> 	GPBRKT-KIT-__	\$194
<b>Description:</b> <ul style="list-style-type: none"><li>• Allows gallery panels to be attached to power/data beam end post (gallery panels not sold by HAT)</li><li>• Kit includes two clamps</li><li>• Gallery panels not to exceed 36" H or 63" W</li></ul> <b>Notes:</b> <ul style="list-style-type: none"><li>• Specify color: Silver (SI) White (WH) Black (BK)</li></ul>		
<b>Gallery End Panel Bench Bracket Kit</b> 	GPBRKT-KIT-BENCH-__	\$194
<b>Description:</b> <ul style="list-style-type: none"><li>• Allows gallery panels to be attached to the end of a benching unit (gallery panels not sold by HAT)</li><li>• Kit includes two clamps</li><li>• Gallery panels not to exceed 36" H or 63" W</li></ul> <b>Notes:</b> <ul style="list-style-type: none"><li>• Specify color: Silver (SI) White (WH) Black (BK)</li></ul>		





BEAM MOUNTED DIVIDERS

IN-STOCK

	MODEL	H	W	LIST PRICE
PET Dividers	EDDI-PET-4824-B	24"	48"	\$316
	EDDI-PET-6024-B	24"	60"	\$385
<div><div></div><div></div></div> <div><p><b>Description:</b></p><ul style="list-style-type: none"><li>• Tackable PET Divider .75" thick, radius corners</li><li>• .90 NRC rating</li><li>• Made from 60% post consumer recycled PE plastic water bottles</li><li>• VOC free</li><li>• 100% recyclable polyester fiber</li><li>• Mounting hardware included (silver finish)</li></ul><p><b>Notes:</b></p><ul style="list-style-type: none"><li>• Specify color - "Ash" (SP-18) or "Slate" (SP-33)</li></ul></div>				

BEAM MOUNTED DIVIDERS

STANDARD

	MODEL	H	36"W	42"W	48"W	54"W	60"W	66"W	72"W
PET Dividers	HRED-PET-__-12	12"	\$387	\$418	\$458	\$489	\$514	\$669	\$691
	HRED-PET-__-18	18"	\$475	\$496	\$576	\$598	\$622	\$840	\$863
	HRED-PET-__-24	24"	\$520	\$630	\$653	\$677	\$709	\$1035	\$1058
<div><div></div><div></div></div> <div><p><b>Description:</b></p><ul style="list-style-type: none"><li>• Tackable PET Divider .75" thick, radius corners</li><li>• .90 NRC rating</li><li>• Made from 60% post consumer recycled PE plastic water bottles</li><li>• VOC free</li><li>• 100% recyclable polyester fiber</li><li>• Mounting hardware included (silver finish) - 66" W and over ships with 3 clamps</li></ul><p><b>Notes:</b></p><ul style="list-style-type: none"><li>• Specify color - Pear, Cobalt, Sandstone, Ash, Slate, Charcoal</li><li>• Lead time on orders of 19 or less: 2-3 weeks</li><li>• Lead time on orders of 20 or more: 4 weeks</li></ul></div>									
Fabric Fold Dividers	<b>Elements Line (Grade 1 Fabric)</b>								
	HRFD-FF-__-12	12"	\$494	\$535	\$565	\$633	\$649	\$815	\$884
	HRFD-FF-__-18	18"	\$691	\$739	\$763	\$905	\$924	\$1197	\$1314
	HRFD-FF-__-24	24"	\$729	\$809	\$839	\$964	\$991	\$1256	\$1392
	<b>Fusion Line (Grade 2 Fabric)</b>								
	HRFD-FF-__-12	12"	\$535	\$583	\$612	\$691	\$707	\$884	\$963
	HRFD-FF-__-18	18"	\$769	\$827	\$867	\$1034	\$1056	\$1333	\$1435
	HRFD-FF-__-24	24"	\$809	\$905	\$943	\$1083	\$1114	\$1403	\$1540
<div><div></div><div></div></div> <div><p><b>Description:</b></p><ul style="list-style-type: none"><li>• Tackable fabric, .87" thick, radius corners</li><li>• .30 NRC rating</li><li>• Mounting hardware included (silver finish). 66" W and over ships with 3 clamps</li><li>• Special sizes available: Please contact your sales rep</li></ul><p><b>Notes:</b></p><ul style="list-style-type: none"><li>• Specify fabric color</li><li>• Lead time on orders of 19 or less: 2-3 weeks</li><li>• Lead time on orders of 20 or more: 4 weeks</li></ul></div>									

BEAM MOUNTED DIVIDERS  
STANDARD

	MODEL	H	36"W	42"W	48"W	54"W	60"W	66"W	72"W
<b>White Board Dividers</b>	HRD-WB-__-12	12"	\$469	\$508	\$546	\$704	\$716	\$785	\$846
	HRD-WB-__-18	18"	\$633	\$663	\$681	\$1027	\$1039	\$1143	\$1216
	HRD-WB-__-24	24"	\$681	\$767	\$786	\$1077	\$1096	\$1199	\$1274



**Description:**  
• White board .7" thick, square corners  
• Mounting hardware included (silver finish) - 66" W and over ship with 3 clamps  
• Special sizes available: Please call your sales rep

**Notes:**  
• Lead time on all orders: 4 weeks

<b>Mesa Acrylic Dividers</b>	HRAD-__-12	12"	\$328	\$366	\$394	\$411	\$462	\$521	\$549
	HRAD-__-18	18"	\$424	\$479	\$508	\$563	\$608	\$681	\$738
	HRAD-__-24	24"	\$486	\$603	\$606	\$633	\$770	\$844	\$849



**Description:**  
• Frosted Acrylic .25" thick, radius corners  
• Mounting hardware included (silver finish) - 66" W and over ships with 3 clamps  
• Special sizes available: Please call your sales rep

**Notes:**  
• Lead time on all orders: 4 weeks






AURA® OVERVIEW

SPECIFICATIONS	AURA
Overall Height	23"
Width	46", 58", 70", or 92"
Material	PET
Thickness	9mm (.35")
Edge	Beveled Felt
Environmental	50% from recycled water bottles, Declare Certified
Acoustics	ASTM C 423: NRC [500hz] = .76 NRC [1000hz] = 1
Fire Rating	UL tested ASTM E-84: Class A

- XL - 92" X 23"**  
8 Brackets  
\$1,250
- L - 70" X 23"**  
6 Brackets  
\$1,196
- M - 58" X 23"**  
5 Brackets  
\$799
- S - 46" X 23"**  
4 Brackets  
\$642




AURA® FINISHES


AURA COLORS


- 

**FNI**  
Night
- 

**FSL**  
Slate
- 

**FPE**  
Pebble
- 

**FBL**  
Black
- 

**FOA**  
Oatmeal
- 

**FLA**  
Latte

BRACKET FINISHES

- 

**B**  
Black
- 

**S**  
Silver
- 

**W**  
White






AURA® PRICING

RECTILINEAR WORKSURFACE

LEFT SIDE RETURN / CENTER COVERAGE / RIGHT SIDE RETURN  
Dimensions based on 7/8" gap rear with flush on sides


W	D	XL 92" X 23"	L 70" X 23"	M 58" X 23"	S 46" X 23"
48"	30"	21.5" / 48" / 21.5"	10.8" / 48" / 10.8"	4.8" / 48" / 4.8"	46" back edge only
60"	30"	15.5" / 60" / 15.5"	4.8" / 60" / 4.8"	0" / 58.0" / 0"	46" back edge only
72"	30"	9.5" / 72" / 9.5"	0" / 70" / 0"	58" back edge only	46" back edge only
84"	30"	3.5" / 84" / 3.5"	70" back edge only	58" back edge only	46" back edge only
96"	30"	0" / 92" / 0"	70" back edge only	58" back edge only	46" back edge only



90° WORKSURFACE

LEFT SIDE RETURN / LEFT BACK / RIGHT BACK / RIGHT SIDE RETURN  
Dimensions based on 7/8" gap rear with flush on sides

W	D	XL 92" X 23"	L 70" X 23"	M 58" X 23"	S 46" X 23"
36"	30"	10.1" / 36" / 36" / 10.1"	0" / 35" / 35" / 0"	0" / 30" / 30" / 0"	0" / 24" / 24" / 0"
42"	30"	4.1" / 42" / 42" / 4.1"	0" / 35" / 35" / 0"	0" / 30" / 30" / 0"	0" / 24" / 24" / 0"
48"	30"	0" / 46" / 46" / 0"	0" / 35" / 35" / 0"	0" / 30" / 30" / 0"	0" / 24" / 24" / 0"



120° WORKSURFACE

LEFT SIDE RETURN / LEFT BACK / RIGHT BACK / RIGHT SIDE RETURN  
Dimensions based on 7/8" gap rear with flush on sides

W	D	XL 92" X 23"	L 70" X 23"	M 58" X 23"	S 46" X 23"
36"	30"	9.7" / 36" / 36" / 9.7"	0" / 35" / 35" / 0"	0" / 29" / 29" / 0"	0" / 23" / 23" / 0"
42"	30"	3.7" / 42" / 42" / 3.7"	0" / 35" / 35" / 0"	0" / 29" / 29" / 0"	0" / 23" / 23" / 0"
48"	30"	0" / 46" / 46" / 0"	0" / 35" / 35" / 0"	0" / 29" / 29" / 0"	0" / 23" / 23" / 0"



AS2

NAME

-

XL

MODEL

-

FLA

COLOR

-

8

BLACK BRACKETS

-

S

OUTER FASTENERS

Outer fasteners are available in (S) silver or (B) black.




# MONITOR ARMS

Our sophisticated monitor arms provide ergonomics, space savings, and clever design. Here, you'll find one-touch adjustment, effortless movement, and sure-footed stability to support a multitude of screen configurations. Reclaim your desktop with our sleek mounting systems that are easy to install.



# MONITOR ARMS STATEMENT OF LINE


MONITOR ARMS






MONITOR ARMS  
STATEMENT OF LINE


MOUNTS & ACCESSORIES




Thru-Desk Conversion Kit  
for Top Down Mounts



Charging Cap




Charging Cap E2 Dual



Height Adjust Adapter











Next Gen Tilter







Slider







	MODEL	WEIGHT CAPACITY	SCREEN SIZE	LIST PRICE	
	Envoy Single	ENVOY-1-___	2.2 - 19.8 lbs.	Up to 32"	\$293
	<p><b>Description:</b></p> <ul style="list-style-type: none"><li>• Mounting: desk clamp or bolt thru-mount, desk thickness up to 3.3"</li><li>• Height adjustment: 13.2"</li><li>• Extension range: 23.7"</li></ul> <p><b>Notes:</b></p> <ul style="list-style-type: none"><li>• <b>Specify color:</b> Black (BLK) Silver (SLV) White (WHT)</li><li>• Lead time on orders of 50 or less: 3 days</li><li>• Orders over 50, please check stock</li></ul>				
	Envoy Dual	ENVOY-2-___	2.2 - 19.8 lbs. per monitor	Up to 32"	\$561
	<p><b>Description:</b></p> <ul style="list-style-type: none"><li>• Mounting: desk clamp or bolt thru-mount, desk thickness up to 3.3"</li><li>• Height adjustment: 13.2"</li><li>• Extension range: 23.7"</li></ul> <p><b>Notes:</b></p> <ul style="list-style-type: none"><li>• <b>Specify color:</b> Black (BLK) Silver (SLV) White (WHT)</li><li>• Lead time on orders of 50 or less: 3 days</li><li>• Orders over 50, please check stock</li></ul>				
	E2 Single	E2-1-___	Flat panel: 2.2 - 20 lbs. Curved monitor: Up to 16 lbs.	Up to 32"	\$316
	<p><b>Description:</b></p> <ul style="list-style-type: none"><li>• Mounting: Top down desk mount: clamps to desk edge or grommet, desk thickness up to 1.5"</li><li>• Height adjustment: 13.3"</li><li>• Extension range: 23.7"</li></ul> <p><b>Notes:</b></p> <ul style="list-style-type: none"><li>• <b>Specify color:</b> Black (104) Silver (124) White (248)</li></ul>				
	E2 Dual	E2-2-___	Flat panel: 2.2 - 20 lbs. Curved monitor: Up to 16 lbs.	Up to 27"	\$586
	<p><b>Description:</b></p> <ul style="list-style-type: none"><li>• Mounting: Top down desk mount: clamps to desk edge, desk thickness up to 1.5"</li><li>• Height adjustment: 13"</li><li>• Extension range: 17.5" - 28.5" side-by-side</li></ul> <p><b>Notes:</b></p> <ul style="list-style-type: none"><li>• <b>Specify color:</b> Black (104) Silver (124) White (248)</li></ul>				


	MODEL	WEIGHT CAPACITY	SCREEN SIZE	LIST PRICE
	<b>7000 Single</b>			
	7000-500-___	Flat panel: 3 - 10lbs. Curved monitor: Up to 10 lbs	Based on weight	\$402
	7000-800-___	Flat Panel: 10 - 22 lbs. Curved monitor: Up to 22 lbs	Based on weight	\$402
	7000-1000-___	Flat Panel: 13 - 28 lbs. Curved monitor: Up to 22 lbs	Based on weight	\$402
	7000-1000-HD-___	Flat   Curved: 13 - 28 lbs	Based on weight	\$470
<b>Description:</b> <ul style="list-style-type: none"><li>· Mounting: Top down desk mount: clamps to desk edge or grommet, desk thickness up to 1.5"</li><li>· Height adjustment: 16"</li><li>· Extension range: 24"</li></ul> <b>Notes:</b> <ul style="list-style-type: none"><li>· <b>Specify color:</b> Black (104) Silver (124) White (248)</li></ul>				
	<b>7000 Dual</b>			
	7000-2-500-SLD-___	3 - 10 lbs. per monitor	Up to 32"	\$784
	7000-2-800-SLD-___	10 - 22 lbs. per monitor	Up to 32"	\$784
<b>Description:</b> <ul style="list-style-type: none"><li>· Mounting: Top down: desk clamp, grommet mount</li><li>· Height adjustment: 16"</li><li>· Extension range: 24"</li></ul> <b>Notes:</b> <ul style="list-style-type: none"><li>· <b>Specify color:</b> Black (104) Silver (124) White (248)</li></ul>				
	<b>7000 Dual Crossbar</b>			
	7000-1-8537H-___	6 - 14 lbs. per monitor	Up to 27"	\$551
<b>Description:</b> <ul style="list-style-type: none"><li>· Mounting: Top down desk mount: clamps to desk edge or grommet, desk thickness up to 1.5"</li></ul> <b>Notes:</b> <ul style="list-style-type: none"><li>· <b>Specify color:</b> Black (104) Silver (124) White (248)</li></ul>				
	<b>7500</b>			
	7500-500-___	2 - 13 lbs.	Up to 43"	\$614
	7500-800-___	6 - 21 lbs.	Up to 43"	\$614
	7500-1000-___	8 - 27 lbs.	Up to 43"	\$614
	7500-1500-___	12 - 40 lbs.	Up to 43"	\$614





	MODEL	WEIGHT CAPACITY	SCREEN SIZE	LIST PRICE
<b>Staxx Single</b> 	STX-01S-___	1 - 30 lbs.	Up to 50"	\$292
	<b>Description:</b> · Mounting: Top down desk mount: clamps to desk edge or grommet, desk thickness up to 1.5"			
	<b>Notes:</b> · <b>Specify color:</b> Black (104) Silver (124) White (248)			
<b>Staxx Dual</b> 	STX-02S-___	1 - 20 lbs. per monitor	Up to 24"	\$665
	STX-02W-___	1 - 20 lbs. per monitor	24" - 30"	\$733
	<b>Description:</b> · Mounting: Top down desk mount: clamps to desk edge or grommet, desk thickness up to 1.5"			
	<b>Notes:</b> · <b>Specify color:</b> Black (104) Silver (124) White (248)			
<b>Staxx Triple</b> 	STX-03S-___	1 - 15 lbs. per monitor	Up to 24"	\$791
	STX-03W-___	1 - 15 lbs. per monitor	24" - 30"	\$843
	<b>Description:</b> · Mounting: Top down desk mount: clamps to desk edge or grommet, desk thickness up to 1.5"			
	<b>Notes:</b> · <b>Specify color:</b> Black (104) Silver (124) White (248)			
<b>Staxx 1 Over 1</b> 	STX-11S-___	1 - 20 lbs. per monitor	Up to 30"	\$767
	<b>Description:</b> · Mounting: Top down desk mount: clamps to desk edge or grommet, desk thickness up to 1.5"			
	<b>Notes:</b> · <b>Specify color:</b> Black (104) Silver (124) White (248)			


	MODEL	WEIGHT CAPACITY	SCREEN SIZE	LIST PRICE
<b>Staxx 2 Over 2</b> 	STX-22S-___	1 - 15 lbs. per monitor	Up to 24"	\$920
	STX-22W-___	1 - 15 lbs. per monitor	24" - 30"	\$952
	<b>Description:</b> · Mounting: Top down desk mount: clamps to desk edge or grommet, desk thickness up to 1.5"			
	<b>Notes:</b> · <b>Specify color:</b> Black (104) Silver (124) White (248)			
<b>Staxx 3 Over 3</b> 	STX-33S-___	1 - 10 lbs. per monitor	Up to 24"	\$1,331
	STX-33W-___	1 - 10 lbs. per monitor	24" - 30"	\$1,382
	<b>Description:</b> · Mounting: Top down desk mount: clamps to desk edge or grommet, desk thickness up to 1.5"			
	<b>Notes:</b> · <b>Specify color:</b> Black (104) Silver (124) White (248)			
<b>Staxx Dual Articulating</b> 	STX-450-___	10 - 23 lbs. per monitor	Up to 27"	\$867
	STX-500-___	3 - 10 lbs. per monitor	Up to 27"	\$867
	STX-600-___	7 - 17 lbs. per monitor	Up to 27"	\$867
	STX-800-___	10 - 22 lbs. per monitor	Up to 27"	\$867
	STX-1000-___	13 - 28 lbs. per monitor	Up to 27"	\$867
	<b>Description:</b> · Mounting: Top down desk mount: clamps to desk edge or grommet, desk thickness up to 1.5"			
	<b>Notes:</b> · <b>Specify color:</b> Black (104) Silver (124) White (248)			


	MODEL	WEIGHT CAPACITY	SCREEN SIZE	LIST PRICE
<b>Staxx Dual Articulating with laptop</b> 	STX-450-8510-___	10 – 23 lbs. per monitor	Up to 27"	\$1,047
	STX-500-8510-___	3-10 lbs. per monitor	Up to 27"	\$1,047
	STX-600-8510-___	7 – 17 lbs. per monitor	Up to 27"	\$1,047
	STX-800-8510-___	10 – --22 lbs. per monitor	Up to 27"	\$1,047
	STX-1000-8510-___	13 – 28 lbs. per monitor	Up to 27"	\$1,047
<b>Description:</b> • Supports 3 – 13.5 lb laptop • Mounting: Top down desk mount: clamps to desk edge or grommet, desk thickness up to 1.5"				
<b>Notes:</b> • <b>Specify color:</b> Black (104) Silver (124) White (248)				


<b>Staxx Dual w/Sliders</b> 	STX-02-SLD-___	20 lbs. per monitor	Up to 27"	\$500
<b>Description:</b> • Mounting: Top down desk mount: clamps to desk edge or grommet, desk thickness up to 1.5"				
<b>Notes:</b> • <b>Specify color:</b> Black (104) Silver (124) White (248)				


<b>Staxx Dual Articulating w/Sliders</b> 	STX-2-500-SLD-___	3-10 lbs. per monitor	Up to 27"	\$860
	STX-2-800-SLD-___	20 lbs. per monitor	Up to 27"	\$860
<b>Description:</b> • Mounting: Top down desk mount: clamps to desk edge or grommet, desk thickness up to 1.5"				
<b>Notes:</b> • <b>Specify color:</b> Black (104) Silver (124) White (248)				


<b>Staxx Triple w/Sliders</b> 	STX-3S-500-SLD-___	3-10 lbs. per monitor	Up to 27"	\$1,005
	STX-3S-800-SLD-___	20 lb. per monitor	Up to 27"	\$1,005
<b>Description:</b> • Mounting: Top down desk mount: clamps to desk edge or grommet, desk thickness up to 1.5"				
<b>Notes:</b> • <b>Specify color:</b> Black (104) Silver (124) White (248)				

	MODEL	WEIGHT CAPACITY	SCREEN SIZE	LIST PRICE
<b>Staxx Dual Laptop w/Slider</b> 	STX-2-500-8510-___	3 – 10 lbs. per monitor	Up to 27"	\$987
	STX-2-800-8510-___	20 lbs. per monitor	Up to 27"	\$987
<b>Description:</b> • Mounting: Top down desk mount: clamps to desk edge or grommet, desk thickness up to 1.5"				
<b>Notes:</b> • <b>Specify color:</b> Black (104) Silver (124) White (248)				




<b>E2 Connex Single</b> 	E2-01-SD-___	Flat panel: 2.2 – 20 lbs. Curved monitor: Up to 16 lbs.	Any size within weight capacity	\$466
<b>Description:</b> • Mounting: Top down desk mount: clamps to desk edge or grommet, desk thickness up to 1.5"				
<b>Notes:</b> • <b>Specify color:</b> Black (104) Silver (124) White (248)				

<b>E2 Connex Dynamic Dual</b> 	E2-02-D-___	2.2 – 20 lbs. per monitor	Up to 32" (bezel measured left to right)	\$823
<b>Description:</b> • Mounting: Top down desk mount: clamps to desk edge or grommet, desk thickness up to 1.5"				
<b>Notes:</b> • <b>Specify color:</b> Black (104) Silver (124) White (248)				

<b>E2 Connex Dynamic Dual Wide</b> 	E2-02-SD-___	2.2 – 20 lbs. per monitor	Up to 39" (bezel measured left to right)	\$945
<b>Description:</b> • Mounting: Top down desk mount: clamps to desk edge or grommet, desk thickness up to 1.5"				
<b>Notes:</b> • <b>Specify color:</b> Black (104) Silver (124) White (248)				

<b>E2 Connex Dynamic Triple</b> 	E2-03-SD-___	2.2 – 20 lbs. per monitor	Up to 28.5" (bezel measured left to right)	\$1,061
<b>Description:</b> • Mounting: Top down desk mount: clamps to desk edge or grommet, desk thickness up to 1.5"				
<b>Notes:</b> • <b>Specify color:</b> Black (104) Silver (124) White (248)				



	MODEL	WEIGHT CAPACITY	SCREEN SIZE	LIST PRICE	
	<b>E2 Connex Static Dual</b>	E2-02-SS-__	2.2 - 20 lbs. per monitor	Up to 37" (bezel measured left to right)	\$710
	<b>Description:</b> · Mounting: Top down desk mount: clamps to desk edge or grommet, desk thickness up to 1.5"				
	<b>Notes:</b> · <b>Specify color:</b> Black (104) Silver (124) White (248)				
	<b>E2 Connex Static Triple</b>	E2-03-SSS-__	2.2 - 20 lbs. per monitor	Up to 27.5" (bezel measured left to right)	\$835
	<b>Description:</b> · Mounting: Top down desk mount: clamps to desk edge or grommet, desk thickness up to 1.5"				
	<b>Notes:</b> · <b>Specify color:</b> Black (104) Silver (124) White (248)				
	<b>E2 Connex One Over One</b>	E2-11-HD-__	See description	See description	\$327
	<b>Description:</b> · Mounting:Top down desk mount: clamps to desk edge or grommet, desk thickness up to 1.5" · Weight capacity: Flat Panel Monitors: Up to 40 lbs. per monitor Curved Monitors: 0 - 26.5 lbs. per monitor · Screen size: One Flat Panel Monitor: Up to 43" (16:9 aspect ratio) Two Flat Panel Monitors: Up to 49" (21:9 aspect ratio) Two Curved Monitors: Up to 49" (21:9 aspect ratio)				
	<b>Notes:</b> · <b>Specify color:</b> Black (104) Silver (124) White (248)				





# STORAGE

Stay organized and keep your belongings secure with HAT storage units. Our mobile pedestals are heavy-duty, lockable, and comfortably accommodate your office supplies. Slide your mobile storage unit underneath your worksurface for easy, out-of-the-way access.



# STORAGE

## STATEMENT OF LINE


STORAGE




HAT Mobile Pedestal Slim  
(10.6")




HAT Mobile Pedestal  
(15")




HAT Pedestal Cushions




Collective Storage  
Mobile Locker




Collective Storage  
Mobile Pedestal Slim (12")




Collective Storage  
Mobile Pedestal (15")







Collective Storage  
Mobile Credenza (30")



Collective Storage  
Mobile Credenza (48")







Collective Storage  
Cushions

	MODEL	WIDTH	DEPTH	HEIGHT	WEIGHT	LIST PRICE
<b>HAT Mobile Pedestal Slim</b> 	MPEDBF-10-__	10.6"	22"	21"	55 lbs.	\$605
	<b>Description:</b> <ul style="list-style-type: none"><li>• Mobile Box/File Pedestal</li><li>• Includes lock and key</li><li>• Includes pencil tray</li><li>• Letter or legal filing</li><li>• Includes casters (2 locking, 2 non-locking)</li><li>• Stocked in silver, white and black</li></ul> <b>Notes:</b> <ul style="list-style-type: none"><li>• Key alike available (add \$10 to list)</li><li>• Master/Core Key available (add \$10 to list)</li></ul>					
<b>HAT Mobile Pedestal</b> 	MPEDBF-15-__	15"	22"	21"	65 lbs.	\$605
	<b>Description:</b> <ul style="list-style-type: none"><li>• Mobile Box/File Pedestal</li><li>• Includes lock and key</li><li>• Includes pencil tray</li><li>• Letter or legal filing</li><li>• Includes casters (2 locking, 2 non-locking)</li><li>• Stocked in silver, white and black</li></ul> <b>Notes:</b> <ul style="list-style-type: none"><li>• Key alike available (add \$10 to list)</li><li>• Master/Core Key available (add \$10 to list)</li></ul>					
<b>HAT Pedestal Slim Cushion</b> 	MPEDCUS-10 <small>(in-stock)</small>	10.6"	22"	1.5"	5 lbs.	\$128
	MPEDCUS-10 <small>(standard)</small>	10.6"	22"	1.5"	5 lbs.	\$134
<b>HAT Pedestal Cushion</b> 	MPEDCUS-15 <small>(in-stock)</small>	15"	22"	1.5"	6 lbs.	\$128
	MPEDCUS-15 <small>(standard)</small>	15"	22"	1.5"	6 lbs.	\$134
	<b>Description:</b> <ul style="list-style-type: none"><li>• Pedestal seat cushion</li><li>• High density foam</li><li>• Laminated plywood understructure</li><li>• Attached with velcro</li><li>• Stocked in #15-13 charcoal fabric</li></ul> <b>Notes:</b> <ul style="list-style-type: none"><li>• Other colors available: 8 week lead time</li><li>• 50 QTY minimum order for non-stocked colors</li></ul>					
	<b>Description:</b> <ul style="list-style-type: none"><li>• Pedestal seat cushion</li><li>• High density foam</li><li>• Laminated plywood understructure</li><li>• Attached with velcro</li><li>• Stocked in #15-13 charcoal fabric</li></ul> <b>Notes:</b> <ul style="list-style-type: none"><li>• Other colors available: 8 week lead time</li><li>• 50 QTY minimum order for non-stocked colors</li></ul>					

**Please specify color:**  
SI = Silver, WH = White, BK = Black






Add code to end of model number.  
**Example: MPEDBF-15-SI**

	MODEL	WIDTH	DEPTH	HEIGHT	WEIGHT	LIST PRICE
<b>Collective Storage Mobile Locker</b> 	STG-LKR-12-__	12"	20"	24"	35 lbs.	\$839
	<b>Description:</b> <ul style="list-style-type: none"><li>• Mobile locker</li><li>• Includes lock and key</li><li>• Includes pencil tray</li><li>• Letter or legal filing</li><li>• Includes casters (2 locking, 2 non-locking) and anti-tipping counterweight</li><li>• Available in silver, white and black</li></ul> <b>Notes:</b> <ul style="list-style-type: none"><li>• 50 QTY minimum order</li></ul>					
<b>Collective Storage Mobile Pedestal Slim</b> 	STG-PED-12-__	12"	20"	24"	62 lbs.	\$946
	<b>Description:</b> <ul style="list-style-type: none"><li>• Mobile box/file pedestal</li><li>• Includes lock and key</li><li>• Includes pencil tray</li><li>• Letter or legal filing</li><li>• Includes casters (2 locking, 2 non-locking) and anti-tipping counterweight</li><li>• Available in silver, white and black</li></ul> <b>Notes:</b> <ul style="list-style-type: none"><li>• 50 QTY minimum order</li></ul>					
<b>Collective Storage Mobile Pedestal</b> 	STG-PED-15-__	15"	20"	24"	69 lbs.	\$987
	<b>Description:</b> <ul style="list-style-type: none"><li>• Mobile box/file pedestal</li><li>• Includes lock and key</li><li>• Includes pencil tray</li><li>• Letter or legal filing</li><li>• Includes casters (2 locking, 2 non-locking) and anti-tipping counterweight</li><li>• Available in silver, white and black</li></ul> <b>Notes:</b> <ul style="list-style-type: none"><li>• 50 QTY minimum order</li></ul>					
<b>Collective Storage Mobile Credenza (30")</b> 	STG-CRD-30-__	30"	15"	24"	53 lbs.	\$1,372
	<b>Description:</b> <ul style="list-style-type: none"><li>• Mobile credenza</li><li>• Includes shelving and sliding door</li><li>• Includes casters (2 locking, 2 non-locking)</li><li>• Available in silver, white and black</li></ul> <b>Notes:</b> <ul style="list-style-type: none"><li>• 50 QTY minimum order</li></ul>					

**Please specify color:**  
SI = Silver, WH = White, BK = Black

Add code to end of model number.  
**Example: STG-PED-15-SI**



	MODEL	WIDTH	DEPTH	HEIGHT	WEIGHT	LIST PRICE
<div><div><div>Collective Storage Mobile Credenza (48")</div><div></div></div><div><div><b>Description:</b></div><div><ul style="list-style-type: none"><li>• Includes shelving and 2 drawers</li><li>• Includes lock and key</li><li>• Includes casters (2 locking, 4 non-locking)</li><li>• Available in silver, white and black</li></ul></div><div><div><b>Notes:</b></div><div><ul style="list-style-type: none"><li>• 50 QTY minimum order</li></ul></div></div></div></div>	STG-CRD-48-__	48"	20"	27"	117 lbs.	\$2,515
<div><div><div>Collective Storage Locker/Pedestal Slim Cushion (12")</div><div></div></div><div><div><b>Description:</b></div><div><ul style="list-style-type: none"><li>• Locker/pedestal seat cushion</li><li>• High density foam</li><li>• Attached with velcro</li></ul></div><div><div><b>Notes:</b></div><div><ul style="list-style-type: none"><li>• 50 QTY minimum order</li></ul></div></div></div></div>	STG-CUS-12-__-__	12"	20"	1.5"	3 lbs.	\$184
<div><div><div>Collective Storage Pedestal Cushion (15")</div><div></div></div><div><div><b>Description:</b></div><div><ul style="list-style-type: none"><li>• Pedestal seat cushion</li><li>• High density foam</li><li>• Attached with velcro</li></ul></div><div><div><b>Notes:</b></div><div><ul style="list-style-type: none"><li>• 50 QTY minimum order</li></ul></div></div></div></div>	STG-CUS-15-__-__	15"	20"	1.5"	4 lbs.	\$209
<div><div><div>Collective Storage Credenza Cushion (30")</div><div></div></div><div><div><b>Description:</b></div><div><ul style="list-style-type: none"><li>• Credenza seat cushion</li><li>• High density foam</li><li>• Attached with velcro</li></ul></div><div><div><b>Notes:</b></div><div><ul style="list-style-type: none"><li>• 50 QTY minimum order</li></ul></div></div></div></div>	STG-CUS-30-__-__	30"	15"	1.5"	6 lbs.	\$216
<div><div><div>Collective Storage Credenza Cushion (48")</div><div></div></div><div><div><b>Description:</b></div><div><ul style="list-style-type: none"><li>• Credenza seat cushion</li><li>• High density foam</li><li>• Attached with velcro</li></ul></div><div><div><b>Notes:</b></div><div><ul style="list-style-type: none"><li>• 50 QTY minimum order</li></ul></div></div></div></div>	STG-CUS-48-__-__	48"	20"	1.5"	12 lbs.	\$413

**Please specify color:**  
SI = Silver, WH = White, BK = Black

Add code to end of model number.  
**Example: STG-PED-15-SI**





SEATING

HAT Collective offers everything you need to work your way, including our original ergonomic seating solution. Every body is different. Our HAT Collective seating adapts to an individual's natural movement making for a fluid and supportive experience.







	MODEL	LIST PRICE
	IKU-B-M1H-JET-S1BB	\$917
	IKU-B-M2H-IRON-S1BB	\$917
	IKU-B-M3H-ALLOY-S1BB	\$917
	IKU-B-M1H-JET-S1PB	\$1,150
	IKU-B-M2H-IRON-S1PB	\$1,150
	IKU-B-M3H-ALLOY-S1PB	\$1,150
	IKU-W-M1H-JET-S1PB	\$1,300
	IKU-W-M2H-IRON-S1PB	\$1,300
	IKU-W-M3H-ALLOY-S1PB	\$1,300
	<b>Description:</b> Weight Range: 300 lbs Armrest Adjustment Range: 7.5" – 10.5" (top of armrest to top of seat pan) Armrests Lock: 11 increment positions Black Nylon Base: 16.8" – 20.5" Polished Aluminum Base: 16.2" – 19.9" Seatback Adjustment Range: 95° – 129°, 4 position back lock Seat Depth Adjustment: 2.3"	
	<b>Notes:</b> • <b>Frame:</b> Black (B), White (W) • <b>Mesh:</b> Black (M1H), Dark Grey (M2H), Light Grey (M3H) • <b>Seat Upholstery:</b> Jet (JET), Alloy (ALLOY), Iron (IRON) • <b>Base:</b> Black Nylon (S1BB), Polished Aluminum (S1PB)	

ACCESSORIES

Our collection of accessories ensures you get the most out of your workspace. Manage and organize wires, mobilize your keyboard, or mount your CPU. We have everything you need to complete your desk, personalizing your workstation to function for you.



	MODEL	WEIGHT	LIST PRICE
<b>Wire Management Trough</b> 	WMT-SI <b>Description:</b> <ul style="list-style-type: none"><li>• Large capacity supports multiple wires, cables and a power strip</li><li>• Multiple cable pass through ports offers versatile cable management</li><li>• Trough hinges open, allowing for easy access and installation</li><li>• Heavy-duty steel construction</li><li>• 30" W x 3" H x 4" D</li><li>• Available in silver</li></ul>	6 lbs.	\$192
<b>Wire Management Sleeve</b> 	WMS-42 <b>Description:</b> <ul style="list-style-type: none"><li>• Expandable zip up nylon mesh management sleeve</li><li>• 42" length</li><li>• Available in black</li></ul>	1 lb.	\$45
<b>Senko Task Light</b> 	SENKO-1-__ <b>Description:</b> <ul style="list-style-type: none"><li>• LED</li><li>• 11 watts</li><li>• 15,000 hours light lifespan</li><li>• 3000k color temperature</li><li>• 3-way touch dimmer (10%, 50%, 100%)</li><li>• Base dimension: Ø 5.9"</li><li>• Freestanding</li><li>• ETL, FCC and CEC certified</li></ul> <b>Notes:</b> <ul style="list-style-type: none"><li>• <b>Specify color:</b> Silver (SLV) Black (BLK)</li></ul>	5.5 lbs.	\$255
<b>Docking Station</b> 	DS-1-BLK DS-1-CM-BLK (w/Clamp Mount) DS-1-VM-BLK (w/VESA Mount) <b>Description:</b> <ul style="list-style-type: none"><li>• Mac and PC compatible</li><li>• Dimensions: 3.75" W x 3.75" D x 1.33" H</li><li>• Docking Interface: USB-C 3.1</li><li>• Interfaces: (2) HDMI 1.4, (3) USB-A 3.1 Gen 1, (1) RJ45 Port, (1) Audio Jack In/Out</li><li>• Single Display Resolution: 2560 x 1440 @ 50Hz</li><li>• Dual Display Resolution: 1920 x 1080 @ 60Hz</li><li>• Audio: 2.1 Channel</li><li>• Ethernet: Type 10/100/100 Base-T</li><li>• PD Charging: 85W</li><li>• Power Adapter: AC 100/240V</li></ul>		\$811 \$965 \$921

1. VERTICAL WIRE MANAGEMENT SYSTEM

Exclusive to S-Collection workstations, the Vertical's flexible design manages wires on a vertical plane through a BIFMA-required range. The main unit attaches to the leg with magnets, allowing for flexibility of mounting and reconfiguration.

\* Not compatible with panel integration or HAT bases.

**439900-\_\_**  
Black, Silver, White  
22" - 48" Adjustable Height  
\$198

Chain available in Black only.

3. FLEX WIRE MANAGEMENT TRAY

This tray comes in three sizes. Its flexible design and thin steel construction allow for high flexibility in mounting and configuration. Seams along the surface indicate where bending should occur.

<b>990103-__</b> Black, Silver, White 22.4" W \$102	<b>990102-__</b> Black, Silver, White 43.7" W \$113	<b>990101-__</b> Black, Silver, White 55.5" W \$128
--	--	--







2. POCKET CABLE MANAGEMENT



Keep cords neat and organized with an easy to install mesh cable management sleeve that is compatible with any base and worksurface. Includes 12 velcro straps that securely lock in your wires.

**Standard**  
**CMT-04 (Black)**  
**CMT-06 (Grey)**  
38" W x 5" D  
\$199







**Mini**  
**CMT-24-04 (Black)**  
**CMT-24-06 (Grey)**  
24" W x 5" D  
\$150







	MODEL	COMPATABILITY	WEIGHT	LIST PRICE
<b>Snap on Charging Mount</b> 	CHG-CAP-1-__ CHG-CAP-2-___ CHG-CAP-E-___	Single top down Dual top down Dual E2		\$240 \$240 \$240
	<b>Description:</b> · Features 2 USB-A and 1 USB-C port · Input: 100-240VAC, 50/60Hz, 2.0A (Max.) · Output: 24VDC, 3A, 72W  <b>Notes:</b> · <b>Specify color:</b> White (WH) Silver (SI) Black (BK)			
<b>Surface Power Module</b> 	SMPM-3AA-C-___ SMPM-3AC-C-___		3 lbs. 3 lbs.	\$276 \$292
	<b>Description:</b> · 3AA: Includes two power receptacles, two USB-A ports and a 72" power cord · 3AC: Includes two power receptacles, one USB-A port, one USB-C port and a 72" power cord · Mounts to edge of surface (.75" - 1.375") · UL approved  <b>Notes:</b> · <b>Specify color:</b> Black (BK) White (WH)			
<b>Surface Power Module w/Wireless Charging</b> 	SMPM-5-AAC-WRLS-__		4 lbs.	\$450
<b>Reya USB Hub</b> 	PWR-AC-__			\$145
<b>Description:</b> · Includes one USB-A port and a one USB-C port · Can charge laptop up to 65 Watts · Mount: Desk edge/surface mount, under mount, edge mount · Desk edge/surface mount: 0.5" - 1.75" · Compatible with Mid and Hi HAT only  <b>Notes:</b> · <b>Specify color:</b> Black (BK) White (WH)				












	MODEL	LIST PRICE
<div>Reya Standard Surface Power Module</div> <div></div>	<div>PWR-ACC-__</div> <div><div>Description:</div><div><div>· Features 2 power receptacles, 1 USB-A and 2 USB-C ports</div><div>· Charges laptops up to 65W</div><div>· Mount: Desk edge, 0.75" - 1.75"</div></div><div><div>Notes:</div><div>· Specify color: White (WH) Black (BK)</div></div></div>	<div>\$325</div>
<div>Reya Wireless Surface Power Module</div> <div></div>	<div>PWR-ACC-WRLS-__</div> <div><div>Description:</div><div><div>· Features 2 power receptacles, 1 USB-A and 2 USB-C ports</div><div>· Charges laptops up to 65W</div><div>· Fast Qi certified wireless charging</div><div>· Mount: Desk edge, 0.75" - 1.75"</div></div><div><div>Notes:</div><div>· Specify color: White (WH) Black (BK)</div></div></div>	<div>\$475</div>
<div>Reya Power Strip</div> <div></div>	<div>PWR-STRP-__</div> <div><div>Description:</div><div><div>· 6 power receptacles</div><div>· Input: 125VAC, 60Hz, 15A max</div><div>· Output: AC Outlets (6): 120VAC, 60HZ, 15A max</div></div><div><div>Notes:</div><div>· Specify color: White (WH) Black (BK)</div></div></div>	<div>\$130</div>
<div>Reya Power Strip with Hardwired Standard Surface Power Module</div> <div></div>	<div>PWR-ACC-STRP</div> <div><div>Description:</div><div><div>· Charges laptops up to 65W</div><div>· Mount: Desk edge, 0.75" - 1.75"</div></div><div><div>Surface module:</div><div><div>· Features 2 power receptacles, 1 USB-A and 2 USB-C ports</div><div>·</div></div><div><div>Power Strip</div><div><div>· 6 power receptacles</div><div>· Input: 125VAC, 60Hz, 15A max</div><div>· Output: AC Outlets (6): 120VAC, 60HZ, 15A max</div></div></div><div><div>Notes:</div><div>· Specify color: White (WH) Black (BK)</div></div></div></div>	<div>\$500</div>



	MODEL	WEIGHT	LIST PRICE
<b>CPU Holder</b> 	CPU-HLDR-1	7 lbs.	\$163
	<b>Description:</b> <ul style="list-style-type: none"><li>• 22 lbs. max weight capacity</li><li>• Supports computers 11.8" - 21" H, 3.5" - 8" D</li><li>• 360 degree swivel</li><li>• Mount under desk or on wall</li><li>• Available in black</li></ul>		
<b>CPU Holder w/Track</b> 	CPU-HLDR-2	12 lbs.	\$197
	<b>Description:</b> <ul style="list-style-type: none"><li>• 22 lbs max weight capacity</li><li>• Supports computers 11.8" - 21" H, 3.5" - 8" D</li><li>• Slide track: 5.79" x 19.09"</li><li>• Track adjustment: 12.8"</li><li>• 360 degree swivel</li><li>• Minimum worksurface depth: 20"</li><li>• Mount under desk</li><li>• Available in black</li></ul>		
<b>Thru-Desk Conversion Kit for Top Down Mounts</b> 	8524-TM-CK		No Charge
	<b>Description:</b> <ul style="list-style-type: none"><li>• Hardware kit to convert top down mount desk edge mount to thru-desk</li><li>• Desk thickness up to 1.5"</li><li>• Bolt is M8 x 100mm</li></ul> <b>Notes:</b> <ul style="list-style-type: none"><li>• Hardware only, does not include mount</li></ul>		
<b>FlexMount Conversion Kit for Top Down Mounts</b> 	8524-FM-CK		\$65
	<b>Description:</b> <ul style="list-style-type: none"><li>• Hardware kit to convert top down mount to flex mount</li><li>• 2-piece clamp for panel/screen systems</li><li>• Desk thickness up to 1.5"</li></ul> <b>Notes:</b> <ul style="list-style-type: none"><li>• Hardware only, does not include mount</li></ul>		
<b>Height Adjustable Adapter</b> 	8473-603		\$41
	<b>Description:</b> <ul style="list-style-type: none"><li>• Allows for fine-tune monitor height adjustment</li><li>• Attaches between tilter and VESA plate</li><li>• Compatible with 7000 and Staxx series monitor mounts</li></ul> <b>Notes:</b> <ul style="list-style-type: none"><li>• Color: Black e-coat</li></ul>		
<b>Next Gen Tilter</b> 	8500-__		\$69
	<b>Description:</b> <ul style="list-style-type: none"><li>• Quick-install/quick-release mechanism</li></ul> <b>Notes:</b> <ul style="list-style-type: none"><li>• <b>Specify color:</b> Black (104) Silver (124) White (248)</li></ul>		

	MODEL	LIST PRICE
<b>4 in. extension arm</b> 	9118-9112	\$60
	<b>Description:</b> <ul style="list-style-type: none"><li>• 4 in. extension arm</li></ul> <b>Notes:</b> <ul style="list-style-type: none"><li>• <b>Specify color:</b> Black (104) Silver (124) White (248)</li></ul>	
<b>4 in. extension arm with rotation stop</b> 	9118-9112-RS	\$168
	<b>Description:</b> <ul style="list-style-type: none"><li>• 4 in. extension arm with rotation stop</li><li>• For use with E2 Connex</li></ul> <b>Notes:</b> <ul style="list-style-type: none"><li>• <b>Specify color:</b> Black (104) Silver (124) White (248)</li></ul>	
<b>8.5 in. extension arm</b> 	9118-9130	\$92
	<b>Description:</b> <ul style="list-style-type: none"><li>• 8.5 in. extension arm</li></ul> <b>Notes:</b> <ul style="list-style-type: none"><li>• <b>Specify color:</b> Black (104) Silver (124) White (248)</li></ul>	
<b>8.5 in. extension arm with rotation stop</b> 	9118-9130-RS	\$179
	<b>Description:</b> <ul style="list-style-type: none"><li>• 8.5 in. extension arm with rotation stop</li><li>• For use with E2 Connex</li></ul> <b>Notes:</b> <ul style="list-style-type: none"><li>• <b>Specify color:</b> Black (104) Silver (124) White (248)</li></ul>	
<b>12 in. extension arm</b> 	9118-12	\$117
	<b>Description:</b> <ul style="list-style-type: none"><li>• 12 in. extension arm</li></ul> <b>Notes:</b> <ul style="list-style-type: none"><li>• <b>Specify color:</b> Black (104) Silver (124) White (248)</li></ul>	
<b>12 in. extension arm with rotation stop</b> 	9118-12-RS	\$202
	<b>Description:</b> <ul style="list-style-type: none"><li>• 12 in. extension arm with rotation stop</li><li>• For use with E2 Connex</li></ul> <b>Notes:</b> <ul style="list-style-type: none"><li>• <b>Specify color:</b> Black (104) Silver (124) White (248)</li></ul>	

	MODEL	LIST PRICE
<b>E2 Connex Dual Yoke</b>	8360-RS	\$212
	<b>Description:</b> <ul style="list-style-type: none"><li>• Dual yoke allows you to expand your E2 Connex configuration</li></ul> <b>Notes:</b> <ul style="list-style-type: none"><li>• <b>Specify color:</b> Black (104) Silver (124) White (248)</li></ul>	
<b>8510 Laptop Tray</b>	8510	\$133
	<b>Description:</b> <ul style="list-style-type: none"><li>• 13.5" x 10"</li><li>• Allows for use of laptop with dual triple monitor configuration</li><li>• Compatible with 100 mm VESA hole pattern</li></ul> <b>Notes:</b> <ul style="list-style-type: none"><li>• <b>Specify color:</b> Black (104) Silver (124) White (248)</li></ul>	
<b>Sliding VESA Assembly</b>	8538-__ _	\$63
	<b>Description:</b> <ul style="list-style-type: none"><li>• 7" of adjustment from left to right.</li><li>• Ideal for positioning monitors of varying sizes side-by-side.</li><li>• Allows for landscape/portrait monitor positioning.</li><li>• Monitor tilter mechanism can tilt over 200 degrees.</li></ul> <b>Notes:</b> <ul style="list-style-type: none"><li>• <b>Specify color:</b> Black (104) Silver (124) White (248)</li></ul>	
<b>Winston E-Desk Beam</b>	WNSTE-DESK-BEAM-__ _	\$185
	<b>Description:</b> <ul style="list-style-type: none"><li>• Screen size: up to 27"</li><li>• Weight capacity: up to 45 lbs. total</li><li>• Compatible with Winston E-Desk</li></ul> <b>Notes:</b> <ul style="list-style-type: none"><li>• <b>Specify color:</b> Black (BLK) White (WHT)</li></ul>	

	MODEL	WEIGHT	LIST PRICE
<b>Winston Mat</b>	WNST-MAT		\$80
	<b>Description:</b> <ul style="list-style-type: none"><li>• .75" thick durable foam delivers deep-cushion comfort.</li><li>• Bounce-back memory restores energy while standing.</li><li>• Durable, stain-resistant surface.</li><li>• Material: Commercial grade, heavy-duty polyurethane.</li></ul>		
<b>Casters</b>	CAS-37 4	2 lbs.	\$75
	CAS-37 5	3 lbs.	\$95
	<b>CAS-37 4 Description:</b> <ul style="list-style-type: none"><li>• Set of four 37mm dual wheel casters (2 locking, 2 non locking)</li><li>• For 2 leg HAT base (compatible with HAT bases only)</li><li>• Available in black</li></ul> <b>CAS-37 5 Description:</b> <ul style="list-style-type: none"><li>• Set of five 37mm dual wheel casters (2 locking, 3 non locking)</li><li>• For 3 leg base (compatible with HAT bases only)</li><li>• Available in black</li></ul>		
<b>FlexShield</b>	SHIELD-2430-WHT	12 lbs.	\$347
	<b>Description:</b> <ul style="list-style-type: none"><li>• 24" W x 30" H, Pass through window: 12" W x 3.5" H</li><li>• Constructed of polycarbonate: 250 times stronger than glass and virtually indestructible</li></ul>		
<b>FlexShield Wings</b>	SHIELD-WINGS	9 lbs.	\$261
	<b>Description:</b> <ul style="list-style-type: none"><li>• 11.75" W x 30" H</li><li>• Flexible extruded hinges with adhesive allows user you to configure panels at any angle (requires FlexShield)</li><li>• Constructed of polycarbonate: 250 times stronger than glass and virtually indestructible</li><li>• Sold in pairs</li></ul>		
<b>Keyboard Tray</b>	KT-27	12 lbs.	\$340
	<b>Description:</b> <ul style="list-style-type: none"><li>• Tilt adjustment, +10/-10 degrees</li><li>• 11" track</li><li>• 360 degree swivel</li><li>• Keyboard tray size 27" W x 10" D with polyurethane foam wrist rest</li><li>• Built-in mouse tray on left and right side (mouse pad can be repositioned)</li><li>• Exceeds ANSI/BIFMA x5.5</li><li>• Available in black</li></ul>		



# ACCESSORIES

## SWITCHES

### UP/DOWN


#UD

Up/Down Drive  
Included as standard with all SX, SE, SXL,  
Ellehaven, and Elle Frames.

### DIGITAL SWITCH

#DS


\$194



### PERSONAL HEALTH ASSISTANT TRACKER

#PH

Up/Down Drive  
4 Memory Positions  
LED Reminder  
Bluetooth®  
Display  
\$216



## GROMMETS

### 60MM Grommet

#CPF-2600


\$11

## BAG HOOK

### BAG HOOK

#BH-S-XX

Silver, Black, White  
\$42



## CASTERS + GLIDES

### (1) 1" ERGO CASTER

#8027

Locking

\$33



### (1) 2" ERGO CASTER

#8033

Locking

\$38

### (1) 2" ERGO CASTER

(ELLE & ELLEHAVEN)

#8036

Locking

\$60

### (1) 3" SOFT WHEEL CASTER

#8028

Locking

\$86

### (1) GLIDE EXTENDER

#R015139

\$22

## BATTERY PACK

### BATTERY PACK

#BP-KIT

\$726

Includes 1 Battery.

### BATTERY KIT

#BP-KIT2

\$1,854

Includes 2 Batteries,  
1 charging station, and  
2 control boxes. Configured  
to convert an Ellehaven or Elle  
from corded to battery operated.

## POWER + DATA

### (ELLEHAVEN) INLAY

POWER, DATA, & USB

### #D3P4USBSUR-XX-72

Black, White

\$865



### #D3PSUR-XX-72

Black, White

\$459




## UNDER SURFACE POWER

### UNDER SURFACE

6X POWER

#NLD6PCOIL-B-120

\$248




MATERIALS


METAL

Bases


In-Stock:




Standard:




Power & Data Beam




Storage



Desktop Converters



Monitor Arms




LAMINATES & WOOD

Laminates

In-Stock:




Standard:




Laminates (Fiellø)

Standard:



Wood (Fiellø)

Standard:



PET & FABRIC

PET

In-Stock:




Standard:



Recycled PET (Aura & Fiellø)


Standard:



Fabric

Elements Line (Grade 1)

Standard:



Fabric


Fusion Line (Grade 2)

Standard:



ACRYLIC & WHITE BOARD

Standard:



STORAGE CUSHIONS

In-Stock:




Standard:




SEATING

Frame:



Mesh:



Seat Upholstery:




Base:




IN-STOCK


Bases




Power & Data Beam




Storage (HAT Pedestals)



Desktop Converters



Monitor Arms




Laminates



Dividers (PET)




Pedestal Cushion




Seating

Frame:



Mesh:



Seat Upholstery:



Base:





HAT  
COLLECTIVE™  
HUMAN ACTIVE TECHNOLOGY

HAT Collective  
Global Headquarters  
100 Kuebler Road  
Easton, PA 18040

800 524 2744  
[hatcollective.com](https://hatcollective.com)

