



MAY 1 2023  
POUNDS



HAT  
COLLECTIVE™  
HUMAN ACTIVE TECHNOLOGY

# WORK YOUR WAY.

Our product collection empowers you to choose the way you work. An individualized workspace ultimately leads to increased job satisfaction, improved health and well-being, and higher levels of engagement and productivity. Whether in the office or at home, sitting or standing, together or at a distance, our flexible, sophisticated range of workplace solutions lets you work your way.



TABLE OF CONTENTS

|                           |    |
|---------------------------|----|
| <b>INTRODUCTION</b>       |    |
| <hr/>                     |    |
| Warranty .....            | 4  |
| <b>WORKSTATIONS</b> ..... | 6  |
| <b>MONITOR ARMS</b> ..... | 16 |

# WARRANTY

Seller warrants that its products will be free from defects in material and workmanship when the title passes to the buyer. Seller will repair (only pre-approved labor and service costs are covered under this warranty) or replace (or issue a pro-rated credit if a similar product is no longer available), at its discretion, any defective product without charge (shipping charges excluded).

Seller may require proof of purchase before performing any repairs or replacing any products during the warranty period. Except as specifically set forth above, Seller makes no warranties, express or implied and specifically disclaims any warranty of merchantability or fitness for a particular purpose. Repair or replacement of the product ordered from Seller shall be buyer's exclusive remedy.

Seller will not be responsible for incidental or consequential damages.

## THIS WARRANTY DOES NOT APPLY TO:

- Damage caused by a carrier.
- Labor charges.
- Normal wear and tear.\*
- Defects caused by failure to follow instructions related to the product's installation or intended use.
- COM or other third party materials applied to the products.
- Products subjected to improper use and conditions.
- User modification of, or attachments to the product, including application of your own materials
- Damage resulting from misuse, negligence, accident or alteration.

\* Normal use consists of a 5 day, 40 hour work week.

This warranty shall be effective for the applicable time period starting from date of purchase as shown on your original receipt or other proof of purchase. The warranty covers the original purchaser of the product.

## PRODUCTS:

- Bases,: craftsmanship for the life of the product. Electrical and mechanical components are warranted for 7 years.
- Monitor Arms: 10 years

# CERTIFICATIONS

HAT Collective leads the way in exceptional quality by combining products that perform with award winning design. We pride ourselves on meeting and exceeding industry standards so customers can feel confident they have invested in quality, high-performing products that will last.

## **CLEAN AIR GOLD**

ANSI/BIFMA e3-2019, Sections 7.6.1, 7.6.2, 7.6.3: Open Plan Office and Private Office

Number: CA-88279-2021a, CA-81406-2021a, CA-80639-2021a, and CA-80639-2021b

Certification Status: Certified

## **UL 962 / CE / TUV MARKINGS**

HAT bases meet UL testing standards.

## **ANSI / BIFMA**

HAT products within this price list generally meet or exceed applicable BIFMA and ANSI standards.

## **LEED CREDITS**

HAT bases qualify for a variety of LEED credits.

## WORKSTATIONS

HAT Collective workstations epitomize innovative design and functionality, helping to easily create an active, productive office environment. Sleek aesthetic and quality construction come together to provide a beautiful, healthy, and personalized work experience. Our standard product line offers unmistakable European flare and our in-stock bases are ideal for quick installations.

Problem solving for a complex environment or specific requests? Our Enhanced Design Solutions program enables total customization through professional design support and direct access to our manufacturing team.

To complete your personalized work environment, add power, modesty panels, storage, and more to create a comprehensive HAT Collective workspace.




# WORKSTATIONS


## STATEMENT OF LINE

---


### BASES




S-Collection  
SX 2-Leg, 3-Stage



S-Collection  
3-Leg, 2-Stage or 3-Stage



Elle



M-Series Wall Mount

---


### MOBILE



M-Series Nesting

---

### GROUP & CONFERENCE



Ellehaven

S-COLLECTION  
OVERVIEW

| SPECIFICATIONS                                  | SU<br>3-STAGE      | 3-LEG<br>2-STAGE or 3-STAGE |
|---|--------------------|-----------------------------|
| Height Range*<br>(Including 1.125" worksurface) | 60.4 - 125.4 cm    | 60.4 - 125.4 cm             |
| Frame-Only Weight Load*                         | 158.7 kg           | 238.1 kg                    |
| Adjustment Speed Per Second                     | 3.81 cm            | 3.81 cm                     |
| Worksurface Leg Configuration                   | 2 Legs             | 3 Legs                      |
| Standard Color Options                          | Grey, Black, White | Grey, Black, White          |
| National Electric Code Compliant                | Yes                | Yes                         |
| ETL Listed to UL 962**                          | Yes                | Yes                         |

\* Wall Mount not included.  
\*\* Restrictions may apply such as Panel Mount and Wall Mount.

SWITCH OPTIONS




DS Digital Switch

Digital switch included.

| 8 GAUGE METAL FOOT   | CODE | FOOT LENGTH | TABLE DEPTH OPTIONS               |
|----------------------|------|-------------|-----------------------------------|
| 250mm Centered       | C    | 250mm       | Panel Mount and 3-Leg Center Only |
| 400mm Cantilevered   | S    | 400mm       | 43.2 - 76.2 cm (3-Leg Only)       |
| 547.6mm Cantilevered | M    | 547.6mm     | 55.9 - 68.6 cm                    |
| 700mm Cantilevered   | L    | 700mm       | 71.1 - 76.2 cm                    |
| 700mm T-Foot         | T    | 700mm       | 71.1 - 76.2 cm                    |


\* Worksurface depth above 30" is not ETL listed.




# S-COLLECTION

## FINISHES


FRAME FINISHES



**G**  
Grey




**B**  
Black



**W**  
White

## ORDER FRAME




**Product Name:** Specify product name to determine height adjustability.  
**Frame Model:** Obtain model information from charts on pricing pages.  
**Frame Color:** Specify **B** (black), **W** (white), **G** (silver).  
**Switch:** Specify **DS** (digital)

|      |   |       |   |                |   |                     |
|------|---|-------|---|----------------|---|---------------------|
| SU2  | - | A-MM  | - | G              | - | DS                  |
| NAME |   | MODEL |   | FRAME<br>COLOR |   | SWITCH<br>SELECTION |




SX2 FRAME

FRAME ONLY WITH 547.6mm CANTILEVER L FEET

Depth Range: 55.9 - 68.6 cm



| SU2 MODEL | £    |
|-----------|------|
| A-MM      | £978 |
| B-MM      | £984 |




| W             | D           | W | D | W             | D           |
|---------------|-------------|---|---|---------------|-------------|
| 91.4 - 121.9  | 55.9 - 68.6 | - | - | 91.4 - 104.1  | 55.9 - 68.6 |
| 124.4 - 182.9 | 55.9 - 68.6 | - | - | 106.7 - 121.9 | 55.9 - 68.6 |



W and D in centimeters\*

FRAME ONLY WITH 700mm CANTILEVER L FEET

Depth Range: 71.1 - 76.2 cm



| SX2 MODEL | £    |
|-----------|------|
| A-LL      | £984 |
| B-LL      | £990 |




| W             | D           | W             | D           | W             | D           |
|---------------|-------------|---------------|-------------|---------------|-------------|
| 91.4 - 121.9  | 71.1 - 76.2 | 101.6 - 121.9 | 71.1 - 76.2 | 91.4 - 104.1  | 71.1 - 68.6 |
| 124.4 - 182.9 | 71.1 - 76.2 | -             | -           | 106.7 - 121.9 | 71.1 - 76.2 |




W and D in centimeters\*

FRAME ONLY WITH 700mm T FEET

Depth Range: 71.1 - 76.2 cm



| SX2 MODEL | £    |
|-----------|------|
| A-TT      | £984 |
| B-TT      | £990 |



| W             | D           | W             | D           | W             | D           |
|---------------|-------------|---------------|-------------|---------------|-------------|
| 91.4 - 121.9  | 71.1 - 76.2 | 101.6 - 121.9 | 71.1 - 76.2 | 91.4 - 104.1  | 71.1 - 76.2 |
| 124.4 - 182.9 | 71.1 - 76.2 | -             | -           | 106.7 - 121.9 | 71.1 - 76.2 |

W and D in centimeters\*

SU2

-

A-LL

-

G

-

DS

-

GB

NAME

MODEL

FRAME  
COLOR



SWITCH  
SELECTION

POWER  
CODE

## SX3 & SE3 FRAME ONLY

### FRAME ONLY FOR 90° WORKSURFACE

**400mm** Cantilever Feet



| W             | D           |
|---------------|-------------|
| 106.7 - 137.1 | 55.9 - 68.6 |
| 137.1 - 198.1 | 55.9 - 68.6 |

W and D in centimeters\*

**SU3**  
**MODEL**      **£**



AA-SS-C    £870

BB-SS-C    £1,341

## SXV3 & SEV3 FRAME ONLY

### FRAME ONLY FOR 120° WORKSURFACE

**547.6mm or 700mm** Cantilever Feet



| W             | D           |
|---------------|-------------|
| 152.4 - 198.1 | 55.9 - 68.6 |
| 152.4 - 198.1 | 71.1 - 76.2 |

W and D in centimeters\*

**SUV3**  
**MODEL**      **£**

BB-MM-C    £1,352

BB-LL-C    £1,387

|      |   |         |   |                |   |                     |   |               |
|------|---|---------|---|----------------|---|---------------------|---|---------------|
| SU3  | - | AA-SS-C | - | G              | - | DS                  | - | GB            |
| NAME |   | MODEL   |   | FRAME<br>COLOR |   | SWITCH<br>SELECTION |   | POWER<br>CODE |

# M-SERIES

## OVERVIEW

| SPECIFICATIONS         | NESTING              | WALL MOUNT           |
|------------------------|----------------------|----------------------|
| Height Range*          | 2.6 - 114.5cm        | 74.7 - 116.6 cm      |
| Frame-Only Weight Load | 6.8 - 15.8 kg        | 38.1 - 152.4 kg      |
| Column Selections      | UL                   | UL, L                |
| Base Options           | N                    | WM                   |
| Standard Color Options | Silver, Black, White | Silver, Black, White |

\*Including 2.9 cm worksurface.  
\*\*When placed at the recommended height of 7.62 cm from the floor.

### COLUMN SELECTION EQUATION

Top Weight

+

Average Task Load

=

Total Weight Load

**Frame only Weight Load**

6.8 - 14.5 kg  
33 - 15 kg  
21.3 - 28.6 kg

**Column Option**

**UL** Ultra Light  
**ULP** Ultra Light+  
**L** Light

\* Not available for Nesting or Wall Mount.

### FRAME FINISHES

**G**  
Grey

**B**  
Black

**W**  
White

# M-SERIES NESTING


NP WORKSURFACE, COLUMN, & BASE (INCLUDING CASTERS)

| MODEL | TOP WEIGHT | W       | D       | £      |
|-------|------------|---------|---------|--------|
| 2822  | 7.3 kg     | 71.1 cm | 55.9 cm | £1,144 |

Pricing reflects frame with standard laminate worksurface and edge finishes.

All worksurface sizes reflect actual dimensions.

\* M-Series Nesting table is only available with an Ultra Light column with a petal shaped top and V shaped nesting base.



NP

NAME

-

2822

MODEL

-

N

FLOOR BASE

-

UL

COLUMN

-

B

FRAME COLOR

-

FG


SURFACE COLOR

-

LG

SURFACE EDGE


# M-SERIES WALL MOUNT



WM COLUMN, & BASE

| MODEL   | £    |
|---------|------|
| WMT-UL  | £935 |
| WMT-ULP | £935 |
| WMT-L   | £935 |
| WM-UL   | £916 |
| WM-ULP  | £916 |
| WM-L    | £916 |

T is tilt.



# ELLEHAVEN

## OVERVIEW

| SPECIFICATIONS              | FRAME ONLY         |
|-----------------------------|--------------------|
| Height Range                | 71.12- 121.19 cm   |
| Frame-Only Weight Load      | 204.12 kg          |
| Adjustment Speed Per Second | 3.81 cm            |
| Standard Color Options      | Grey, Black, White |

---

# ELLE

## OVERVIEW

| SPECIFICATIONS               | FRAME ONLY         |
|------------------------------|--------------------|
| Height Range                 | 68.58 - 118.62 cm  |
| Frame-Only Weight Load       | 181.44 kg          |
| Adjustments Speed Per Second | 3.81 cm            |
| Standard Color Options       | Grey, Black, White |

---

### SWITCH OPTIONS




DS Digital Switch

# ELLE HEIGHT ADJUSTABLE FRAME ONLY

**EL FRAME**

**SURFACE OPTIONS:**  
**FOT** Frame Only Top Mounted    **FOE** Frame Only Enshrined Mounted    **FTS** Frame Only Top Sliding    **FES** Frame Only Enshrined Sliding


| MODEL   | £      |
|---------|--------|
| ADJ-FOT | £2,105 |
| ADJ-FOE | £2,105 |
| ADJ-FTS | £2,115 |
| AJD-FES | £2,115 |



# ELLEHAVEN

**EH Frame Only**

| MODEL    | £      |
|----------|--------|
| EH-A-91  | £2,687 |
| EH-A-107 | £2,715 |
| EH-A-122 | £2,753 |



## MONITOR ARMS

Our sophisticated monitor arms provide ergonomics, space savings, and clever design. Here, you'll find one-touch adjustment, effortless movement, and sure-footed stability to support a multitude of screen configurations. Reclaim your desktop with our sleek mounting systems that are easy to install.




# MONITOR ARMS


## STATEMENT OF LINE

---


### MONITOR ARMS




E2 Single




E2 Dual



7000 Single




7000 Dual Crossbar




HDMA







Staxx One Over One







Staxx Two Over Two



E2 Connex  
Dynamic Dual

|   | MODEL            | WEIGHT CAPACITY                                     | SCREEN SIZE     | LIST PRICE |
|---|------------------|---|-----------------|------------|
| <b>E2 Single</b><br>   | E2-1-___         | Flat panel: 1–9 kg<br>Curved monitor: Up to 7.2 kg  | Up to 81.2 cm   | £233       |
| <b>Description:</b> <ul style="list-style-type: none"> <li>• Mounting: Top down desk mount: clamps to desk edge or grommet, desk thickness up to 3.8 cm</li> <li>• Height adjustment: 33.7 cm</li> <li>• Extension range: 60.2 cm</li> </ul> <b>Notes:</b> <ul style="list-style-type: none"> <li>• <b>Specify color:</b> Black (104) Silver (124) White (248)</li> </ul>           |                  |   |                 |            |
| <b>E2 Dual</b><br>   | E2-2-___         | Flat panel: 1–9 kg.<br>Curved monitor: Up to 7.2 kg | Up to 68.5 kg   | £395       |
| <b>Description:</b> <ul style="list-style-type: none"> <li>• Mounting: Top down desk mount: clamps to desk edge, desk thickness up to 3.8 cm</li> <li>• Height adjustment: 33 cm</li> <li>• Extension range: 44.5 cm – 72.4 cm side-by-side</li> </ul> <b>Notes:</b> <ul style="list-style-type: none"> <li>• <b>Specify color:</b> Black (104) Silver (124) White (248)</li> </ul> |                  |   |                 |            |
| <b>7000 Single</b><br>  | 7000-1000-HD-___ | Flat   Curved: 5.9 – 12.7 kg                        | Based on weight | £426       |
| <b>Description:</b> <ul style="list-style-type: none"> <li>• Mounting: Top down desk mount: clamps to desk edge or grommet, desk thickness up to 3.8 cm</li> <li>• Height adjustment: 40.6 cm</li> <li>• Extension range: 59.5 cm</li> </ul> <b>Notes:</b> <ul style="list-style-type: none"> <li>• <b>Specify color:</b> Black (104) Silver (124) White (248)</li> </ul>           |                  |   |                 |            |
| <b>7000 Dual Crossbar</b><br>  | 7000-1-8537H-___ | 2.7 – 6.3 kg per monitor                            | Up to 68.5 cm   | £485       |
| <b>Description:</b> <ul style="list-style-type: none"> <li>• Mounting: Top down desk mount: clamps to desk edge or grommet, desk thickness up to 3.8 cm</li> </ul> <b>Notes:</b> <ul style="list-style-type: none"> <li>• <b>Specify color:</b> Black (104) Silver (124) White (248)</li> </ul>   |                  |   |                 |            |

|  | MODEL      | WEIGHT CAPACITY          | SCREEN SIZE                                     | LIST PRICE |
|--|------------|--------------------------|---|------------|
| <b>Staxx 1 Over 1</b><br>   | STX-11S-__ | Up to 9.0 kg per monitor | Up to 76.2 cm                                   | £535       |
| <b>Description:</b><br>· Mounting: Top down desk mount: clamps to desk edge or grommet, desk thickness up to 3.8 cm<br><br><b>Notes:</b><br>· <b>Specify color:</b> Black (104) Silver (124) White (248) |            |                          |   |            |
| <b>Staxx 2 Over 2</b><br>   | STX-22W-__ | Up to 6.8 kg per monitor | 60.9 – 76.2 cm                                  | £929       |
| <b>Description:</b><br>· Mounting: Top down desk mount: clamps to desk edge or grommet, desk thickness up to 3.8 cm<br><br><b>Notes:</b><br>· <b>Specify color:</b> Black (104) Silver (124) White (248) |            |                          |   |            |
| <b>E2 Connex Dynamic Dual</b><br>   | E2-02-D-__ | 1 – 9 kg per monitor     | Up to 81.2 cm<br>(bezel measured left to right) | £523       |
| <b>Description:</b><br>· Mounting: Top down desk mount: clamps to desk edge or grommet, desk thickness up to 3.8 cm<br><br><b>Notes:</b><br>· <b>Specify color:</b> Black (104) Silver (124) White (248) |            |                          |   |            |
| <b>HD Monitor Arm</b><br>   | HDMA-1_    | 2-20 kg                  | Up to 124.5cm                                   | £313       |
| <b>Description:</b><br>· Heavy Duty monitor arm<br><br><b>Notes:</b><br>· <b>Specify color:</b> Black (BK)   |            |                          |   |            |



HAT  
COLLECTIVE™  
HUMAN ACTIVE TECHNOLOGY

HAT Collective  
Global Headquarters  
100 Kuebler Road  
Easton, PA 18040

408 437 8770  
[hatcollective.com](https://hatcollective.com)

