



WORK YOUR WAY.

Our product collection empowers you to choose the way you work. An individualized workspace ultimately leads to increased job satisfaction, improved health and well-being, and higher levels of engagement and productivity. Whether in the office or at home, sitting or standing, together or at a distance, our flexible, sophisticated range of workplace solutions lets you work your way.



TABLE OF CONTENTS

INTRODUCTION

Warranty	4
Tariff Surcharge	4
Terms & Conditions	5
Freight	8
Lead Times	10
WORKSTATIONS	
Workstations	16
Bases	19
Mobile	42
Power & Data Beam	56
Benching	60
Group & Conference	52, 62
Worksurfaces	64
Desktop Converters	66
Dividers, Gallery Panels & Modesty Panel	əls72
MONITOR ARMS	86
STORAGE	98
SEATING	104
ACCESSORIES	
Lighting	107
Wire Management	108
Power	109
CPU Holders	112
Mounts & Adapters	112
Keyboard Trays	117

WARRANTY

Seller warrants that its products will be free from defects in material and workmanship when the title passes to the buyer. Seller will repair (only pre-approved labor and service costs are covered under this warranty) or replace (or issue a pro-rated credit if a similar product is no longer available), at its discretion, any defective product without charge (shipping charges excluded).

Seller may require proof of purchase before performing any repairs or replacing any products during the warranty period. Except as specifically set forth above, Seller makes no warranties, express or implied and specifically disclaims any warranty of merchantability or fitness for a particular purpose. Repair or replacement of the product ordered from Seller shall be buyer's exclusive remedy.

Seller will not be responsible for incidental or consequential damages.

THIS WARRANTY DOES NOT APPLY TO:

- · Damage caused by a carrier.
- · Labor charges.
- · Normal wear and tear.*
- Defects caused by failure to follow instructions related to the product's installation or intended use.
- · COM or other third party materials applied to the products.
- Products subjected to improper use and conditions.
- User modification of, or attachments to the product, including application of your own materials
- · Damage resulting from misuse, negligence, accident or alteration.
- * Normal use consists of a 5 day, 40 hour work week.

This warranty shall be effective for the applicable time period starting from date of purchase as shown on your original receipt or other proof of purchase. The warranty covers the original purchaser of the product.

PRODUCTS:

- Bases, Benching: craftsmanship for the life of the product. Electrical and mechanical components are warranted for 12 years (effective 1/1/24).
- Power and Data Beam: craftsmanship for the life of the product. Electrical and mechanical components are warranted for 7 years.
- · Pedestals are warranted for their lifetime
- · Pedestal Cushions are warranted for 2 years.
- & Dividers are warranted for 5 years. (Worksurface & Divider exclusions include: normal wear and tear, which are to be expected over the course of ownership; damage caused by abuse, misuse, neglect, vandalism, accident, disaster, improper storage, chemical damage, water or fire; damage caused by the carrier in-transit, which will be handled as claims against the carrier; modifications or attachments to the product that are not approved by the Company or use of a product in combination with products or equipment not appropriate for that product; products that were not installed, used or maintained in accordance with product instructions and warnings; causes external to a product such as use of improper cleaning supplies or environmental factors; products which have been modified or altered, repaired or refurbished by someone other than the company.)
- · Winston Series: 5 years
- · One Touch: 10 years unit/parts, 2 years motor
- · Seating: Parts and components: 10 years, Mesh: 5 years

ACCESSORIES:

- · Keyboard Trays: 1 year
- · Monitor Arms: 10 years (E5: 15 years)
- Power Modules: 5 yearsCPU Holders: 5 years
- Lighting: 10 yearsPocket: 5 years

TARIFF SURCHARGE

Effective March 24, 2025, all new orders or additions will incur a tariff surcharge on the NET order cost. All Pending quotes and order changes may be subject to this surcharge. For updates or questions, please contact your HAT sales representative. We appreciate your continued partnership.

TERMS & CONDITIONS

1. RESERVATION OF RIGHTS

Seller reserves the right to change at any time without notice these terms and conditions.

Price quotes for shipments in 2025 and beyond are subject to change based upon the potential implementation of new tariff programs.

If a requested shipment date on a Purchase Order is more than 90 days after the Order Date, HAT reserves the right to adjust the price based on the potential implementation of new tariff programs or other material changes in costs.

The following terms and conditions shall apply to all orders by buyer ("Buyer" or "you") for goods and services purchased from Human Active Technology (individually the "Seller" or "Us", and, together with Buyer, the "parties"). By accepting delivery, Buyer agrees to be bound by and accepts these terms and conditions. These terms and conditions supersede the terms and conditions of or attached to the Buyer's purchase order or any similar document submitted by Buyer (a "Purchase Order"), meaning any provision of the Buyer's Purchase Order or attachment thereto which conflicts with these terms and conditions shall be ineffective and these terms and conditions shall govern each Purchase Order unless the Seller shall subsequently agree otherwise in writing.

2. PAYMENT TERMS

a. CREDIT - Credit may be extended to Buyer at Seller's sole discretion. Credit approval is required for all orders on open account. All products, parts and services sold to Buyer on open account are due 'Net 30 Days' from date of invoice, unless otherwise agreed to in writing at the time of sale. A service charge at the then-current prevailing rate is assessed on delinquent balances. Seller reserves the right to change this rate or the 'Net 30 Days' payment due date from time to time. Service charges will be assessed monthly. The current rate is 1.5% per month (18% annually) or the maximum rate allowed by law, whichever is less. Buyer is responsible for cancellation costs and attorney's fees associated with collection of monies owed to Seller by Buyer. Buyer shall notify Seller in writing of errors contained in invoices within 30 days of issuance. Invoices are deemed correct 30 days following issuance. Credit accounts past due will be placed on hold-pending orders will not be shipped and work-in-process for pending orders will be stopped until account is made current by Buyer.

b. DEPOSIT FOR LARGE ORDERS – For orders from new customers of \$20,000 or more, standard terms are: 1/2 deposit with the Purchase Order and 1/2 payment prior to shipment. For orders from established customers of \$50,000 or more, standard terms are: 1/2 deposit with the Purchase Order and 1/2 payment Net 30 Days.

3. CURRENCY

All prices quoted and monies due are in U.S. dollars. For non-U.S. customers, payment may be made by certified check, wire transfer or VISA, MasterCard or American Express.

4. DELIVERY & FREIGHT

a. U.S. SHIPMENTS – Unless otherwise negotiated, standard freight terms for order shipments within the 48 contiguous states of the United States are prepay and add to final invoice. Seller reserves the right to reasonably charge the buyer for all non-standard delivery requirements which may include but are not limited to:

- · Consolidation and delivery on the same truck
- · Expedited or air freight
- · Special shipping or packaging methods
- · Liftgates/forklift
- \cdot Delivery outside of normal hours
- \cdot Inside delivery
- \cdot Redelivery, notification, etc.
- $\cdot \, \text{Improper refusal of product} \\$
- · Detention charges

- · Street unloads
- · Redirection of product
- · Storage past acknowledged ship date

(All products in the catalog will receive ship dates respective of their product category and can be found on the following page: 10.)

i. Title passes to Buyer at the dock of the shipping origin. Choice of carrier is at Seller's discretion, unless specified by Buyer's Purchase Order. Freight charges are added to Buyer's invoice unless Buyer's Purchase Order specifies carrier routing, notes "freight collect," and includes applicable carrier account numbers and/or billing information.

ii. For Alaska - freight is prepaid to Port of Seattle, Washington. For Hawaii, freight is prepaid to Port of Oakland, California.

iii. Customer arranged pick up (will-call) is available with timely and reasonable coordination. Once confirmed, Buyer will have three (3) business days from notification to pick up the order. If the order is not picked up within this time frame, storage charges may apply.

iv. All requests for carrier-guaranteed delivery times shall be considered and will include an additional fee, if accepted. This additional fee will be the maximum liability to the Seller. If the carrier misses the guaranteed delivery time, a refund will be issued to customer.

b. NON-U.S. SHIPMENTS – Unless otherwise negotiated and accepted by the Seller in writing, shipments outside of the U.S. are shipped Freight On Board (FOB) Origin or Shipping Origin. Title passes to Buyer at the dock of Shipping Origin regardless of method of shipment. Transportation costs will be added to invoice unless Buyer's Purchase Order specifies carrier routing, notes "freight collect" and includes applicable carrier account numbers and/or billing information. Unless otherwise negotiated, Buyer is responsible for arranging customs clearance and for filing and paying all applicable duties and taxes outside of the United States.

c. DAMAGE – Seller is not responsible for damage that occurred in transit or during storage. Before accepting a shipment from the carrier, Buyer (and/or its designated receiver) is to carefully review the packing list and inspect the quantity and condition of the items. For any external damage, Buyer should document all damage on the Bill of Lading and request a carrier inspection of the product.

d. CONCEALED DAMAGE — Buyer must report concealed damage to the carrier and Seller, in writing, within 48 hours of receipt. In the event of damage, Buyer shall accept the order and contact Seller for issue resolution. Seller agrees to take all reasonable measures to assist Buyer in resolving claims for loss or damage.

e. EARLY SHIPMENTS – Estimated ship dates are sent with order acknowledgements. Seller may ship up to 5 days early, unless requested otherwise on Buyer's Purchase Order.

f. REPACKING CHARGES – Any Buyer requests to change shipment methods or destinations stated on Purchase Order, or any requests from Buyer for special packaging not stated on Purchase Order may result in repacking charges if requests require Seller to repack order.

5. TAXES AND DUTIES

Buyer shall be responsible for all taxes and duties which result from the transfer of title, sale or delivery of the goods and services purchased hereunder. Taxes may not be applied if a valid and correct tax exemption certificate is furnished to Seller prior to shipment.

TERMS & CONDITIONS

(CONTINUED)

6. CANCELLATIONS

Purchase Orders may not be changed or canceled, in whole or in part, without prior written consent of Seller. Changes or revisions must be clearly indicated on the new Purchase Order and may affect delivery dates. Expenses incurred because of changes will be charged to the Buyer as customer. In the event of cancellations, the customer will be liable for reasonable cancellation charges established by Seller. Charges may be incurred by Buyer for the entire amount of the order. Orders for customized products, custom finishes or applying Customer's Own Material (COM) may not be canceled. All such custom orders are final and non-refundable.

7. RETURNS AND CLAIM POLICY

a. RESPONSIBILITY. It is Buyer's responsibility to examine goods upon receipt and to notify Seller with any concerns. Any claims against Seller for apparent defects, errors or shortages must be made by the Buyer within 48 hours after any receipt date. Failure by the Buyer to make any claim against Seller within 48 hours shall constitute acceptance of the goods and waive any apparent defects, errors or shortages.

b. DEFECTIVE ITEMS – Defective items may be returned within limits of the Warranty.

c. CUSTOM-CONFIGURED ITEMS - Non-defective Custom-configured ltems are not returnable.

d. RETURNS

Authorized merchandise returns must be approved prior to the arrival of any goods at our dock. Unauthorized returns will not be accepted by Seller. All returns must be labeled with a valid Return Authorization (R/A) number on the outside of packaging. Shipments without R/A numbers will be rejected. R/A numbers may be obtained by calling Seller. Products must be returned to Seller within 30 days of receipt. Returns are subject to up to a 25% restocking fee plus return freight charges. Product must be returned in original cartons in "as new" condition.

e. INSTALLATION

The unboxing and installation of product shall constitute acceptance of the goods and deem the items as "non-returnable."

8. BLANKET ORDERS

Blanket Orders include any order by Buyer to be received in multiple shipments ("releases").

·Buyer must accept all releases within 6 months of Purchase Order receipt, unless agreed by Seller otherwise in writing. Units not requested to be shipped by Buyer within 6 months of Purchase Order receipt will be shipped and invoiced to Buyer immediately following the 6 month deadline. Cancellation and order change fees apply as specified in sections 6a and 6b.

9. WARRANTY

Seller warrants that its products will be free from defects in material and workmanship when the title passes to the Buyer. Seller will repair (only pre-approved labor and service costs are covered under this warranty) or replace (or issue a pro-rated credit if a similar product is no longer available) at its discretion any defective product without charge (shipping charges excluded).

Seller may require proof of purchase before performing any repairs or replacing any products during the warranty period. Except as specifically set forth above, Seller makes no warranties, express or implied, and specifically disclaims any warranty of merchantability or fitness for a particular purpose. Repair or replacement of the product ordered from Seller shall be Buyer's exclusive remedy. Seller will not be responsible for incidental or consequential damages.

THIS WARRANTY DOES NOT APPLY TO:

- · Damage caused by a carrier.
- · Buyer's labor charges.
- · Normal use, wear and tear.*
- Defects caused by failure to follow instructions related to the product's installation or intended use.
- · Products subjected to improper use and conditions.
- User modification of, or attachments to the product, including application of your own materials (i.e., COM) or a third party's materials.
- · Damage resulting from misuse, negligence, accident or alteration.

*Normal use consists of a 5 day, 40 hour work week.

This warranty shall be effective for the applicable time period starting from date of purchase as shown on your original receipt or other proof of purchase. The warranty covers the original purchaser of the product.

Individual product warranty time periods can be found on the Seller's websites.

10. INSTALLATION

Seller does not take responsibility for Buyer's installation of Seller's products. Buyer must supply own installation or acquire installation services from a third party.

11. ONLINE AUCTIONS

Buyer agrees that product purchased from Seller will not be sold at online auction for less than Seller's suggested retail price, unless clearly marked as "Used" in both auction subject line and descriptive text. Buyer is obligated to inform prospective bidders that Seller's warranties are voided by sale at online auction and product purchased at online auction may not for any reason be returned to Seller for repair, credit or exchange. Seller reserves the right to refuse to sell to any Buyer discovered to be in violation of these terms and conditions.

12. RESALE

Subject to Section 11, on any resale of purchased items the Buyer will contractually limit its buyer's rights and remedies against both Buyer and Seller to the same extent as Buyer's rights and remedies covered in Warranty and Returns and Claim Policy above.

13. PERMITS & COMPLIANCE

Seller is not responsible for obtaining any permits, inspections or licenses required for installation or operation of the goods or services. Seller makes no promise or representation that the goods or services will conform to any federal, state, local, foreign or other laws, ordinances, regulations, codes or standards.

14. LIMITED LIABILITY

The entire liability of Seller to Buyer for any cause whatsoever, regardless of the form of action, whether in contract, tort or otherwise, shall be limited to the direct damages proven or an amount equal to the purchase price of the products or services, whichever is less. In no event shall Seller be liable for any indirect, special reliance, incidental or consequential damages (including lost profits or savings) sustained or incurred in connection with the product. This paragraph shall survive failure of any exclusive remedy.

TERMS & CONDITIONS

(CONTINUED)

15. NON-WAIVER

Any failure on Seller's part to insist upon the strict performance of any term or condition set forth herein shall not be deemed a waiver of any of Seller's rights or remedies hereunder, nor of its right to insist upon the strict performance of the same or of any other term of this document in the future. No waiver of any condition of this document shall be valid unless in writing and signed by an authorized representative of Seller.

16. PREVAILING LAW

The parties hereto hereby agree that these terms and conditions (and all Purchase Orders) shall be governed by and construed in accordance with, for all purposes, the laws of the Commonwealth of Pennsylvania, without reference to its rules concerning conflicts of laws, and further agree that the Pennsylvania State courts or the federal court for the Eastern District of Pennsylvania shall have exclusive jurisdiction to hear and determine any suit instituted under these terms and conditions (and all Purchase Orders). Each party expressly submits in advance to such jurisdiction in any action or proceeding commenced by the other, and agrees that service of such summons and complaint, or other process or papers, may be made in accordance with the physical Notice provisions hereof concerning certified mail, return receipt requested.

17. NOTICE

The parties may give notice to each other by certified mail, return receipt requested or overnight courier, according to the addresses set forth in the Purchase Order. Ordinary course email notice may be given concerning details of or changes to any given Purchase Order, provided the sender has received electronic confirmation of delivery.

FRFIGHT

FREE FREIGHT FOR ORDERS OVER \$2,000 NET

Pricing includes free freight for orders over \$2,000 net, except for specific products noted below. The \$2,000 net is inclusive of all products on the PO, including products that are exempt from free freight.

- · Monitor arms always ship free, regardless of order value.
- · Exclusions from Free Freight Over \$2,000:

· 1-4 units: \$500 freight charge

· 5+ units: 12% of net

· Ellehaven:

· 1-4 units: \$500 freight charge

· 5+ units: 12% of net

· M Series:

· 1-4 units: \$500 freight charge

· 5+ units: 12% of net

· 5+ units: 12% of net

FREIGHT CHARGES FOR ORDERS UNDER \$2,000

- · Small Order Fee: \$20 for orders under \$2,000 net
- · Residential Delivery: \$50 handling fee for all residential deliveries.
- · Product-Specific Charges:
 - · Height Adjustable Bases, Desktop Converters, Accessories: 12% of net order value, with a minimum of \$20.
 - · Storage: 12% of net order value, with a \$100 minimum.
 - · Seating: \$55 per unit.
 - · Worksurfaces (with bases):
 - Up to 60" x 30": \$89 per worksurface and base combination.
 - · Worksurfaces larger than 61" x 31" are shipped via LTL shipping and require a freight quote.

FREIGHT QUOTES REQUIRED FOR:

- · Orders for worksurfaces without a base.
- · Special order/custom products.

DELIVERY

Seller reserves the right to reasonably charge the buyer for all nonstandard delivery requirements which may include but are not limited to:

- · Consolidation and delivery on the same truck
- · Expedited or air freight
- · Special shipping or packaging methods
- · Liftgates/forklift
- · Delivery outside of normal hours · Inside delivery
- · Redelivery, notification, etc.
- · Improper refusal of product
- · Detention charges
- · Street unloads
- · Redirection of product
- · Storage past acknowledged ship date

WILL CALL

Bay Area orders require will call. Freight surcharge of 5% of net applied if shipping required within the Bay Area.

Will Call orders will have a confirmed pick up date. Customers will have three (3) business days from notification to pick up their order. If the order is not picked up within this time frame, storage charges may apply.

TAXES AND DUTIES

Buyer shall be responsible for all taxes and duties which result from the transfer of title or sale or delivery of the Goods & Services purchased hereunder. Taxes may not be applied if a valid and correct tax exemption certificate is furnished to Seller prior to shipment.

CANCELLATIONS

Purchase Orders may not be changed or canceled, in whole or in part, without prior written consent of Seller. Changes or revisions must be clearly indicated on the new Purchase Order and may affect delivery dates. Expenses incurred because of changes will be charged to the Buyer as customer. In the event of cancellations, the customer will be liable for reasonable cancellation charges established by Seller. Charges may be incurred by Buyer for the entire amount of the order. Orders for customized products, custom finishes or applying Customer's Own Material (COM) may not be canceled. All such custom orders are final and non-refundable.

	LTL: Over \$2,000 NET	LTL: Under \$2,000 NET	Parcel: Over \$2,000 NET	Parcel: Under \$2,000 NET
MONITOR ARMS	Free Freight	Free Freight	Free Freight	Free Freight
BASES	Free Freight	12% of net	Free Freight	12% of net
WORKSURFACES AND BASE COMBO *WORKSURFACES UP TO 60" X 30" 2-LEG BASE ONLY	Free Freight	\$89 per unit	Free Freight	\$89 per unit
DESKTOP CONVERTERS	Free Freight	12% of net	Free Freight	12% of net
ACCESSORIES	Free Freight	12% of net	Free Freight	12% of net
SEATING	Free Freight	\$55 per unit	Free Freight	\$55 per unit
STORAGE	Free Freight	12% of net, \$100 minimum	Not available	Not available
WORKSURFACES *STANDARD FINISHES AND SIZES	Call for quote	Call for quote	Call for quote	Call for quote
ELLE ELLEHAVEN FIELLO M SERIES	1 - 4 qty: \$500 5+ qty: 12% of net	1 - 4 qty: \$500 5+ qty: 12% of net	1 - 4 qty: \$500 5+ qty: 12% of net	1 - 4 qty: \$500 5+ qty: 12% of net
CARTS	7% of net	7% of net	7% of net	7% of net
WALL TRACKS	Free Freight	Free Freight	Free Freight	Free Freight
SPECIAL ORDER CUSTOM	Call for quote	Call for quote	Call for quote	Call for quote

WORKSTATION LEAD TIMES

ALL LEAD TIMES REFLECT BUSINESS DAYS

PRODUCT CATEGORY	MODELS	IN-STOCK FINISH LEAD TIME	STANDARD FINISH LEAD TIME
	Mid HAT	3 Days	8-12 Weeks
	Mid HAT with C-Foot	-	8-12 Weeks
	Hi HAT	3 Days	8-12 Weeks
-	Hi HAT with C-Foot	-	8-12 Weeks
Bases	L Unit	3 Days	8-12 Weeks
	S-Collection Frame Only	-	6-8 Weeks
	M-Series Frame Only	-	6-8 Weeks
	Elle Frame Only	-	6-8 Weeks
	Beam Frame	3 Days	-
	Posts	3 Days	-
	Duplex Receptacle	3 Days	-
Power & Data Beam	Power Pole	3 Days	-
	Power Trac	3 Days	-
	Power Feed	3 Days	-
Benching	Dual Benching Unit	3 Days	-
0.001	Conference Table	3 Days	-
Group & Conference	Ellehaven Frame Only	-	6-8 Weeks
Mobile	M-Nesting Frame Only		6-8 Weeks
	Rectangular: 30" x 48", 30" x 60", 30" x 72"	3 Days*	10-15 Days
	Mid HAT, Hi HAT, L Unit, HAT Benching, S-Collection Worksurfaces	-	10-15 Days
Worksurfaces	M-Series Worksurfaces	-	6-8 Weeks
	Elle Worksurfaces	-	6-8 Weeks
	Ellehaven Worksurfaces	-	6-8 Weeks

* 1-24 units will ship in 3 business days from receipt of P0, 25-249 units will ship in 10 - 15 business days from receipt of P0, 250+ call for lead time

WORKSTATION LEAD TIMES

ALL LEAD TIMES REFLECT BUSINESS DAYS

PRODUCT CATEGORY	MODELS	IN-STOCK FINISH LEAD TIME	STANDARD FINISH LEAD TIME
	PET (Surface/Beam Mounted)	-	10-20 Days*
Dividers	Fabric Fold (Surface/Beam Mounted)	-	10-20 Days*
	Acrylic (Surface/Beam Mounted)	-	20 Days*
	White Board (Surface/Beam Mounted)	-	20 Days
	Acrylic Modesty Panel	-	10-20 Days
	Gallery Panels	-	4-6 Weeks
	Aura	-	15-20 Days

^{* 19} or less: 2-3 weeks, 20 or more: 4 weeks (WD-7228-XX: 16 week lead time)

PRODUCT CATEGORY	MODELS	1-10 UNITS	11-25 UNITS	26-50 UNITS	51+ UNITS
	Winston E-Desk	3 Days	5 Days	7 Days	Call
	Winston Workstation Single*	1 Day	3 Days	5 Days	Call
	Winston Workstation Dual*	1 Day	3 Days	5 Days	Call
	Winston Workstation Triple*	3 Days	5 Days	7 Days	Call
	Winston Workstation Quad*	3 Days	5 Days	7 Days	Call
	Winston-E Single	3 Days	5 Days	7 Days	Call
D. I. O	Winston-E Dual	3 Days	5 Days	7 Days	Call
Desktop Converters	Winston-E Triple	3 Days	5 Days	7 Days	Call
	One Touch Single	20 Days	20 Days	20 Days	Call
	One Touch Dual	20 Days	20 Days	20 Days	Call
	One Touch Triple	20 Days	20 Days	20 Days	Call
	One Touch One over One	20 Days	20 Days	20 Days	Call
	One Touch Two over Two	20 Days	20 Days	20 Days	Call
	One Touch Three over Three	20 Days	20 Days	20 Days	Call

^{*} Finish 248 (White) has a 20 Day lead time.

MONITOR ARMS LEAD TIMES

ALL LEAD TIMES REFLECT BUSINESS DAYS

MODELS	1-10 UNITS	11-25 UNITS	26-50 UNITS	51+ UNITS
E2 Single	Next Day	3 Days	5 Days	Call
E2 Dual	Next Day	3 Days	5 Days	Call
Staxx	3 Days	5 Days	7 Days	Call

MODELS	1-49 UNITS	50-149 UNITS	150+ UNITS
E2 Connex	20 Days	Call	Call
7000 Single*	2 Days	3 Days	Call
7000 Dual*	2 Days	3 Days	Call
7000 Dual Crossbar	20 Days	20 Days	Call
7500	5-10 Days	15 Days	Call

^{*} Finish 248 (White) has a 20 Day lead time.

STORAGE LEAD TIMES

ALL LEAD TIMES REFLECT BUSINESS DAYS

MODELS	IN-STOCK FINISH LEAD TIME	STANDARD FINISH LEAD TIME
HAT Mobile Pedestal Slim	3 Days	-
HAT Mobile Pedestal	3 Days	-
HAT Mobile Pedestal Cushions	3 Days	16 Weeks MOQ/Multiple of 10
Collective Storage Mobile Locker	Call	-
Collective Storage Mobile Pedestal Slim	Call	-
Collective Storage Mobile Pedestal	Call	-
Collective Storage Mobile Credenza 30"	Call	-
Collective Storage Mobile Credenza 48"	Call	-
Collective Storage Cushions	Call	Call

SEATING LEAD TIMES

ALL LEAD TIMES REFLECT BUSINESS DAYS

MODELS	IN-STOCK FINISH LEAD TIME	STANDARD FINISH LEAD TIME
lku*	3 Days	Call

^{*} Orders over 50, please call.

ACCESSORIES LEAD TIMES

MODELS	LEAD TIMES
Surface Power Modules	3 Days
Wire Management Sleeve	3 Days
Cable Management Sleeve	3 Days
Casters	3 Days
CPU Holders	3 Days

MODELS	1-10 UNITS	11-25 UNITS	26-50 UNITS	51+ UNITS
Slider	20 Days	20 Days	20 Days	Call

IN-STOCK PROGRAM

In-Stock products ship in three business days or less.

In-Stock products include:

- ·Bases
- · Power and Data Beams
- · Benching
- · Worksurfaces (limited skus)
- · Mobile Workstations
- · Dividers (limited skus)
- · Mobile Pedestals
- · Seating (limited skus)

Accessories

- · Surface Mounted Power
- · Wire Management Sleeve
- · Cable Management Tray
- · Casters
- · CPU Holders

CFRTIFICATIONS

HAT Collective leads the way in exceptional quality by combining products that perform with award winning design. We pride ourselves on meeting and exceeding industry standards so customers can feel confident they have invested in quality, high-performing products that will last.

DECLARE LABEL

E5 Monitor Arm

CLEAN AIR GOLD

ANSI/BIFMA e3-2019, Sections 7.6.1, 7.6.2, 7.6.3: Open Plan Office and Private Office

Certfication Number(s): CA-44706-2025a, CA-44706-2025b,

CA-44706-2025c

Certification Status: Certified

Certification Period(s): Valid thru 1/09/2026

UL 962 / CE / TUV MARKINGS

HAT bases meet UL testing standards

ANSI / BIFMA

HAT products within this price list generally meet or exceed applicable BIFMA and ANSI standards.

LEED CREDITS

HAT bases qualify for a variety of LEED credits.

^{*} For more information, please contact your sales representative.



WORKSTATIONS

HAT Collective workstations epitomize innovative design and functionality, helping to easily create an active, productive office environment. Sleek aesthetic and quality construction come together to provide a beautiful, healthy, and personalized work experience. Our standard product line offers unmistakable European flare and our in-stock bases are ideal for quick installations.

Problem solving for a complex environment or specific requests?

Our Enhanced Design Solutions program enables total customization through professional design support and direct access to our manufacturing team.

To complete your personalized work environment, add power, modesty panels, storage, and more to create a comprehensive HAT Collective workspace.



WORKSTATIONS

STATEMENT OF LINE

BASES



Mid HAT, 2-Stage



Hi HAT, 3-Stage




HAT L Unit, 3-Leg



S-Collection SE 2-Leg, 2-Stage



S-Collection SX 2-Leg, 3-Stage



S-Collection 3-Leg, 2-Stage or 3-Stage



S-Collection Panel Mounted



S-Collection Wall Mount



Elle



M-Series Freestanding



M-Series Tripod



M-Series Quad



M-Series Wall Mount

POWER & DATA BEAM



Beam Frames

BENCHING




Dual Benching Unit

GROUP & CONFERENCE



Conference Table



Ellehaven

WORKSURFACES



Rectangle

WORKSTATIONS


STATEMENT OF LINE

MOBILE



M-Series Nesting

DESKTOP CONVERTERS



Winston E-Desk




Winston Workstation Single



Winston Workstation Dual



Winston Workstation Triple



Winston Workstation Quad



Winston-E Single



Winston-E Dual



Winston-E Triple



One Touch Single



One Touch Dual



One Touch Triple



One Touch One over One




One Touch Two over Two




One Touch Three over Three

DIVIDERS



Surface Mount (PET, Fabric, Acrylic & White Board)




Beam Mount (PET, Fabric, Acrylic & White Board)



Slide (PET)



Wrap (PET)



Modesty Panel (Acrylic)




Aura

HAT BASES

OVERVIEW


MID HAT, 2-STAGE





- · Electric height adjustable table base (2 Legs)
- · Exclusive, easy to assemble, folding frame design
- Expandable width frame (S: 24"- 41", L: 42"- 72")
- · 2 stage legs adjust from 27.25"- 46.75" (frame height)
- · LED 3 position programmable handset
- · Dual sync motors / 300 lb. lift capacity (including top)
- · Cable manager included
- · Anti collision safety function
- · UL 962 and Intertek Clean Air Gold certified
- · Qualifies for LEED credits
- · Raises at 1.2" per second
- · C-Foot model available


HI HAT, 3-STAGE





- · Electric height adjustable table base (2 Legs)
- · Exclusive, easy to assemble, folding frame design
- · Expandable width frame (S: 24"-41", L: 42"-742)
- · 3 stage legs adjust from 23.75"- 49" (frame height)
- · LED 3 position programmable handset
- · Dual sync motors / 300 lb. lift capacity (including top)
- · Cable manager included
- · Anti collision safety function
- · UL 962 and Intertek Clean Air Gold certified
- · Qualifies for LEED credits
- · Raises at 1.5" per second
- · C-Foot model available

HAT L UNIT



- · Electric height adjustable table base (3 Legs)
- \cdot Exclusive, easy to assemble, folding frame design
- · Expandable width frame (L: 42"-72")
- · 3 stage legs adjust from 23.75"- 49" (frame height)
- · LED 3 position programmable handset
- · Tri sync motors / 350 lb. lift capacity (including top)
- · Cable manager included
- · Anti collision safety function
- · UL 962 and Intertek Clean Air Gold certified
- · Qualifies for LEED credits
- · Raises at 1.5" per second

MID HAT BASES

Rectangular, 2 Legs

2-STAGE


TOP SIZE RECOMMENDED

MODEL FOOT WIDTH **DEPTH** WEIGHT LIST PRICE 28" - 45" 24" - 30" HAT2-MID-S-__ T-Foot 64 lbs. \$1,060 HAT2-MID-L-__ T-Foot 46" - 72" 24" - 30" 68 lbs. \$1,060 HAT2-MID-S-C24-C-Foot, 24" 28" - 45" 24" 64 lbs. \$1,060 HAT2-MID-L-C24-C-Foot, 24" 46" - 72" 24" 68 lbs. \$1,060 HAT2-MID-S-C27-_ C-Foot, 27" 28" - 45" 30" 64 lbs. \$1.060 HAT2-MID-L-C27-C-Foot, 27" 46" - 72" 30" 68 lbs. \$1,060



- Expandable width frame (S: 24"- 41", L: 42"- 72")
- · Lead time on C-Foot bases: 8-12 weeks

Corner Unit, 2 Legs




HAT2-MID-S	T-Foot	36"-48"/36"-48"	24" - 30"	64 lbs.	\$1,060
HAT2-MID-S-C24	C-Foot, 24"	36"-48"/36"-48"	24"	64 lbs.	\$1,060
HAT2-MID-S-C27	C-Foot, 27"	36"-48"/36"-48"	30"	64 lbs.	\$1,060

Description:

· Lead time on C-Foot bases: 8-12 weeks

Note: For corner units over 48" wide use the HAT3-HI-L 3-Leg Base (See L Unit section on page 19)

120 Degree Unit, 2 Legs



HAT2-MID-S	T-Foot	36"-48"/36"-48"	24" - 30"	64 lbs.	\$1,060
HAT2-MID-S-C24	C-Foot, 24"	36"-48"/36"-48"	24"	64 lbs.	\$1,060
HAT2-MID-S-C27	C-Foot, 27"	36"-48"/36"-48"	30"	64 lbs.	\$1,060

Description:

· Lead time on C-Foot bases: 8-12 weeks

Note: For 120 Degree corner units over 48" wide order the HAT3-HI-L 3-Leg Base (See L Unit section on page 19)

Please specify color:

SI = Silver, WH = White, BK = Black

Add code to end of model number.

Example: HAT2-MID-S-SI

Notes:

- \cdot See page 19 for table frame specifications
- · Worksurfaces not included
- \cdot Stocked in silver, white, black
- · Custom color match available standard lead times apply
- · C-Foot models are not an in-stock item, standard lead times apply

HI HAT BASES

Rectangular, 2 Legs

3-STAGE


TOP SIZE RECOMMENDED

MODEL	FOOT	WIDTH	DEPTH	WEIGHT	LIST PRICE
HAT2-HI-S	T-Foot	28" - 45"	24" - 30"	70 lbs.	\$1,290
HAT2-HI-L	T-Foot	46" - 72"	24" - 30"	74 lbs.	\$1,290
HAT2-HI-S-C24	C-Foot, 24"	28" - 45"	24"	70 lbs.	\$1,290
HAT2-HI-L-C24	C-Foot, 24"	46" - 72"	24"	74 lbs.	\$1,290
HAT2-HI-S-C27	C-Foot, 27"	28" - 45"	30"	70 lbs.	\$1,290
HAT2-HI-L-C27	C-Foot, 27"	46" - 72"	30"	74 lbs.	\$1,290



- Expandable width frame (S: 24"- 41", L: 42"- 72")
- Lead time on C-Foot bases: 8-12 weeks

Corner Unit, 2 Legs




HAT2-HI-S-	T-Foot	36"-48"/36"-48"	24" - 30"	70 lbs.	\$1,290	
HAT2-HI-S-C24	C-Foot, 24"	36"-48"/36"-48"	24"	70 lbs.	\$1,290	
HAT2-HI-S-C27	C-Foot, 27"	36"-48"/36"-48"	30"	70 lbs.	\$1,290	

Description:

· Lead time on C-Foot bases: 8-12 weeks

Note: For corner units over 48" wide use the HAT3-HI-L 3-Leg Base (See L Unit section below)

120 Degree Unit, 2 Legs



HAT2-HI-S	T-Foot	36"-48"/36"-48"	24" - 30"	70 lbs.	\$1,290
HAT2-HI-S-C24	C-Foot, 24"	36"-48"/36"-48"	24"	70 lbs.	\$1,290
HAT2-HI-S-C27	C-Foot, 27"	36"-48"/36"-48"	30"	70 lbs.	\$1,290

Description:

· Lead time on C-Foot bases: 8-12 weeks

Note: For 120 Degree corner units over 48" wide order the HAT3-HI-L 3-Leg Base (See L Unit section below)

L Unit, 3-Legs




T-Foot

48"-84"/48"-84"

24" - 30"

100 lbs.


\$1,936



Notes:

- · This 3-leg base adjusts for multiple sizes of L-shaped units
- · This 3-leg base cannot be used with a 3-piece top
- · This 3-leg base is used for 120 Degree corner units over 48" wide

Example:



Please specify color:

SI = Silver, WH = White, BK = Black

Add code to end of model number.

Example: HAT2-HI-S-SI

Notes:

- \cdot See page 19 for table frame specifications
- · Worksurfaces not included
- \cdot Stocked in silver, white, black
- · Custom color match available standard lead times apply
- · C-Foot models are not an in-stock item, standard lead times apply

S-COLLECTION

OVERVIEW

SPECIFICATIONS	SE 2-STAGE	SX 3-STAGE	3-LEG 2-STAGE or 3-STAGE
Height Range* (Including 1.125" worksurface)	27.1" - 45.6"	22.2" - 48.7"	2-Stage: 27.1" - 45.6" 3-Stage: 22.2" - 48.7"
Frame-Only Weight Load*	350 lbs.	350 lbs.	525 lbs.
Adjustment Speed Per Second	1.5"	1.5"	1.5"
Worksurface Leg Configuration	2, 3 Legs	2, 3 Legs	3 Legs
Standard Color Options	Silver, Black, White	Silver, Black, White	Silver, Black, White
National Electric Code Compliant	Yes	Yes	Yes
ETL Listed to UL 962**	Yes	Yes	Yes

SWITCH

Digital Switch included.



DS Digital Switch

3 programmable positions, digital display for height read-out (in cm or inch), up/down controls.

FRAME FINISHES



Silver







B (10) Black

W (04) White

WORKSURFACE LAMINATE FINISHES

See page 64 for standard worksufaces.







MM Manitoba Maple



FC Fawn Cypress




PW Pinnacle Walnut


^{*} Wall Mount not included. ** Panel Mount and Wall Mount not included.

8 GAUGE METAL FOOT	CODE	FOOT LENGTH	TABLE DEPTH OPTIONS
10" Centered	С	9.85" (250mm)	Panel Mount and 3-Leg Center Only
17" Cantilevered	S	15.76" (400mm)	17" - 30" (3-Leg Only)
22" Cantilevered	М	21.56" (547.6mm)	22" - 27"
28" Cantilevered	L	27.56" (700mm)	28" - 30"
28" Conference T-Foot	Т	27.56" (700mm)	28" - 50" (42" - 50" for Conference Only)*

^{*} Worksurface depth above 30" is not ETL listed.




WORKSURFACE SHAPES & CROSSBARS



A Crossbar = 36" - 48" B Crossbar = 49" - 72" C Crossbar = 73" - 90" F Fixed Crossbar = Additional Sizes

Additional worksurface dimensions and specifications available upon request. Shape and size of worksurface determines crossbar needed. Crossbar adjusts in 1" increments.

S-COLLECTION ORDER FRAME



Product Name: Specify product name to determine height adjustability. **Frame Model:** Obtain model information from charts on pricing pages.

Frame Color: Specify B (black), W (white), S (silver).

Switch: Specify DS (digital)


SX2 & SE2 FRAME ONLY

FRAME ONLY WITH 22" CANTILEVER L FEET

Depth Range: 22" - 27"

Height Range: 2-Stage, 27.1" - 45.6"


3-Stage, 22.2" - 48.7"




MODEL	SX2 3-Stage	SE2 2-Stage
A-MM	\$2,696	\$1,482
B-MM	\$2,930	\$1.574

WORKSURFACE SIZES RECOMMENDED

See page 64 for standard worksurfaces.








W	D	W	D	W	D
36" - 48"	22" - 27"	-	-	36" - 41"	22" - 27"
49" - 72"	22" - 27"	-	-	42" - 48"	22" - 27"

FRAME ONLY WITH 28" CANTILEVER L FEET

Depth Range: Rectangular, 28" - 30" 90° Corner & 120°, 24" - 30"


Height Range: 2-Stage, 27.1" - 45.6" 3-Stage, 22.2" - 48.7"




MODEL	SX2 3-Stage	SE2 2-Stage
A-LL	\$2,867	\$1,547
B-LL	\$2,9993	\$1,621

WORKSURFACE SIZES RECOMMENDED

See page 64 for standard worksurfaces.







W	D	W	D	W	D
36" - 48"	28" - 30"	40" - 48"	24" - 30"	36" - 41"	24" - 30"
49" - 72"	28" - 30"	_	-	42" - 48"	24" - 30"




SX2 & SE2 FRAME ONLY

FRAME ONLY WITH 22" CANTILEVER L FEET, CC CROSSBAR

Depth Range: 22" - 27"

Height Range: 2-Stage, 27.1" - 45.6"

3-Stage, 22.2" - 48.7"



MODEL	SX2 3-Stage	SE2 2-Stage
CC-MM	\$3,297	\$1,941

WORKSURFACE SIZES RECOMMENDEDSee page 64 for standard worksurfaces.



W	D	
73" - 96"	22" - 27"	

FRAME ONLY WITH 28" CANTILEVER L FEET, CC CROSSBAR

Depth Range: 28"-30"

Height Range: 2-Stage, 27.1" - 45.6" 3-Stage, 22.2" - 48.7"



MODEL	SX2 3-Stage	SE2 2-Stage
CC-LI	\$3,360	\$1 987

WORKSURFACE SIZES RECOMMENDED

See page 64 for standard worksurfaces.



D 73" - 96" 28" - 30"



SX2 & SE2 FRAME ONLY

FRAME ONLY WITH 28" T FEET

Depth Range: 28" - 30"


Height Range: 2-Stage, 27.1" - 45.6" 3-Stage, 22.2" - 48.7"



MODEL	SX2 3-Stage	SE2 2-Stage
A-TT	\$2,867	\$1,527
B-TT	\$2,993	\$1,621

WORKSURFACE SIZES RECOMMENDED

See page 64 for standard worksurfaces.



W	D	W	D	W	D
36" - 48"	28" - 30"	40" - 48"	28" - 30"	36" - 41"	28" - 30"
49" - 72"	28" - 30"	-	_	42" - 48"	28" - 30"

FRAME ONLY WITH 28" T FEET, CC CROSSBAR

Depth Range: 28" - 30"

Height Range: 2-Stage, 27.1" - 45.6" 3-Stage, 22.2" - 48.7"



MODEL	SX2 3-Stage	SE2 2-Stage
CC-TT	\$3,360	\$1,987

WORKSURFACE SIZES RECOMMENDED

See page 64 for standard worksurfaces.




W	D	
73" - 96"	28" - 30"	



FRAME ONLY WITH WALL MOUNT

Depth Range: 24" - 30"

Height Range: 2-Stage, 27.1" - 45.6" 3-Stage, 22.2" - 48.7"



WORKSURFACE SIZES RECOMMENDED

See page 64 for standard worksurfaces.



MODEL	SX2 WM 3-Stage	SE2 WM 2-Stage
A-WM	\$2,951	\$1,676
B-WM	\$3,071	\$1764

W	D
36" - 48"	24" - 30"
49" - 72"	24" - 30"




29

SX2 & SE2 PANEL MOUNT FRAME ONLY

FRAME ONLY FOR RECTANGULAR WORKSURFACE

10" Feet

Height Range: 2-Stage, 27.1" - 45.6" 3-Stage, 22.2" - 48.7"



MODEL	PANEL	SX2 3-Stage	SE2 2-Stage
A-CC	PM**	\$2,983	\$1,644
B-CC	PM**	\$3,110	\$1,736

WORKSURFACE SIZES RECOMMENDED

See page 64 for standard worksurfacesp.



W	D
35" - 47"	22" - 30"
48" - 71"	22" - 30"

For panel integration systems not listed, please contact your sales rep for a custom quote. Extended lead times may apply subject to HAT Engineering Review.

**AVAILABLE PANEL INTEGRATIONS


Steelcase Answer	01	Knoll Reff	05
Steelcase Avenir	15	Knoll Autostrad	05
Haworth Compose	02	Knoll Dividends	11
Haworth Unigroup	03	Allsteel	06
Herman Miller Canvas	02	Dirtt Wall	07
Herman Miller A02	04	AIS Divi	10
Teknion Leverage	02	AIS M Wall	10

SX3 & SE3 FRAME ONLY

FRAME ONLY FOR 90° WORKSURFACE

17" Cantilever Feet

Height Range: 2-Stage, 27.1" - 45.6" 3-Stage, 22.2" - 48.7"



MODEL	SX3 3-Stage	SE3 2-Stage
AA-SS-C	\$3,301	\$2,222
BB-SS-C	\$3,358	\$2,315

WORKSURFACE SIZES RECOMMENDED

See page 64 for standard worksurfaces.




W	D
42" - 54"	22" - 30"
54" - 78"	22" - 30"

SXV3 & SEV3 FRAME ONLY

FRAME ONLY FOR 120° WORKSURFACE

22" or 28" Cantilever Feet

Height Range: 2-Stage, 27.1" - 45.6" 3-Stage, 22.2" - 48.7"



MODEL	SXV3 3-Stage	SEV3 2-Stage
BB-MM-C	\$3,416	\$2,340
BB-LL-C	\$3,474	\$2,431

WORKSURFACE SIZES RECOMMENDED

See page 64 for standard worksurfaces.



W	D		
60" - 78"	22" - 27"		
60" - 78"	28" - 30"		





$\mathsf{FIELL} \emptyset^{\scriptscriptstyle{(\!\!R\!\!)}}$

OVERVIEW

SPECIFICATIONS	FIELLØ
Height Range (frame only)	21.1" - 47.6"
Fiellø Frame Only Weight Capacity	350 lbs.
Adjustment Speed Per Second	1.5"
Worksurface Leg Configuration	2 Legs
Foot	27.5" L foot

SWITCH



PH Personal Health Assistant Tracker

4 programmable positions, LED reminder indicates when to change your position, Bluetooth $^{\otimes}$ integration, digital display for height read-out (in cm or inch), tilt up/down for height adjust.


^{*} The Bluetooth® integration is available for both your computer and your phone (iOS and Android) and gives you the power to set your standing goals.

 $\mathsf{FIELL} \emptyset^{\scriptscriptstyle{(\!\!R\!\!)}}$

Note: 5 QTY minimum order


FL2-L-30 FRAME

MODEL	FINISH	LIST PRICE
FL2-L-30	METAL	\$2,743



F2T WORKSURFACE

MODEL	Α	В	FINISH	LIST PRICE
6030	60"	30"	TIER 1 WORKSURFACE	\$1,227
6030	60"	30"	TIER 2 WORKSURFACE	\$1,881
7230	72"	30"	TIER 1 WORKSURFACE	\$1,227
7230	72"	30"	TIER 2 WORKSURFACE	\$1,881




FIELLØ®

Note: 5 QTY minimum order

RP RIBBON PANEL (2 PANELS)

MODEL	Α	В	С	FINISH	LIST PRICE
MP-RP- X-FFF	30.5"	13.75"	16"	PET	\$1,135
MP-RP- X-WO	30.5"	13.75"	16"	WOOD	\$1,581
MP-RP- X-WW	30.5"	13.75"	16"	WOOD	\$1,716

X = METAL BRACKET FINISH FFF = RECYCLED PET FINISH WO = WOOD, OAK VENEER FINISH WW = WOOD, WALNUT VENEER FINISH






FP FULL PANEL (2 PANELS)

MODEL	Α	В	С	FINISH	LIST PRICE
MP-FP- X-FFF	30.5"	30"	16"	PET	\$1,503
MP-FP- X-WO	30.5"	30"	16"	WOOD	\$3,535
MP-FP- X-WW	30.5"	30"	16"	WOOD	\$3.040

X = METAL BRACKET FINISH FFF = RECYCLED PET FINISH WO = WOOD, OAK VENEER FINISH WW = WOOD, WALNUT VENEER FINISH






FIELLØ®

Note: 5 QTY minimum order

DR DRAWER

MODEL*	Α	В	С	FINISH	LIST PRICE
DR-SM- X-WO	15.75"	.7"	14.5"	METAL & WOOD	\$702
DR-SM- X-WW	15.75"	.7"	14.5"	METAL & WOOD	\$565




X = METAL WO = WOOD, OAK VENEER FINISH WW = WOOD, WALNUT VENEER FINISH




BH BAG HOOK

MODEL	Α	В	С	FINISH	LIST PRICE
BH-X	1.5"	2.33"	1.18"	METAL	\$45

X = METAL







M-SERIES FRAMES


OVERVIEW

SPECIFICATIONS	FREESTANDING	NESTING	WALL MOUNT	BENCHING
Height Range*	27.6" - 44.1"	28.6" - 45.1"	29.4" - 45.9"**	27.6" - 44.1"
Frame-Only Weight Load	15 - 105 lbs.	15 - 25 lbs.	15 - 60 lbs.	15 - 105 lbs.
Column Selections	UL, L, M, H	UL	UL, L	UL, L, M, H
Base Options	Н	N	WM	TP, Q
Standard Color Options	Silver, Black, White	Silver, Black, White	Silver, Black, White	Silver, Black, White

AVERAGE TASK LOAD WEIGHTS



Monitor 5-7 lbs.



Laptop 5-10 lbs.




Monitor Arm 12-15 lbs.



CPU 18-20 lbs.

COLUMN SELECTION EQUATION



Frame only Weight Load	Column Option
15 - 32 lbs. 33 - 46 lbs.	UL Ultra Light ULP Ultra Light+
47 - 63 lbs.	L Light
64 - 81 lbs.	M Medium*
82 - 105 lbs.	H Heavy*


^{*} Not available for Nesting or Wall Mount.

^{*}Including 1.125" worksurface.
**When placed at the recommended height of 3" from the floor.


5/16" METAL PLATE	CODE	# OF GLIDES	TABLE DEPTH OPTIONS	WORKSURFACE SHAPE
Organic H	Н	6*	24" - 30"	Rectangular
Nesting	N	4	22"	Petal
Wall Mount	WM	_	18" - 24"	Rectangular
Tripod Bench	TP	6	18" - 24"	120°
Quad Bench	Q	8	18" - 24"	90°

^{*} Casters available for additional cost.

BASES




H Organic H



Q Quad Benching



N Nesting



TPTripod Benching

FRAME FINISHES











W (04) White

WORKSURFACE LAMINATE FINISHES

See page 46 for standard worksufaces.







MM Manitoba Maple




FC Fawn Cypress



PW Pinnacle Walnut

M-SERIES ORDER FRAME



Product Name: Specify product name to determine height adjustability. **Frame Model:** Obtain model information from charts on pricing pages.


Base: Specify H (organic h).

Column Option: Specify UL (ultra light), ULP (ultra light plus), L (light), M (medium), H (heavy).

Frame Color: Specify B (black), W (white), S (silver).

M-SERIES FREESTANDING FRAME ONLY


M COLUMN & H BASE




MODEL	H BASE
0	\$1,443
1	\$1,443

Pricing reflects frame only.


WORKSURFACE SIZES RECOMMENDEDSee page 46 for standard worksurfaces.





M-SERIES NESTING FRAME ONLY

NP COLUMN & BASE (INCLUDING CASTERS)



MODEL	LIST PRICE
N	\$1,065

WORKSURFACE SIZES RECOMMENDED

See page 46 for standard worksurfaces.



W	D	
28"	22"	


Pricing reflects frame only.

 * M-Series Nesting table is only available with an Ultra Light column with a petal shaped top and V shaped nesting base.



M-SERIES WALL MOUNT FRAME ONLY

WM COLUMN, & BASE




MODEL LIST PRICE
WM \$1,227

Pricing reflects frame only.


WORKSURFACE SIZES RECOMMENDED

See page 46 for standard worksurfaces.



M-SERIES WALL MOUNT WITH TILT FRAME ONLY


WMT COLUMN, & BASE



Pricing reflects frame only.

WORKSURFACE SIZES RECOMMENDED


See page 46 for standard worksurfaces.





M-SERIES TRIPOD FRAME ONLY

M-TP COLUMN & BASE




MODEL LIST PRICE

M-TP \$5,047

Pricing reflects frame only.


WORKSURFACE SIZES RECOMMENDED

See page 47 for standard worksurfaces.



M-SERIES QUAD FRAME ONLY

M-Q COLUMN & BASE




MODEL LIST PRICE
M-Q \$6,802

Pricing reflects frame only.

WORKSURFACE SIZES RECOMMENDED

See page 47 for standard worksurfaces.





WORKSURFACES FOR M-SERIES FREESTANDING, NESTING, WALL

ORGANIC H BASE	MODEL	DEPTH	WIDTH	WEIGHT	LIST PRICE
Rectangular	M1T-3624-H	24"	36"	27 lbs.	\$978
	M1T-4224-H	24"	42"	31 lbs.	\$1,028
	M1T-4824-H	24"	48"	36 lbs.	\$1,175
	M1T-5424-H	24"	54"	40 lbs.	\$1,321
	M1T-3630-H	30"	36"	28 lbs.	\$1,101
	M1T-4230-H	30"	42"	39 lbs.	\$1,284
	M1T-4830-H	30"	48"	45 lbs.	\$1,468
	M1T-5430-H	30"	54"	50 lbs.	\$1,651
N BASE					
Petal	M1T-2822-N	22"	28"	16 lbs.	\$958
WALL MOUNT					
Rectangular	M1T-2018-WM	18"	20"	12 lbs.	\$852
	M1T-2024-WM	24"	20"	15 lbs.	\$905
	M1T-2418-WM	18"	24"	13.5 lbs.	\$937
	M1T-3024-WM	24"	30"	22.5 lbs.	\$969
	M1T-3624-WM	24"	36"	27 lbs.	\$978
	M1T-4224-WM	24"	42"	31 lbs.	\$1,028
	M1T-4824-WM	24"	48"	36 lbs.	\$1,175
WALL MOUNT WITH TILT					
Rectangular	M1T-2018-WMT	18"	20"	12 lbs.	\$852
	M1T-2024-WMT	24"	20"	15 lbs.	\$905
	M1T-2418-WMT	18"	24"	13.5 lbs.	\$937
	M1T-3024-WMT	24"	30"	22.5 lbs.	\$969
	M1T-3624-WMT	24"	36"	27 lbs.	\$978
	M1T-4224-WMT	24"	42"	31 lbs.	\$1,028
	M1T-4824-WMT	24"	48"	36 lbs.	\$1,175

WORKSURFACE LAMINATE FINISHES

(Surface Edge: Matching)



DW Designer White 46



MM Manitoba Maple



Cypress

PW Pinnacle Fawn

Walnut

Please specify color:

PW = Pinnacle Walnut, FC = Fawn Cypress, MM = Manitoba Maple, DW = Designer White Add code to end of model number.

Example: M1T-3624-H-PWPW

WORKSURFACES FOR M-SERIES TRIPOD & QUAD

TRIPOD	MODEL	DESCRIPTION	DEPTH	WIDTH	WEIGHT	LIST PRICE
120° Curved	M1T3-MV-TP-3618	Set of 3	18"	36"	43 lbs. per top	\$6,073
	M1T3-MV-TP-3624	Set of 3	24"	36"	45 lbs. per top	\$6,233
	M1T3-MV-TP-4018	Set of 3	18"	40"	51 lbs. per top	\$6,367
\checkmark	M1T3-MV-TP-4024	Set of 3	24"	40"	51 lbs. per top	\$6,502
120° Straight	M1T3-MV-TP-3618S	Set of 3	18"	36"	43 lbs. per top	\$6,073
	M1T3-MV-TP-3624S	Set of 3	24"	36"	45 lbs. per top	\$6,233
	M1T3-MV-TP-4018S	Set of 3	18"	40"	51 lbs. per top	\$6,367
	M1T3-MV-TP-4024S	Set of 3	24"	40"	51 lbs. per top	\$6,502
QUAD						
90° Curved	M1T3-MC-Q-3618	Set of 4	18"	36"	35 lbs. per top	\$4,260
	M1T3-MC-Q-3624	Set of 4	24"	36"	37 lbs. per top	\$4,473
	M1T3-MC-Q-4018	Set of 4	18"	40"	42 lbs. per top	\$5,091
	M1T3-MC-Q-4024	Set of 4	24"	40"	45.5 lbs. per top	\$5,215
90° Straight	M1T3-MC-Q-3618S	Set of 4	18"	36"	35 lbs. per top	\$4,260
	M1T3-MC-Q-3624S	Set of 4	24"	36"	37 lbs. per top	\$4,473
	M1T3-MC-Q-4018S	Set of 4	18"	40"	42 lbs. per top	\$5,091
	M1T3-MC-Q-4024S	Set of 4	24"	40"	45.5 lbs. per top	\$5,215

WORKSURFACE LAMINATE FINISHES

(Surface Edge: Matching)







MM Manitoba Maple



FC Fawn Cypress



PWPinnacle
Walnut

Please specify color:

PW = Pinnacle Walnut, FC = Fawn Cypress, MM = Manitoba Maple, DW = Designer White

Add code to end of model number.

Example: M1T3-MV-TP-3618-PWPW

ELLEHAVEN FRAMES

OVERVIEW

SPECIFICATIONS	FRAME ONLY
Height Range	27" - 46.7"
Frame-Only Weight Load	450 lbs.
Adjustment Speed Per Second	1.5"
Standard Color Options	Silver, Black, White
Width Options	84", 96", 108", 120"
Depth Options	36", 42", 48"

ELLE HEIGHT ADJUSTABLE FRAMES

OVERVIEW

SPECIFICATIONS	FRAME ONLY
Height Range	27" - 46.7"
Available With Sliding Worksurface	No
Frame-Only Weight Load	400 lbs.
Adjustments Speed Per Second	1.5"
Standard Color Options	Silver, Black, White
Width Options	48" - 72"
Depth Options	30"

ELLE STATIC FRAMES

OVERVIEW

SPECIFICATIONS	FRAME ONLY
Height Options	28", 42"
Frame-Only Weight Load	400 lbs.
Standard Color Options	Silver, Black, White
Width Options	48" - 72"
Depth Options	30"

SWITCH *ELLEHAVEN, ELLE HEIGHT ADJUSTABLE

Digital Switch included.



DS Digital Switch

3 programmable positions, digital display for height read-out (in cm or inch), up/down controls.

FRAME FINISHES







S (30) Silver

B (10) Black

W (04) White

WORKSURFACE LAMINATE FINISHES

See pages 54 & 55 for standard worksufaces.







MM Manitoba Maple



FC Fawn Cypress



PW Pinnacle Walnut

ELLE HEIGHT ADJUSTABLE FRAME ONLY

EL FRAME ONLY


FRAME OPTIONS:

FOT Frame Only Top Mounted FOE Frame Only Enshrined Mounted FTS Frame Only Top Sliding FES Frame Only Enshrined Sliding


FOT	FOE	FTS	FES	W	D
\$2,607	\$2,607	\$2,780	\$2,780	48" - 72"	30"

Frame only for sliding worksurface maximum opening width is 5". Rear fixed worksurface is 9" deep and front sliding worksurface is 21".





FOE Frame Only Enshrined Mounted





ELLE STATIC FRAME ONLY


EL FRAME ONLY

FRAME OPTIONS:

FOT Frame Only Top Mounted

MODEL	FOT	W	D	Н
28	\$1,571	48" - 72"	30"	28"
42	\$1,696	48" - 72"	30"	42"


FOT Frame Only Top Mounted



ELLEHAVEN FRAME ONLY

EH Frame Only

MODEL	W	D	LIST PRICE
A-36	72" - 96"	36"	\$4,689
B-36	108" - 120"	36"	\$5,036
A-42	72" - 96"	42"	\$4,747
B-42	108" - 120"	42"	\$5,094
A-48	72" - 96"	48"	\$4,804
B-48	108" - 120"	48"	\$5,152







WORKSURFACES FOR ELLE

OVERVIEW

ТОР	MODEL	DEPTH	WIDTH	WEIGHT	LIST PRICE
Rectangular	EL1T-6030-TM	30"	60"	56 lbs.	\$1,176
	EL1T-7230-TM	30"	72"	67 lbs.	\$1,410
ENSHRINED					
Rectangular	EL1T-6030-EM	30"	60"	56 lbs.	\$1,176
	EL1T-7230-EM	30"	72"	67 lbs.	\$1,410
TOP SLIDING					
Rectangular	EL1T-6030-TS	30"	60"	56 lbs.	\$1,651
	EL1T-7230-TS	30"	72"	67 lbs.	\$1,918
ENSHRINED SLIDING					
Rectangular	EL1T-6030-ES	30"	60"	56 lbs.	\$1,651
	EL1T-7230-ES	30"	72"	67 lbs.	\$2,314

WORKSURFACE LAMINATE FINISHES (Surface Edge: Matching)









MM Designer Manitoba White Maple

FC Fawn Cypress

PW Pinnacle Walnut

Please specify color: PW = Pinnacle Walnut, FC = Fawn Cypress, MM = Manitoba Maple, DW = Designer White

Add code to end of model number. **Example: EL1T-7230-ES-PWPW**

WORKSURFACES FOR ELLEHAVEN

OVERVIEW

	MODEL	DEPTH	WIDTH	WEIGHT	LIST PRICE
Rectangular	EH1T-8436	36"	84"	94 lbs.	\$2,194
	EH1T-8442	42"	84"	110 lbs.	\$2,559
	EH1T-8448	48"	84"	126 lbs.	\$2,925
	EH1T-9636	36"	96"	108 lbs.	\$2,507
	EH1T-9642	42"	96"	126 lbs.	\$2,925
	EH1T-9648	48"	96"	144 lbs.	\$3,343
	EH1T-10836	36"	108"	121 lbs.	\$2,821
	EH1T-10842	42"	108"	141 lbs.	\$3,290
	EH1T-10848	48"	108"	162 lbs.	\$3,761
	EH1T-12036	36"	120"	135 lbs.	\$3,134
	EH1T-12042	42"	120"	157 lbs.	\$3,656
	EH1T-12048	48"	120"	180 lbs.	\$4,179

WORKSURFACE LAMINATE FINISHES

(Surface Edge: Matching)



DWDesigner
White



FC Manitoba Maple Fawn Cypress



Pinnacle Walnut

Please specify color: PW = Pinnacle Walnut, FC = Fawn Cypress, MM = Manitoba Maple, DW = Designer White

Add code to end of model number.

Example: EH1T-8436-PWPW

	MODEL	SIZE	WEIGHT	LIST PRICE
End Post with Foot	HRPF23-E	23" x 3.25" x 3.25"	7 lbs.	\$271
3.25" [E] 15"	Note: · Post ships with 15" foot			
180 Degree Post with Foot	HRPF23-180	23" x 3.25" x 3.25"	7 lbs.	\$299
3.25 15"	Note: • Post ships with 15" foot			
L Post, 2 Way	HRP24-L	24" x 3.25" x 3.25"	5 lbs.	\$235
	Note: • Post ships with a leveling glide			
T Post, 3 Way	HRP24-T	24" x 3.25" x 3.25"	5 lbs.	\$259
	Note: • Post ships with a leveling glide			
X Post, 4 Way	HRP24-X	24" x 3.25" x 3.25"	5 lbs.	\$282
	Note: • Post ships with a leveling glide			

Please specify color: SI = Silver, WH = White, BK = Black

Add code to end of model number. **Example: HRP24-L-SI**

Note:

· All posts ship with mounting hardware, connecting hinges and top cap

	MODEL	SIZE	WEIGHT	LIST PRICE	
120 Degree 2 Way Post	HRP24-2-120	24" H	3 lbs.	\$255	
	Note: • Post ships with a leveling glide				
120 Degree 3 Way Post	HRP24-3-120	24" H	3 lbs.	\$280	
	Note: • Post ships with a leveling glide				
Beam Frame	HRLB-36	6" x 36" x 2.75"	8 lbs.	\$777	
	HRLB-48	6" x 48" x 2.75"	10 lbs.	\$845	
	HRLB-60	6" x 60" x 2.75"	12 lbs.	\$913	
	HRLB-72	6" × 72" × 2.75"	15 lbs.	\$982	
	Notes: · Raceway covers include 2 outlet cutouts and 1 voice/data cutout · Each raceway cover ships with voice/date cover plate and data jack adapter kit · Posts ordered separately · Beam ships pre-marked to accept beam mounted divider clamps				
Power Pole	PP12-2	144" x 3.25" x 3.25"	6 lbs.	\$700	
Ñ	Notes:				



- \cdot Ceiling Power Feed Kit must be ordered separately
- · Ships with a foot · Includes Ceiling Trim Kit
- · Can be installed in the middle of a run or at the end of run
- \cdot Compatible with either Beam or Dual Bench

Please specify color:


SI = Silver, WH = White, BK = Black

Add code to end of model number.

Example: HRP24-L-SI

 \cdot All posts ship with mounting hardware, connecting hinges and top cap

Cable Management Tray




MODEL	DESCRIPTION	SIZE	WEIGHT	LIST PRICE
CMT2-36	Cable Tray, 36"	4" x 36"	3 lbs.	\$91
CMT2-48	Cable Tray, 48"	4" × 48"	4 lbs.	\$100
CMT2-60	Cable Tray, 60"	4" × 60"	5 lbs.	\$109
CMT2-72	Cable Tray, 72"	4" × 72"	6 lbs.	\$119

Description:

- · Allows user to lay cables outside of Power Beam
- \cdot Mounts to underside of beam one required for each side
- $\cdot \, \text{Mounts left or right} \\$
- · When ordering for use with a benching system, please order one size smaller than worksurface Example: 72" worksurface: Order a 60" Cable Management Tray
- · When ordering for use with a power beam, please order the matching size Example: 72" power beam: Order a 72" Cable Management Tray

Power Trac



PT-36	Power Trac, 36" with Jumper	36"	4 lbs.	\$295
PT-48	Power Trac, 48" with Jumper	48"	5 lbs.	\$312
PT-60	Power Trac, 60" with Jumper	60"	6 lbs.	\$327
PT-72	Power Trac, 72" with Jumper	72"	7 lbs.	\$345

Notes:

- · 4 circuit, 8 wire system
- · Will accept up to 4 duplex receptacles per Trac (2 per side)

Duplex Receptacle



DR-1	Duplex Receptacle, Circuit 1	1 lb.	\$32
DR-2	Duplex Receptacle, Circuit 2	1 lb.	\$32
DR-3	Duplex Receptacle, Circuit 3	1 lb.	\$32
DR-4	Duplex Receptacle, Circuit 4	1 lb.	\$32
DR-1-T24	Duplex Receptacle, Circuit 1, Title 24	1 lb.	\$38
DR-2-T24	Duplex Receptacle, Circuit 2, Title 24	1 lb.	\$38
DR-3-T24	Duplex Receptacle, Circuit 3, Title 24	1 lb.	\$38
DR-4-T24	Duplex Receptacle, Circuit 4, Title 24	1 lb.	\$38
CHBX	Chicago Receptacle Box (sold individually)	1 lb.	\$352

- \cdot DR models ship in color matching Power Beam
- · For every Beam or Bench, order 2 CHBX (ie: 3 Beam or Bench x 2 CHBX = 6 CHBX)
- · CHBX is double sided, and accommodates 2 electrician provided receptacles

	MODEL	DESCRIPTION	SIZE	WEIGHT	LIST PRICE
Power Feed	BFK-E	Base Power Feed Kit, End Entry	72"	5 lbs.	\$268
	BFK-S	Base Power Feed Kit, Side Entry	72"	5 lbs.	\$293
	CFK	Ceiling Power Feed Kit	144"	9 lbs.	\$287
	BFK-E-NY-72/72	Base Power Feed Kit, End Entry for New York	72"	10 lbs.	\$467

- · NFK-E-NY-72/72 is stocked in a common size. Special sizes available upon request: please contact your sales rep for more information
 • For complete Title 24 compliant electrical component, please call your sales rep for more information

HAT BENCHING

OVERVIEW

HOW TO ORDER

The HAT Benching System was designed to be very simply and easy to specify, order and install.

To specify, please follow these simple steps:

- Specify a Dual Benching Unit for either a 48", 60" or 72" worksurface.
 This unit includes 2 height adjustable frames (adjusts from 27.25" 46.75" high) with adjustable glides, 2 horizontal connector bars, a Power Beam and Power Trac with Jumper Connector
- 2. Specify the Duplex Receptacles, Power Feed type (base or ceiling) and Power Pole (see page 57)
- 3. Specify a Connector Beam

The 11.25" Beam is used to connect a Dual Benching Unit to an adjoining Benching Unit or a power pole

- 4. Specify optional Cable Management Tray (see page 58)
- 5. Specify optional Dividers (see pages 72-85)
- 6. Specify Worksurfaces (see page 64)

TOP SIZE	RECOM	MENDED
----------	-------	--------

MODEL WIDTH DEPTH WEIGHT LIST PRICE DBUHAT-48-MID-L-__ 48" 24" - 30" 118 lbs. \$3,707 DBUHAT-60-MID-L-__ 60" 24" - 30" 122 lbs. \$3,802 DBUHAT-72-MID-L-72" 24" - 30" 126 lbs. \$3.890





Description:

- · Includes 2 height adjustable frames (adjusts 27.5" 46.75" high)
- · Includes 2 horizontal connector bars to connect base legs
- · Includes Power Beam
- · Includes Power Trac with jumper connector

Notes:

- · Duplex Receptacles must be ordered separately
- · Base/Ceiling Power Feed must be ordered separately
- · Worksurfaces must be ordered separately
- · Beam or Surfaces Mounted Dividers must be ordered separately
- · Optional Cable Management Tray must be ordered separately
- · Available in White, Silver or Black

Please specify color:

SI = Silver, WH = White, BK = Black

Add code to end of model number. **Example: DBUHAT-48-MID-L-SI**

- · Worksurfaces not included
- · Stocked in silver, white, black
- \cdot Custom color match available standard lead times apply

HAT BENCHING

TOP SIZE RECOMMENDED

MODEL	WIDTH	DEPTH	WEIGHT	LIST PRICE
DBUHAT-48-MID-L-CH	48"	24" - 30"	118 lbs.	\$3,453
DBUHAT-60-MID-L-CH	60"	24" - 30"	122 lbs.	\$3,532
DBUHAT-72-MID-L-CH	72"	24" - 30"	126 lbs.	\$3,606

Chicago Dual Benching Unit




Description:

- · Includes 2 height adjustable frames (adjusts 27.5" 46.75" high)
- · Includes 2 horizontal connector bars to connect base legs
- · Includes Power Beam
- · Please note CH model numbers do not included power trac with jumper connector

Notes:

- · Duplex Receptacles must be ordered separately
- · CHBX must be ordered separately
- · Base/Ceiling Power Feed must be ordered separately
- · Worksurfaces must be ordered separately
- · Beam or Surfaces Mounted Dividers must be ordered separately
- · Optional Cable Management Tray must be ordered separately
- · Available in White, Silver or Black

Connector Beam



MODEL	SIZE	WEIGHT	LIST PRICE
BENCH-9 CONNECT	6" × 9" × 2.75"	3 lbs.	\$214
BENCH-10.5 CONNECT	6" × 10.0" × 2.75"	3 lbs.	\$214
BENCH-11.25 CONNECT	6" x 11.25" x 2.75"	3 lbs.	\$214
BENCH-11.625 CONNECT-	6" x 11.625" x 2.75"	3 lbs.	\$214

Description:

- · Connects 2 sections of Dual Benching
- · Jumper cable passes through this beam
- 9" Connect Beam is used to connect to Power Pole
- · 10.5" and 11.25" can be used for smaller worksurfaces and when a Mobile Slim Pedestal is not in use between Dual Benching Units
- 11.625" Connector Beam allows a Mobile Slim Pedestal to fit into the dead space between Dual Benching Units

Please specify color: SI = Silver, WH = White, BK = Black


Add code to end of model number. **Example: DBUHAT-48-MID-L-SI**

- · Worksurfaces not included
- · Stocked in silver, white, black
- \cdot Custom color match available standard lead times apply

HAT GROUP & CONFERENCE


OVERVIEW

GROUP & CONFERENCE TABLE BASE, 2-STAGE



- · Electric height adjustable table base (4 Legs)
- · Exclusive, easy to assemble, folding frame design
- · Expandable width frame (42"-74")
- · 2-stage legs adjust from 27.25"- 46.75" (frame height)
- · LED 4 position programmable handset
- · Quad sync motors / 350 lb. lift capacity (including top)
- · Cable manager included
- · Anti collision safety function
- · UL 962 and Intertek Clean Air Gold certified
- · Qualifies for LEED credits
- · Raises at 1.2" per second

	TOP SIZE RECOMMENDED				
	MODEL	WIDTH	DEPTH	WEIGHT	LIST PRICE
Conference Table Base	HAT4-MID-L	72" - 96"	42" - 60"	110 lbs.	\$2,189



- · Ships without feet, includes adjustable glides
- · Stocked only in black

Please specify color:

BK = Black

Add code to end of model number. Example: HAT4-MID-L-BK

- \cdot Worksurface not included
- · Stocked in black only



WORKSURFACES FOR MID HAT, HI HAT, L UNIT, HAT BENCHING, S-COLLECTION

WORKSURFACE DETAILS

- · Edge Detail: 1.125" LPL/TFL Laminate with 2mm PVC Matching Edge
- · Standard Laminate Colors: Designer White (DW), Fawn Cypress (FC), Manitoba Maple (MM), Pinnacle Walnut (PW)
- · Grommets not offered

IN-STOCK PROGRAM

- Available in the following finishes and sizes:
 Designer White (DW), Fawn Cypress (FC),
 Manitoba Maple (MM), Pinnacle Walnut (PW)
 30" x 48", 30" x 60", 30" x 72"
- · Shipping times:
 - 1-24 units ship in 3 business days from receipt of PO
- · Worksurfaces must be ordered with a corresponding base/bench
- · Orders under \$2,000 NET will have a freight surcharge

STANDARD SHIP PROGRAM

- · Available in: 17 size options, 4 laminates
- Shipping times:
 25 249 units ship in 10 15 business days from receipt of PO
 250+ units call for lead time
- · Worksurfaces must be ordered with a corresponding base/bench
- · Orders under \$2,000 NET will have a freight surcharge

	MODEL	DEPTH	WIDTH	WEIGHT	LIST PRICE
Rectangular	WS-2424	24"	24"	14 lbs.	\$298
	WS-2430	24"	30"	19 lbs.	\$303
	WS-2436	24"	36"	21 lbs.	\$327
	WS-2442	24"	42"	24 lbs.	\$331
	WS-2448	24"	48"	28 lbs.	\$343
	WS-2454	24"	54"	31 lbs.	\$363
	WS-2460	24"	60"	35 lbs.	\$382
	WS-2466	24"	66"	38 lbs.	\$521
	WS-2472	24"	72"	42 lbs.	\$539
	WS-3030	30"	30"	22 lbs.	\$315
	WS-3036	30"	36"	26 lbs.	\$329
	WS-3042	30"	42"	30 lbs.	\$335
	WS-3048	30"	48"	35 lbs.	\$356
	WS-3054	30"	54"	39 lbs.	\$369
	WS-3060	30"	60"	44 lbs.	\$406
	WS-3066	30"	66"	48 lbs.	\$530
	WS-3072	30"	72"	53 lbs.	\$548

WORKSURFACE LAMINATE FINISHES

(Surface Edge: Matching)



White



Manitoba

Maple



Cypress



PWPinnacle
Walnut

Please specify color:

PW = Pinnacle Walnut, FC = Fawn Cypress, MM = Manitoba Maple, DW = Designer White


Add code to end of model number.

Example: WS-3072-PW





	MODEL	WEIGHT CAPACITY	SCREEN SIZE	LIST PRICE
Winston E-Desk	WNSTE-DESK	Up to 100 lbs.	Single Monitor: Up to 32" Dual Monitor: Up to 24"	\$1,293



- Description:

 · Height Adjustment: 19.0"

 · Upper Worksurface: 32.25" W x 8.5" D

 · Lower Worksurface: 32.25" W x 11.5" D

 · Base: 35.5" W x 24.5" D

 · Electric height adjustment with touchscreen controls and memory
- · Available in White or Black

Notes:

· Specify color: White (WHT) Black (BLK)

	MODEL	WEIGHT CAPACITY	SCREEN SIZE	LIST PRICE	
Winston Workstation Single	WNST-1	7 - 20 lbs.	Up to 43"	\$1,227	
	Description: · Height Adjustment: 17.1" · Worksurface: 30" W x 2: · Base: 20.7" W x 22" D Notes: · Specify color: Black (1	3" D 04) Silver (124) White (248)			
Winston Workstation Dual	WNST-2	10 - 26 lbs.	Up to 27"	\$1,293	
	Description: · Height Adjustment: 17.1" · Worksurface: 30" W x 23" D · Base: 20.7" W x 22" D Notes: · Specify color: Black (104) Silver (124) White (248)				
Winston Workstation Triple	WNST-3	15 - 36 lbs.	Up to 24"	\$1,545	
	Description: · Height Adjustment: 17.1" · Worksurface: 30" W x 23" D · Base: 20.7" W x 22" D Notes: · Specify color: Black (104) Silver (124) White (248)				
Winston Workstation Quad	WNST-4	24 - 40 lbs.	Up to 24"	\$1,923	
	Description: · Height Adjustment: 17.1" · Worksurface: 30" W x 2: · Base: 20.7" W x 22" D Notes: · Specify color: Black (1	3" D 04) Silver (124) White (248)			


Winston-E Dual

WNSTE-2-270

Up to 40 lbs.

Up to 30"


\$2,025



Description:

- · Height Adjustment: 18.4"
- · Worksurface: 30" W x 22" D
- · Base: 16" W x 21" D
- · Electric height adjustment with memory
- · Focal depth and independent monitor height adjustments
- · Available in Grey Duotone

Winston-E Triple WNSTE-3-270 Up to 40 lbs. Up to 24" \$2,190



Description:

- · Height Adjustment: 18.4"
- · Worksurface: 30" W x 22" D
- · Base: 16" W x 21" D
- · Electric height adjustment with memory
- · Focal depth and independent monitor height adjustments
- · Available in Grey Duotone


	MODEL	WEIGHT CAPACITY	SCREEN SIZE	LIST PRICE	
One Touch Single	1TCH-1	up to a 25 lb. monitor 100 lbs. total unit weight capacity	Up to 49"	\$2,247	
	Description: · Height Adjustmel · Upper Worksurf: · Lower Worksurf: · Mount: Clamp, Rance Notes: · Specify color:	ace: 15" D x 36" W ace: 17" D x 36" W			
One Touch Dual	1TCH-2	up to 15 lbs. per monitor 100 lbs. total unit weight capacity	Up to 32"	\$2,749	
	Description: · Height Adjustmen: · Upper Worksurfa: · Lower Worksurfa: · Mount: Clamp, Rance: · Specify color:	ace: 15" D x 36" W ace: 17" D x 36" W			
One Touch Triple	1TCH-3	up to 15 lbs. per monitor on wing up to a 25 lb. monitor on column 100 lbs. total unit weight capacity	Up to 24"	\$2,866	
	Description: · Height Adjustmel · Upper Worksurf: · Lower Worksurf: · Mount: Clamp, Ra	ace: 15" D x 36" W ace: 17" D x 36" W			
	Notes: • Specify color: Black (BLK) Silver (SLV)				
One Touch One over One	1TCH-1/1	up to 25 lbs. per monitor 100 lbs. total unit weight capacity	Up to 49"	\$3,024	
	Description: · Height Adjustmen	nt: 20"			



Upper Worksurface: 15" D x 36" W
Lower Worksurface: 17" D x 36" W
Mount: Clamp, Rail

Notes:
• Specify color: Black (BLK) Silver (SLV)

	MODEL	WEIGHT CAPACITY	SCREEN SIZE	LIST PRICE
One Touch Two over Two	1TCH-2/2	up to 15 lbs. per monitor 100 lbs. total unit weight capacity	Up to 32"	\$3,332
	Description: · Height Adjustment: · Upper Worksurface · Lower Worksurface · Mount: Clamp, Rail Notes: · Specify color: Blace	e: 15" D x 36" W		
One Touch Three over Three	1TCH-3/3	up to 15 lbs. per monitor on wing up to 25 lbs. per monitor on column 100 lbs. total unit weight capacity	Up to 24"	\$3,677



Description:

· Height Adjustment: 20"

· Upper Worksurface: 15" D x 36" W

· Lower Worksurface: 17" D x 36" W

· Mount: Clamp, Rail

Notes:

• Specify color: Black (BLK) Silver (SLV)

DIVIDERS, GALLERY PANELS & MODESTY PANELS

Create privacy in any open environment with our easy-to-install partitions. Dividers add spatial barriers and distinctive design to an office landscape, prioritizing both functionality and aesthetic. Choose from opaque or transparent, permanent or portable to take advantage of the protection, acoustic control, and flexibility provided by HAT Collective dividers.



IN-STOCK

MODEL H W LIST PRICE PET Dividers EDDI-PET-4824-S 24" 48" \$418 EDDI-PET-6024-S 24" 60" \$492



Description:

- · Tackable PET Divider .75" thick, radius corners
- · .90 NRC rating
- · Made from 60% post consumer recycled PE plastic water bottles
- · VOC free
- · 100% recyclable polyester fiber
- · Easily clamps onto surfaces .75" 1.87"
- · Mounting hardware included (silver finish)
- · Orders over 50, please check stock

Notes

· Specify color - "Ash" (SP-18) or "Slate" (SP-33)

Mesa Slide Divider SD-2424-____ 24" 24" \$411



Description:


- · Above desk height: 24"
- · Tackable PET Divider 1.125" thick, radius corners
- · .90 NRC rating
- · Made from 60% post consumer recycled PE plastic water bottles
- · VOC free
- · 100% recyclable polyester fiber
- · Easily slides onto surfaces 1.125" thick (1.125" opening for desk)
- · Orders over 50, please check stock

Notes

· Specify color - "Ash" (ASH) or "Slate" (SLATE)

IN-STOCK

Mesa PET Wrap Divider



MODEL	Н	W	WEIGHT	LIST PRICE
WD-4828	28"	48"	22 lbs.	\$950
WD-6028	28"	60"	25 lbs.	\$1,033
WD-7228*	28"	72"		\$1,093

Description:


- · Above desk height: 24"
- · Below desk height: 3" (assuming 1" desk thickness)
- · Longest length of side: 23"
- · Tackable PET Divider, .75" thick, radius corners
- · .90 NRC rating
- · Made from 60% post consumer recycled PE plastic water bottles
- · VOC free
- · 100% recyclable polyester fiber
- · Easily clamps onto surfaces .75" 1.87"
- · Orders over 50, please check stock

Notes:

- \cdot Specify color "lced Grey" (IG) or "Charcoal" (CH)
- * WD-7228-__ is Standard, 16 week lead time

STANDARD

PET Dividers






Description:

- · Tackable PET Divider .75" thick, radius corners
- · .90 NRC rating
- · Made from 60% post consumer recycled PE plastic water bottles
- · VOC free
- · Easily clamps onto surfaces .75" 1.87"
- · Mounting hardware included (silver finish) 66" W and over ship with 3 clamps

Notes:

- · Specify color Pear, Cobalt, Sandstone, Ash, Slate, Charcoal
- · Lead time on orders of 19 or less: 2-3 weeks
- · Lead time on orders of 20 or more: 4 weeks

Fabric Fold Dividers





Elements	Line	(Grade	1	Fabric)

12"	\$490	\$541	\$583	\$626	\$655	\$729	\$746	\$952	\$1,025
18"	\$604	\$689	\$791	\$843	\$865	\$1,019	\$1,036	\$1,357	\$1,482
24"	\$656	\$750	\$831	\$914	\$945	\$1,082	\$1,107	\$1,421	\$1,564
30"	\$882	\$1,090	\$1,172	\$1,256	\$1,306	\$1,670	\$1,697	\$2,159	\$2,406
	18" 24"	18" \$604 24" \$656	24" \$656 \$750	18" \$604 \$689 \$791 24" \$656 \$750 \$831	18" \$604 \$689 \$791 \$843 24" \$656 \$750 \$831 \$914	18" \$604 \$689 \$791 \$843 \$865 24" \$656 \$750 \$831 \$914 \$945	18" \$604 \$689 \$791 \$843 \$865 \$1,019 24" \$656 \$750 \$831 \$914 \$945 \$1,082	18" \$604 \$689 \$791 \$843 \$865 \$1,019 \$1,036 24" \$656 \$750 \$831 \$914 \$945 \$1,082 \$1,107	18" \$604 \$689 \$791 \$843 \$865 \$1,019 \$1,036 \$1,357

Fusion Line (Grade 2 Fabric)

FDD-FF12	12"	\$521	\$583	\$626	\$677	\$704	\$791	\$807	\$1,025	\$1,109
FDD-FF18	18"	\$665	\$761	\$874	\$969	\$976	\$1,153	\$1,178	\$1,503	\$1,648
FDD-FF24	24"	\$708	\$823	\$914	\$1,019	\$1,057	\$1,205	\$1,237	\$1,574	\$1,720
FDD-FF30*	30"	\$995	\$1,235	\$1,339	\$1,453	\$1,526	\$1,919	\$1,967	\$2,459	\$2,739

Description:

- · Tackable fabric .87" thick, radius corners
- · .30 NRC rating
- · Grade 1 fabric is 100% post-consumer recycled polyester
- · Grade 2 fabric is 74% post-consumer recycled polyester & 26% polyester
- · Easily clamps onto surfaces .75" 1.87"
- · Mounting hardware included (silver finish) 66" W and over ship with 3 clamps

Notes:


- · Specify fabric color
- · Lead time on orders of 19 or less: 2-3 weeks
- · Lead time on orders of 20 or more: 4 weeks

^{* 30&}quot; H dividers available for use ONLY with ADCs (see page 77)

^{* 30&}quot; H dividers available for use ONLY with ADCs (see page 77)

STANDARD

White Board Dividers



MODEL	Н	24"W	30"W	36"W	42"W	48"W	54"W	60"W	66"W	72"W
WDD-WB12	12"	\$465	\$519	\$562	\$602	\$642	\$809	\$822	\$946	\$992
WDD-WB18	18"	\$547	\$614	\$733	\$767	\$784	\$1,153	\$1,164	\$1,308	\$1,384
WDD-WB24	24"	\$615	\$704	\$777	\$877	\$898	\$1,205	\$1,225	\$1,368	\$1,447


Description:

- · White board .7" thick, square corners
- · Easily clamps onto surfaces .75" 1.87"
- · Mounting hardware included (silver finish) 66"W and over ship with 3 clamps



· Lead time on all orders: 4 weeks

Mesa Acrylic Dividers



ADD12	12"	\$354	\$390	\$411	\$451	\$480	\$499	\$551	\$649	\$677
ADD18	18"	\$418	\$466	\$513	\$572	\$602	\$666	\$706	\$818	\$877
ADD24	24"	\$470	\$547	\$579	\$701	\$703	\$733	\$878	\$992	\$993

Description:

- · Frosted Acrylic .25" thick, radius corners · Easily clamps onto surfaces .75" 1.87"
- · Mounting hardware included (silver finish) 66"W and over ships with 3 clamps



 \cdot Lead time on all orders: 4+ weeks


DIVIDER CLAMPS

MODEL LIST PRICE

Adjustable Divider Clamps

ADC (1 pair)

\$117



Description:

- · Allows surface mounted dividers to adjust up or down
- · Mounts to underside of surface
- · For use with dividers .2" 1.1" thick
- · For use with PET & Fabric Fold Dividers
- · Silver finish
- · Must be used with surface mounted dividers 30" H

Notes:

- · Lead time on orders of 19 or less; 2-3 weeks
- · Lead time on orders of 20 or more: 4 weeks
- · Sold with accompanying divider only

Offset Bracket Plates

ADC-OSB (1 pair)

No Charge



Description:


 \cdot The offset bracket plate allows for a .5" gap from worksurface to divider, providing extra room for a clamp mounted monitor arm or power module.

Notes:

· Shipped upon request only

MODESTY PANELS

Acrylic Modesty Panel



MODEL	Н	24"W	30"W	36"W	42"W	48"W	54"W	60"W	66"W	72"W
AMP12	12"	N/A	N/A	\$345	\$387	\$416	\$434	\$487	\$550	\$579
AMP18	18"	N/A	N/A	\$448	\$507	\$538	\$597	\$643	\$719	\$781

Description:

- · Frosted Acrylic .25" thick, radius corners
- · Easily mounted under the worksurface
- · Mounting hardware included (silver finish)




Notes:

 \cdot Lead time on all orders: 4+ weeks

BEAM MOUNTED DIVIDERS

IN-STOCK

MODEL Н W LIST PRICE **PET Dividers** EDDI-PET-4824-B 24" 48" \$335 EDDI-PET-6024-B 24" 60" \$409



Description:

- · Tackable PET Divider .75" thick, radius corners
- .90 NRC rating
 Made from 60% post consumer recycled PE plastic water bottles
- $\cdot \, \text{VOC free}$
- · 100% recyclable polyester fiber · Mounting hardware included (silver finish)




· Specify color - "Ash" (SP-18) or "Slate" (SP-33)

BEAM MOUNTED DIVIDERS

STANDARD

PET Dividers



MODEL	Н	36"W	42"W	48"W	54"W	60"W	66"W	72"W
HRED-PET12	12"	\$411	\$444	\$486	\$519	\$545	\$709	\$733
HRED-PET18	18"	\$504	\$526	\$611	\$634	\$660	\$891	\$915
HRED-PET24	24"	\$551	\$668	\$693	\$719	\$752	\$1,098	\$1,122


Description:

- · Tackable PET Divider .75" thick, radius corners
- \cdot .90 NRC rating \cdot Made from 60% post consumer recycled PE plastic water bottles
- · VOC free
- · 100% recyclable polyester fiber
- · Mounting hardware included (silver finish) 66" W and over ships with 3 clamps



- \cdot Specify color Pear, Cobalt, Sandstone, Ash, Slate, Charcoal
- · Lead time on orders of 19 or less: 2-3 weeks
- · Lead time on orders of 20 or more: 4 weeks

Fabric Fold Dividers



Elements Line (Grade	1 Fabric	;)						
HRFD-FF12	12"	\$524	\$568	\$600	\$671	\$689	\$865	\$938
HRFD-FF18	18"	\$733	\$784	\$810	\$960	\$980	\$1,270	\$1,394
HRFD-FF24	24"	\$774	\$858	\$890	\$1,023	\$1,052	\$1,333	\$1,477



Fusion Line (Grade 2 Fabric)

HRFD-FF12	12"	\$568	\$618	\$649	\$733	\$750	\$938	\$1,022
HRFD-FF18	18"	\$816	\$877	\$919	\$1,097	\$1,120	\$1,415	\$1,522
HRFD-FF24	24"	\$858	\$960	\$1,000	\$1.149	\$1,182	\$1,488	\$1,634

Description:

- · Tackable fabric, .87" thick, radius corners
- · .30 NRC rating
- \cdot Mounting hardware included (silver finish). 66" W and over ships with 3 clamps
- · Special sizes available: Please contact your sales rep


Notes:

- · Specify fabric color
- · Lead time on orders of 19 or less: 2-3 weeks
- · Lead time on orders of 20 or more: 4 weeks

BEAM MOUNTED DIVIDERS

STANDARD

White Board Dividers



MODEL	Н	36"W	42"W	48"W	54"W	60"W	66"W	72"W
HRD-WB12	12"	\$497	\$539	\$579	\$747	\$760	\$832	\$898
HRD-WB18	18"	\$671	\$703	\$723	\$1,090	\$1,102	\$1,213	\$1,290
HRD-WB24	24"	\$723	\$814	\$834	\$1,143	\$1,162	\$1,272	\$1,352

Description:


- · White board .7" thick, square corners
- · Mounting hardware included (silver finish) 66" W and over ship with 3 clamps
- · Special sizes available: Please call your sales rep



Notes:

· Lead time on all orders: 4 weeks

Mesa Acrylic Dividers



HRAD12	12"	\$347	\$388	\$418	\$436	\$490	\$552	\$582
HRAD18	18"	\$450	\$508	\$539	\$598	\$645	\$723	\$783
HRAD24	24"	\$516	\$640	\$643	\$671	\$817	\$896	\$901

Description:

- · Frosted Acrylic .25" thick, radius corners
- · Mounting hardware included (silver finish) 66" W and over ships with 3 clamps
- · Special sizes available: Please call your sales rep




Notes:

· Lead time on all orders: 4 weeks

AURA® OVERVIEW


SPECIFICATIONS	AURA
Overall Height	23"
Width	46", 58", 70", or 92"
Material	PET
Thickness	9mm (.35")
Edge	Beveled Felt
Environmental	50% from recycled water bottles, Declare Certified
Acoustics	ASTM C 423: NRC [500hz] = .76 NRC [1000hz] = 1
Fire Rating	UL tested ASTM E-84: Class A

XL - 92" X 23" 8 Brackets \$1,326 **L - 70" X 23"** 6 Brackets \$1,269 **M - 58" X 23"** 5 Brackets \$848 **S - 46" X 23"** 4 Brackets \$681



AURA® FINISHES

AURA COLORS




AURA® PRICING

RECTANGULAR WORKSURFACE

LEFT SIDE RETURN / CENTER COVERAGE / RIGHT SIDE RETURN

Dimensions based on 7/8" gap rear with flush on sides

W	D	XL 92" X 23"	L 70" X 23"	M 58" X 23"	S 46" X 23"
48"	30"	21.5"/48"/21.5"	10.8" / 48" / 10.8"	4.8" / 48" / 4.8"	46" back edge only
60"	30"	15.5"/60"/15.5"	4.8"/60"/4.8"	0"/58.0"/0"	46" back edge only
72"	30"	9.5" / 72" / 9.5"	0"/70"/0"	58" back edge only	46" back edge only
84"	30"	3.5" / 84" / 3.5"	70" back edge only	58" back edge only	46" back edge only
96	30"	0"/92"/0"	70" back edge only	58" back edge only	46" back edge only




90° WORKSURFACE

LEFT SIDE RETURN / LEFT BACK / RIGHT BACK / RIGHT SIDE RETURN

Dimensions based on 7/8" gap rear with flush on sides

W	D	XL 92" X 23"	L 70" X 23"	M 58" X 23"	S 46" X 23"
36"	30"	10.1" / 36" / 36" / 10.1"	0"/35"/35"/0"	0"/30"/30"/0"	0" / 24" / 24" / 0"
42"	30"	4.1" / 42" / 42" / 4.1"	0"/35"/35"/0"	0"/30"/30"/0"	0" / 24" / 24" / 0"
48"	30"	0" / 46" / 46" / 0"	0"/35"/35"/0"	0"/30"/30"/0"	0" / 24" / 24" / 0"



120° WORKSURFACE

LEFT SIDE RETURN / LEFT BACK / RIGHT BACK / RIGHT SIDE RETURN

Dimensions based on 7/8" gap rear with flush on sides

W	D	XL 92" X 23"	L 70" X 23"	M 58" X 23"	S 46" X 23"
36"	30"	9.7" / 36" / 36" / 9.7"	0"/35"/35"/0"	0"/29"/29"/0"	0"/23"/23"/0"
42"	30"	3.7" / 42" / 42" / 3.7"	0"/35"/35"/0"	0"/29"/29"/0"	0"/23"/23"/0"
48"	30"	0" / 46" / 46" / 0"	0"/35"/35"/0"	0"/29"/29"/0"	0"/23"/23"/0"







GALLERY PANELS

STANDARD

Gallery Panels

MODEL	HEIGHT	WIDTH	LIST PRICE
GP-3034	30"	34"	\$641
GP-3040	30"	40"	\$666
GP-3054	30"	54"	\$718
GP-3066	30"	66"	\$820
GP-3634	36"	34"	\$692
GP-3640	36"	40"	\$846
GP-3654	36"	54"	\$1,035
GP-3666	36"	66"	\$1,333
GP-4234	42"	34"	\$835
GP-4240	42"	40"	\$871
GP-4254	42"	54"	\$1,051
GP-4266	42"	66"	\$1,358

Description:

- · 1.125" thick panels with matching edge
- · Wood grain runs horizontally
- · Leveling glides included with the Gallery End Panel Bracket Kits (sold separately)

Notes:


- · Specify color: Pinnacle Walnut (PW), Fawn Cypress (FC), Manitoba Maple (MM), Designer White (DW)
- · 4 QTY minimum order, in multiples of 2 (ie. QTY of 4, 6, 8, 10, etc.)

MODEL LIST PRICE

GPBRKT-KIT-_ \$303

Gallery End Panel Beam Bracket Kit





- · Allows gallery panels to be attached to power/data beam end post
- · Hardware included: mounting brackets, wood screws, and leveling glides
- · Compatible with panel thickness of .75" 1.5"


Notes

· Specify color: Silver (SI) White (WH) Black (BK)

Gallery End Panel Bench Bracket Kit

GPBRKT-KIT-BENCH-__

\$303



Description:

- · Allows gallery panels to be attached to the end of a benching unit
- · Hardware included: mounting brackets, wood screws, and leveling glides
- · Compatible with panel thickness of .75" 1.5"

Notes:

· Specify color: Silver (SI) White (WH) Black (BK)

MONITOR ARMS


Our sophisticated monitor arms provide ergonomics, space savings, and clever design. Here, you'll find one-touch adjustment, effortless movement, and sure-footed stability to support a multitude of screen configurations. Reclaim your desktop with our sleek mounting systems that are easy to install.



MONITOR ARMS

STATEMENT OF LINE


MONITOR ARMS




MONITOR ARMS

STATEMENT OF LINE


MONITOR ARMS



Staxx Two Over Two Static



Staxx Three Over Three Static



Staxx Dual Dynamic




Staxx Dual Dynamic w/Laptop Tray



Staxx Dual Static w/Sliders



Staxx Dual Dynamic w/Sliders



Staxx Dual Dyanmic w/Laptop Tray and Slider

MOUNTS & ACCESSORIES



Single Charging Cap




Dual Charging Cap



Next Gen Tilter



Slider



Laptop Tray



Articulating Extension Arms



Flexmount Conversion Kit for Top Down Mount Thru-Desk Conversion Kit for Top Down Mount



	MODEL	WEIGHT CAPACITY	SCREEN SIZE	LIST PRICE
E5 Single Dynamic	E5-D1L	0-25 lbs.	Up to 49"	\$409
	E5-D1	5-45 lbs.	Up to 49"	\$580



Description:

· Mounting: Top down desk mount: clamps to desk edge or grommet, desk thickness up to 1.5", 2.25" minimum grommet hole diameter

• Specify color: Black (BLK) Silver (SLV) White (WHT)

E5 Single Dynamic Pole

E5G-P01SD-

0-25 lbs.

Up to 49"

\$601



Description:

· Mounting: Top down desk mount: clamps to desk edge or grommet, desk thickness up to 1.5", 2.25" minimum grommet hole diameter

• Specify color: Black (BLK) Silver (SLV) White (WHT)

E5 Dual Dynamic

E5-D2-___

0-25 lbs. per monitor

Up to 32"

\$689



Description:

· Mounting: Top down desk mount: clamps to desk edge or grommet, desk thickness up to 1.5", 2.25" minimum grommet hole diameter


• Specify color: Black (BLK) Silver (SLV) White (WHT)

E5 Dual Dynamic Wide

E5G-D2SD-___

0-20 lbs. per monitor

Up to 44" bezel measured \$907



Description:

· Mounting: Top down desk mount: clamps to desk edge or grommet, desk thickness up to 1.5", 2.25" minimum grommet hole diameter

Notes:

• Specify color: Black (BLK) Silver (SLV) White (WHT)

E5 Dual Crossbar Dynamic

E5G-D2C-___

0-15 lbs. per monitor

Up to 27"

\$891



Description:

· Mounting: Top down desk mount: clamps to desk edge or grommet, desk thickness up to 1.5", 2.25" minimum grommet hole diameter

Notes:

• Specify color: Black (BLK) Silver (SLV) White (WHT)

	MODEL	WEIGHT CAPACITY	SCREEN SIZE	LIST PRICE
E5 Dual Dynamic Pole	E5G-P02D	0-25 lbs. per monitor	Up to 32"	\$808
	2.25" minimum gromme	esk mount: clamps to desk ed et hole diameter	ge or grommet, desk thicl	kness up to 1.5",
	Notes: • Specify color: Black	(BLK) Silver (SLV) White (WHT	")	
E5 Dual Dynamic Wide Pole	E5G-P02SD	0-20 lbs. per monitor	Up to 44" bezel measu	red \$1,026
	Description: · Mounting: Top down de 2.25" minimum gromme	esk mount: clamps to desk ed et hole diameter	ge or grommet, desk thicl	kness up to 1.5",
	Notes: · Specify color: Black	(BLK) Silver (SLV) White (WHT)	
E5 Triple Dynamic Pole	E5G-P03SD	0-20 lbs. per monitor	Up to 27"	\$1,181
	Description: · Mounting: Top down de 2.25" minimum gromme	esk mount: clamps to desk ed et hole diameter	ge or grommet, desk thic	kness up to 1.5",
	Notes: · Specify color: Black	(BLK) Silver (SLV) White (WHT)	
E5 Single Static Pole	E5G-P01	0-45 lbs.	Up to 49"	\$348
	Description: · Mounting: Top down de 2.25" minimum gromme	esk mount: clamps to desk ed et hole diameter	ge or grommet, desk thicl	kness up to 1.5",
	Notes: · Specify color: Black	(BLK) Silver (SLV) White (WHT)	
E5 Dual Static Pole	E5G-P02S	0-25 lbs. per monitor	Up to 27"	\$644
	Description:			




• Mounting: Top down desk mount: clamps to desk edge or grommet, desk thickness up to 1.5", 2.25" minimum grommet hole diameter

Notes:

 $\bullet \ \textbf{Specify color:} \ \mathsf{Black} \ (\mathsf{BLK}) \ \mathsf{Silver} \ (\mathsf{SLV}) \ \mathsf{White} \ (\mathsf{WHT}) \\$

	MODEL	WEIGHT CAPACITY	SCREEN SIZE	LIST PRICE
E5 Triple Static Pole	E5G-P03SS	0-20 lbs. per monitor	Up to 27"	\$980
	Description:			



· Mounting: Top down desk mount: clamps to desk edge or grommet, desk thickness up to 1.5", 2.25" minimum grommet hole diameter

Notes:

• Specify color: Black (BLK) Silver (SLV) White (WHT)

E5 One Over One Static Pole

E5G-P11-___

0-30 lbs. per monitor

Up to 49"

\$553



Description:

· Mounting: Top down desk mount: clamps to desk edge or grommet, desk thickness up to 1.5", 2.25" minimum grommet hole diameter

Notes:

• Specify color: Black (BLK) Silver (SLV) White (WHT)

E5 Two Over Two Static Pole

E5G-P22S-___

0-15 lbs. per monitor

Up to 27"

\$1,250



Description:

· Mounting: Top down desk mount: clamps to desk edge or grommet, desk thickness up to 1.5", 2.25" minimum grommet hole diameter

Notes:

• Specify color: Black (BLK) Silver (SLV) White (WHT)


E5 Three Over Three Static Pole

E5G-P33SS-___

0-10 lbs. per monitor

Up to 27"

\$1,765



Description:

· Mounting: Top down desk mount: clamps to desk edge or grommet, desk thickness up to 1.5", 2.25" minimum grommet hole diameter

Notes:

• Specify color: Black (BLK) Silver (SLV) White (WHT)

	MODEL	WEIGHT CAPACITY	SCREEN SIZE	LIST PRICE
E2 Single	E2-1	Flat panel: 2.2 - 20 lbs. Curved monitor: Up to 16 lbs.	Based on weight	\$334
	Description: · Mounting: Top down desl · Height adjustment: 13.3" · Extension range: 23.7"	k mount: clamps to desk edge	or grommet, desk thickness	s up to 1.5"
	Notes: • Specify color: Black (10)4) Silver (124) White (248)		
E2 Dual	E2-2	Flat panel: 2.2 - 20 lbs. Curved monitor: Up to 16 lbs.	Up to 27"	\$620
	Description: · Mounting: Top down desl · Height adjustment: 13" · Extension range: 17.5" - 2	k mount: clamps to desk edge 8.5" side-by-side	, desk thickness up to 1.5"	
	• Specify color: Black (10	04) Silver (124) White (248)		
E2 Connex Single	E2-01-SD	Flat panel: 2.2 - 20 lbs. Curved monitor: Up to 16 lbs.	Any size within weight capacity	\$492
	Description: · Mounting: Top down desl Notes: · Specify color: Black (10	k mount: clamps to desk edge 04) Silver (124) White (248)	or grommet, desk thickness	s up to 1.5"
E2 Connex Dynamic Dual	E2-02-D	2.2 - 20 lbs. per monitor	Up to 32"	\$869
	Description:		(bezel measured left to right)	
		k mount: clamps to desk edge	or grommet, desk thickness	s up to 1.5"
	• Specify color: Black (10	94) Silver (124) White (248)		
E2 Connex Dynamic Dual Wide	E2-02-SD	2.2 - 20 lbs. per monitor	Up to 39" (bezel measured left to right)	\$999
P. P		k mount: clamps to desk edge	or grommet, desk thickness	s up to 1.5"
	Notes: • Specify color: Black (10)4) Silver (124) White (248)		

	MODEL	WEIGHT CAPACITY	SCREEN SIZE	LIST PRIC
E2 Connex Dynamic Triple	E2-03-SD	2.2 - 20 lbs. per monitor	Up to 28.5" (bezel measured left to right)	\$1,121
	Description: · Mounting: Top down de	esk mount: clamps to desk edge	e or grommet, desk thickness	s up to 1.5"
	Notes: · Specify color: Black	(104) Silver (124) White (248)		
E2 Connex Static Dual	E2-02-SS	2.2 - 20 lbs. per monitor	Up to 37" (bezel measured left to right)	\$750
	Description: • Mounting: Top down de	esk mount: clamps to desk edge	e or grommet, desk thickness	s up to 1.5"
	Notes: · Specify color: Black	(104) Silver (124) White (248)		
2 Connex Static Triple	E2-03-SSS	2.2 - 20 lbs. per monitor	Up to 27.5" (bezel measured left to right)	\$883
	Notes:	esk mount: clamps to desk edge	e or grommet, desk thickness	s up to 1.5"
	· Specify color: black	(104) Silver (124) White (248)		
E2 Connex One Over One	E2-11-HD	See description	See description	\$346


MODEL WEIGHT CAPACITY SCREEN SIZE LIST PRICE 7000-500-___ 7000 Single Flat panel: 3-10lbs. Based on weight \$417 Curved monitor: Up to 10 lbs 7000-800-___ Flat Panel: 10 - 22 lbs. \$417 Based on weight Curved monitor: Up to 22 lbs 7000-1000-___ \$417 Flat Panel: 13 - 28 lbs. Based on weight Curved monitor: Up to 22 lbs 7000-1000-HD-Flat | Curved: 13 - 28 lbs Based on weight \$487 Description:

- · Mounting: Top down desk mount: clamps to desk edge or grommet, desk thickness up to 1.5"
- · Height adjustment: 16"
- · Extension range: 24"

Notes:

· Specify color: Black (104) Silver (124) White (248)

7000 Dual



7000-2-500-SLD	3-10 lbs. per monitor	Up to 32"	\$814
7000-2-800-SLD	10 - 22 lbs. per monitor	Up to 32"	\$814

Description:

- · Mounting: Top down: desk clamp, grommet mount
- · Height adjustment: 16"
- · Extension range: 24"

Notes:

• Specify color: Black (104) Silver (124) White (248)

7000 Dual Crossbar



7000-1-8537H-___

6 - 14 lbs. per monitor


Up to 27"

\$572

· Mounting: Top down desk mount: clamps to desk edge or grommet, desk thickness up to 1.5"

· Specify color: Black (104) Silver (124) White (248)

7500




7500-500	2 - 13 lbs.	Up to 43"	\$637
7500-800	6-21 lbs.	Up to 43"	\$637
7500-1000	8 - 27 lbs.	Up to 43"	\$637
7500-1500	12 - 40 lbs.	Up to 43"	\$637

Description:

- · Mounting: Desk edge, thru-desk, grommet, wall, reverse wall, side bolt
- · Height adjustment: 18"
- · Extension range: 27"

Notes:

	MODEL	WEIGHT CAPACITY	SCREEN SIZE	LIST PRICE
Staxx Single	STX-01S-	1-30 lbs.	Up to 50"	\$303




Description:

· Mounting: Top down desk mount: clamps to desk edge or grommet, desk thickness up to 1.5"

Notes

• Specify color: Black (104) Silver (124) White (248)

Staxx Dual



STX-02S	1-20 lbs. per monitor	Up to 24"	\$690
STX-02W-	1-20 lbs. per monitor	24" - 30"	\$761


Description:

 \cdot Mounting: Top down desk mount: clamps to desk edge or grommet, desk thickness up to 1.5"

Notes

· Specify color: Black (104) Silver (124) White (248)

Staxx Triple



STX-03S	1 - 15 lbs. per monitor	Up to 24"	\$821
STX-03W	1 - 15 lbs. per monitor	24" - 30"	\$875

Description:

 \cdot Mounting: Top down desk mount: clamps to desk edge or grommet, desk thickness up to 1.5"

Notes:

• Specify color: Black (104) Silver (124) White (248)

Staxx 1 Over 1



STX-11S-__ 1 - 20 lbs. per monitor Up to 30" \$796

Description:

 \cdot Mounting: Top down desk mount: clamps to desk edge or grommet, desk thickness up to 1.5"

Notes:

Staxx 2 Over 2 STX-22S-___ 1 - 15 lbs. per monitor Up to 24" STX-22W-___ 1 - 15 lbs. per monitor 24" - 30"



 \cdot Mounting: Top down desk mount: clamps to desk edge or grommet, desk thickness up to 1.5"

SCREEN SIZE

LIST PRICE

\$954

\$988

WEIGHT CAPACITY

Notes:

MODEL

· Specify color: Black (104) Silver (124) White (248)

Staxx 3 Over 3					
STX-33S					
STX-33W					


STX-33S	1-10 lbs. per monitor	Up to 24"	\$1,412
STX-33W	1-10 lbs. per monitor	24" - 30"	\$1,466

Description:

· Mounting: Top down desk mount: clamps to desk edge or grommet, desk thickness up to 1.5"

Notes:

• Specify color: Black (104) Silver (124) White (248)



STX-450	10 - 23 lbs. per monitor	Up to 27"	\$899
STX-500	3 - 10 lbs. per monitor	Up to 27"	\$899
STX-600	7 - 17 lbs. per monitor	Up to 27"	\$899
STX-800	10 - 22 lbs. per monitor	Up to 27"	\$899
STX-1000	13 - 28 lbs. per monitor	Up to 27"	\$899


Description:

· Mounting: Top down desk mount: clamps to desk edge or grommet, desk thickness up to 1.5"

Notes:

· Specify color: Black (104) Silver (124) White (248)

Staxx Dual Articulating




STX-450-8510	10 - 23 lbs. per monitor	Up to 27"	\$1,111
STX-500-8510	3-10 lbs. per monitor	Up to 27"	\$1,111
STX-600-8510	7 - 17 lbs. per monitor	Up to 27"	\$1,111
STX-800-8510	1022 lbs. per monitor	Up to 27"	\$1,111
STX-1000-8510	13 - 28 lbs. per monitor	Up to 27"	\$1,111

Description:

- · Supports 3 13.5 lb laptop
- · Mounting: Top down desk mount: clamps to desk edge or grommet, desk thickness up to 1.5"

Notes:

	MODEL	WEIGHT CAPACITY	SCREEN SIZE	LIST PRICE
Staxx Dual w/Sliders	STX-02-SLD	20 lbs. per monitor	Up to 27"	\$510



Description:


· Mounting: Top down desk mount: clamps to desk edge or grommet, desk thickness up to 1.5"

Notes:

• Specify color: Black (104) Silver (124) White (248)

Staxx	Dual	Ar	ticı	ılati	ing
w/Slide	ers				

STX-2-500-SLD	3-10 lbs. per monitor	Up to 27"	\$877
STX-2-800-SLD	20 lbs. per monitor	Up to 27"	\$877



Description:


 \cdot Mounting: Top down desk mount: clamps to desk edge or grommet, desk thickness up to 1.5"

Notes:

• Specify color: Black (104) Silver (124) White (248)

Staxx	Triple	2 w/Sl	iders
-------	--------	--------	-------

STX-3S-500-SLD	3-10 lbs. per monitor	Up to 27"	\$1,025
STX-3S-800-SLD	20 lb. per monitor	Up to 27"	\$1,025



Description:


· Mounting: Top down desk mount: clamps to desk edge or grommet, desk thickness up to 1.5"

Notes:

• Specify color: Black (104) Silver (124) White (248)

Stavy	Dual	Lanton	w/Slider
Staxx	Duai	Laptop	w/Silder

STX-2-500-8510	3 - 10 lbs. per monitor	Up to 27"	\$1.007
STX-2-800-8510-	20 lbs. per monitor	Up to 27"	\$1.007




Description:

· Mounting: Top down desk mount: clamps to desk edge or grommet, desk thickness up to 1.5"

Notes

STORAGE

Stay organized and keep your belongings secure with HAT storage units. Our mobile pedestals are heavy-duty, lockable, and comfortably accommodate your office supplies. Slide your mobile storage unit underneath your worksurface for easy, out-of-the-way access.



STORAGE

STATEMENT OF LINE

STORAGE



HAT Mobile Pedestal Slim (10.6")



HAT Mobile Pedestal (15")



HAT Pedestal Cushions



Collective Storage Mobile Locker



Collective Storage Mobile Pedestal Slim (12")



Collective Storage Mobile Pedestal (15")



Collective Storage Mobile Credenza (30")



Collective Storage Mobile Credenza (48")



Collective Storage Cushions

	MODEL	WIDTH	DEPTH	HEIGHT	WEIGHT	LIST PRICE
HAT Mobile Pedestal Slim	MPEDBF-10	10.6"	22"	21"	55 lbs.	\$648
	Description: Mobile Box/File Pedesta Includes lock and key Includes pencil tray Letter or legal filing Includes casters (2 lock Stocked in silver, white Notes: Key alike available (add Master/Core Key available	king, 2 non-loc and black \$10 to list)				
HAT Mobile Pedestal	MPEDBF-15	15"	22"	21"	65 lbs.	\$648
	Description: · Mobile Box/File Pedesta · Includes lock and key · Includes pencil tray · Letter or legal filing · Includes casters (2 lock · Stocked in silver, white Notes: · Key alike available (add · Master/Core Key available	king, 2 non-loc and black \$10 to list)				
HAT Pedestal Slim Cushion	MPEDCUS-10 (in-stock) MPEDCUS-10 (standard)	10.6" 10.6"	22" 22"	1.5" 1.5"	5 lbs. 5 lbs.	\$137 \$144
	Description: · Pedestal seat cushion · High density foam · Laminated plywood understructure · Attached with velcro · Stocked in #15-13 charcoal fabric Notes: · Other colors available: 16 week lead time · 50 QTY minimum order for non-stocked colors					
HAT Pedestal Cushion	MPEDCUS-15 (in-stock) MPEDCUS-15 (standard)	15" 15"	22" 22"	1.5" 1.5"	6 lbs. 6 lbs.	\$137 \$144
	Description: Pedestal seat cushion High density foam Laminated plywood und Attached with velcro Stocked in #15-13 chard	derstructure	22	1.0	O IDS.	Φ144

Other colors available: 16 week lead time
50 QTY minimum order for non-stocked colors

Please specify color: SI = Silver, WH = White, BK = Black

Add code to end of model number. **Example: MPEDBF-15-SI**

	MODEL	WIDTH	DEPTH	HEIGHT	WEIGHT	LIST PRICE
Collective Storage Mobile Locker	STG-LKR-12	12"	20"	24"	35 lbs.	\$864
	Description: · Mobile locker · Includes lock and key · Includes pencil tray · Letter or legal filing · Includes casters (2 lo · Available in silver, wh Notes: · 25 QTY minimum ord	ocking, 2 non-lo nite and black	cking) and ant	i-tipping counte	erweight	
Collective Storage Mobile Pedestal Slim	STG-PED-12	12"	20"	24"	62 lbs.	\$974
The state of the s	Description: · Mobile box/file pedes · Includes lock and key · Includes pencil tray · Letter or legal filing · Includes casters (2 lc · Available in silver, wh Notes: · 25 QTY minimum ord	y ocking, 2 non-lo lite and black	cking) and ant	i-tipping counte	erweight	
Collective Storage Mobile Pedestal	STG-PED-15	15"	20"	24"	69 lbs.	\$1,017
	Description: · Mobile box/file pedes · Includes lock and key · Includes pencil tray · Letter or legal filing · Includes casters (2 lo · Available in silver, wh Notes: · 25 QTY minimum ord	y ocking, 2 non-lo lite and black	cking) and ant	i-tipping counte	erweight	

Collective Storage Mobile Credenza (30")

Description:

STG-CRD-30-__

- Mobile credenza
 Includes shelving and sliding door
 Includes casters (2 locking, 2 non-locking)
 Available in silver, white and black

30"

15"

24"

53 lbs.

\$1,413

Notes:

· 25 QTY minimum order

Please specify color:

SI = Silver, WH = White, BK = Black

Add code to end of model number. **Example: STG-PED-15-SI**

	MODEL	WIDTH	DEPTH	HEIGHT	WEIGHT	LIST PRICE
Collective Storage Mobile Credenza (48")	STG-CRD-48	48"	20"	27"	117 lbs.	\$2,635
	Description: Includes shelving and 2 Includes lock and key Includes casters (2 lock Available in silver, white Notes: 25 QTY minimum order	king, 4 non-loc	king)			
Collective Storage Locker/Pedestal Slim Cushion (12")	STG-CUS-12	12"	20"	1.5"	3 lbs.	\$193
	Description: • Locker/pedestal seat cu • High density foam • Attached with velcro	ushion				
	Notes: · 25 QTY minimum order					
Collective Storage Pedestal Cushion (15")	STG-CUS-15	15"	20"	1.5"	4 lbs.	\$219
	Description: • Pedestal seat cushion • High density foam • Attached with velcro					
	Notes: · 25 QTY minimum order					
Collective Storage Credenza Cushion (30")	STG-CUS-30	30"	15"	1.5"	6 lbs.	\$226
	Description: Credenza seat cushion High density foam Attached with velcro					
	Notes: · 25 QTY minimum order					
Collective Storage Credenza Cushion (48")	STG-CUS-48	48"	20"	1.5"	12 lbs.	\$432
	Description: Credenza seat cushion High density foam Attached with velcro			P.		salaw.
	Notes: · 25 QTY minimum order				ease specify of a Silver, WH = V	Vhite, BK = Black



SEATING

HAT Collective offers everything you need to work your way, including our original ergonomic seating solution. Every body is different. Our HAT Collective seating adapts to an individual's natural movement making for a fluid and supportive experience.



IKU



MODEL	LIST PRICE
IKU-B-M1H-JET-S1BB	\$969
IKU-B-M2H-IRON-S1BB	\$969
IKU-B-M3H-ALLOY-S1BB	\$969
IKU-B-M1H-JET-S1PB	\$1,215
IKU-B-M2H-IRON-S1PB	\$1,215
IKU-B-M3H-ALLOY-S1PB	\$1,215
IKU-W-M1H-JET-S1PB	\$1,372
IKU-W-M2H-IRON-S1PB	\$1,372
IKU-W-M3H-ALLOY-S1PB	\$1,372

Description:

Weight Range: 300 lbs Armrest Adjustment Range: 7.5" – 10.5" (top of armrest to top of seat pan)

Armrests Lock: 11 increment positions Black Nylon Base: 16.8" – 20.5" Polished Aluminum Base: 16.2" – 19.9"

Seatback Adjustment Range: 95° - 129°, 4 position back lock Seat Depth Adjustment: 2.3"

Notes:

• Frame: Black (B), White (W)

· Mesh: Raven (M1H), Smoke (M2H), Cloud (M3H)


Seat Upholstery: Jet (JET), Alloy (ALLOY), Iron (IRON)
 Base: Black Nylon (S1BB), Polished Aluminum (S1PB)

ACCESSORIES

Our collection of accessories ensures you get the most out of your workspace. Manage and organize wires, mobilize your keyboard, or mount your CPU. We have everything you need to complete your desk, personalizing your workstation to function for you.



MODEL WEIGHT LIST PRICE WMT-SI \$203 Wire Management Trough 6 lbs.



Description:

- · Large capacity supports multiple wires, cables and a power strip
- · Multiple cable pass through ports offers versatile cable management
- · Trough hinges open, allowing for easy access and installation
- · Heavy-duty steel construction
- · 30" W x 3" H x 4" D
- · Available in silver

Wire Management Sleeve

WMS-42-FINE

1 lb.

\$49



Description:

- · Expandable zip up nylon mesh management sleeve
- · 42" length
- · Available in black

Fokus Task Light

FOKUS-2-___

\$497



- \cdot LED
- · 11 watts
- · 15,000 hours light lifespan
- · 3000k color temperature
- · 3-way touch dimmer (10%, 50%, 100%)
- · Base dimension: Ø 5.9"
- · Freestanding · ETL, FFC and CEC certified

Specify color: White (WH) Black (BK)



1. VERTICAL WIRE MANAGEMENT SYSTEM

Exclusive to S-Collection workstations, the Vertical's flexible design manages wires on a vertical plane through a BIFMA-required range. The main unit attaches to the leg with magnets, allowing for flexibility of mounting and reconfiguration.

* Not compatible with panel integration or HAT bases.

439900-_

Black, Silver, White 22" - 48" Adjustable Height \$215

Chain available in Black only.

3. FLEX WIRE MANAGEMENT TRAY

This tray comes in three sizes. Its flexible design and thin steel construction allow for high flexibility in mounting and configuration. Seams along the surface indicate where bending should occur.

990103	990102	990101
Black, Silver, White	Black, Silver, White	Black, Silver, White
22.4" W	43.7" W	55.5" W
\$111	\$123	\$139

2. POCKET CABLE MANAGEMENT

Keep cords neat and organized with an easy to install mesh cable management sleeve that is compatible with any base and worksurface. Includes 12 velcro straps that securely lock in your wires.

Standard	Mini
CMT-04 (Black)	CMT-24-04 (Black)
CMT-06 (Grey)	CMT-24-06 (Grey)
38" W x 5" D	24" W x 5" D
\$214	\$162



	MODEL	COMPATIBILITY	LIST PRICE
Snap on Charging Mount	CHG-CAP-1 CHG-CAP-2 CHG-CAP-E CHG-CAP-E CHG-CAP-E CHG-CAP-E CHG-CAP-E CHG-CAP-E CHG-CAP-E CHG-CAP-E-	Single top down mount Dual top down mount Dual E2 top down mount	\$254 \$254 \$254
	Description: · Features 2 USB-A and 1 USB-C port · Input: 100-240VAC, 50/60Hz, 2.0A (Max.) · Output: 24VDC, 3A, 72W		
	Notes: • Specify color: White (WH) Silver (SI) Black (BK)		
Reya USB Hub	PWR-AC		\$152
	Description: Includes one USB-A port and a one USB-C port Can charge laptop up to 65 Watts Mount: Desk edge/surface mount, under mount, edge Desk edge/surface mount: 0.5" - 1.75" Compatible with Mid and Hi HAT only (requires PWR-ANOTES: Specify color: Black (BK) White (WH)		ses)
Reya USB Hub with AC Power Adapter	PWR-AC-PS		\$230
	Description: Includes one USB-A port and a one USB-C port Can charge laptop up to 65 Watts Mount: Desk edge/surface mount, under mount, edge Desk edge/surface mount: 0.5" - 1.75" Includes AC Adapter and power cable. Notes: Specify color: Black (BK) White (WH)	e mount	
Reya Standard Surface Power Module	PWR-ACC		\$340
	Description: · Features 2 power receptacles, 1 USB-A and 2 USB-C · Charges laptops up to 65W · Mount: Desk edge, 0.75" - 1.75" Notes: · Specify color: White (WH) Black (BK)	ports	
Under Mount Kit for Reya Standard Surface Power Module	PWR-UM-CK		\$51
	Description: Conversion kit allows the Reya Standard Suface Pow to be mounted underneath worksurface Includes mounting bracket, screws, and wire manage (Reya Standard Surface Power Module sold separate Black finish	ement clips	

MODEL LIST PRICE Reya Wireless Surface PWR-ACC-WRLS-__ \$498 **Power Module** Description: · Features 2 power receptacles, 1 USB-A and 2 USB-C ports · Charges laptops up to 65W · Fast wireless charging · Mount: Desk edge, 0.75" - 1.75" · Specify color: White (WH) Black (BK) Reya Power Strip PWR-STRP-__ \$136 **Description:** · 6 power receptacles · Input: 125VAC, 60Hz, 15A max · Output: AC Outlets (6): 120VAC, 60HZ, 15A max Notes: · Specify color: White (WH) Black (BK) Reya Power Strip with PWR-ACC-STRP-__ \$524 **Hardwired Standard Surface Power Module** SALANA DE SALA Description: · Charges laptops up to 65W · Mount: Desk edge, 0.75" - 1.75" Surface module: · Features 2 power receptacles, 1 USB-A and 2 USB-C ports **Power Strip** · 6 power receptacles · Input: 125VAC, 60Hz, 15A max · Output: AC Outlets (6): 120VAC, 60HZ, 15A max Notes: Specify color: White (WH) Black (BK) Reya Power Strip with \$681 PWR-ACC-WRLS-STRP-__ **Hardwired Wireless Surface Power Module** Section Sectio Description: · Charges laptops up to 65W · Mount: Desk edge, 0.75" - 1.75" Wireless Surface Module: · Features 2 power receptacles, 1 USB-A and 2 USB-C ports, fast wireless charging **Power Strip** · 6 power receptacles · Input: 125VAC, 60Hz, 15A max · Output: AC Outlets (6): 120VAC, 60HZ, 15A max

Notes:

Specify color: White (WH) Black (BK)

MODEL LIST PRICE

Reya 140W Surface Power Module

PWR-ACCC-TD-__

\$425



Description:

- · Features 1 USB-A and 3 USB-C ports
- · Charges laptops up to 140W
- · Mount: Desk edge, 0.4" 1.7"

Notes:

Specify color: White (WH) Black (BK)

Reya 140W Charging Cap for E5

PWR-ACCC-IM-__

\$295



Description:

- · Features 1 USB-A and 3 USB-C ports
- · Charges laptops up to 140W

Notes:

• Specify color: White (WH) Silver (SI) Black (BK)

	MODEL	LIST PRICE
E5 - 10" Straight Link Extension	RP418171	\$109
	Description: • 10" straight link extension • For use with E5 Notes: • Specify color: Black (BLK) Silver (SLV) White (WHT)	
E5 - 45-Degree Angle Link	RP418082	 \$98
	Description: · 45-degree angle link · For use with E5 Notes: · Specify color: Black (BLK) Silver (SLV) White (WHT)	
E5 - Dynamic Arm (5 - 45 lbs)	RP418090-45	\$197
	Description: Dynamic arm, supports 5 - 45 lbs. For use with E5	
	Notes: • Specify color: Black (BLK) Silver (SLV) White (WHT)	
E5 - Dynamic Arm (0 - 25 lbs)	RP418090-25	\$130
	Description: Dynamic arm, supports 0 - 25 lbs. For use with E5 Notes: Specify color: Black (BLK) Silver (SLV) White (WHT)	
EE 4011 01: 1 //E0 A DL -		φ10.0
E5 - 10" Slider w/VESA Plate	RP418123 Description: · 10" slider w/VESA plate · For use with E5 Notes: · Specify color: Black (BLK) Silver (SLV) White (WHT)	\$130
E5 - Single Tilter Head w/VESA Plate	RP418045	\$78
	Description: · Single tilter head w/VESA plate · For use with E5 Notes:	
	Specify color: Black (BLK) Silver (SLV) White (WHT)	
E5 - Desk 2-Piece Top Down Mount	RP418028	\$130
	Description: Desk 2-piece top down mount For use with E5 Notes: Specify color: Black (BLK) Silver (SLV) White (WHT)	

	MODEL	LIST PRICE
E5 - Dual Y Mount	RP418131	\$104
	Description: Dual Y mount For use with E5 Notes: Specify color: Black (BLK) Silver (SLV) White (WHT)	
E5 - 14" Pole	RP418160-14	\$78
	Description: · 14" pole · For use with E5 Notes: · Specify color: Black (BLK) Silver (SLV) White (WHT)	
E5 - 14" Pole Extension w/Coupler	RP418340	\$78
	Description: • 14" pole extension w/coupler • For use with E5 Notes: • Specify color: Black (BLK) Silver (SLV) White (WHT)	
E5 - Single Yoke	RP418165	\$78
	Description: Single yoke For use with E5 Notes: Specify color: Black (BLK) Silver (SLV) White (WHT)	
E5 - Dual Yoke	RP418167	\$104
	Description: Dual yoke For use with E5 Notes: Specify color: Black (BLK) Silver (SLV) White (WHT)	
E5 - Dual Crossbar w/Handle	RP418178	\$311
	Description: Dual crossbar w/handle For use with E5 Notes: Specify color: Black (BLK) Silver (SLV) White (WHT)	
E5 - Thru-Desk Conversion Kit	RP418705	\$31
	Description: • Fits desks 1" – 1.85" thick • For use with E5	

MODEL WEIGHT LIST PRICE CPU Holder CPU-HLDR-1 7 lbs. \$171 Description: · 22 lbs. max weight capacity · Supports computers 11.8" - 21" H, 3.5" - 8" D · 360 degree swivel · Mount under desk or on wall · Available in black **CPU Holder w/Track** CPU-HLDR-2 12 lbs. \$207 **Description:** · 22 lbs max weight capacity · Supports computers 11.8" - 21" H, 3.5" - 8" D · Slide track: 5.79" x 19.09" · Track adjustment: 12.8" · 360 degree swivel · Minimum worksurface depth: 20" · Mount under desk · Available in black \cdot Not compatible with Mid HAT & Hi HAT bases **Thru-Desk Conversion Kit** 8524-TM-CK (compatiable with single top down mount) No Charge for Top Down Mounts 8540-TM-CK (compatible with E2 dual) Description: · Hardware kit to convert top down mount desk edge mount to thru-desk · Desk thickness up to 1.5" · Bolt is M8 x 100mm Notes: · Hardware only, does not include mount 8524-FM-CK \$68 FlexMount Conversion Kit for Top Down Mounts **Description:** · Hardware kit to convert top down mount to flex mount · 2-piece clamp for panel/screen systems · Desk thickness up to 1.5" · Hardware only, does not include mount \$43 **Height Adjustable Adapter** 8473-603 **Description:** \cdot Allows for fine-tune monitor height adjustment · Attaches between tilter and VESA plate · Compatible with 7000 and Staxx series monitor mounts · Color: Black e-coat **Next Gen Tilter** 8500-___ \$61 **Description:** · Quick-install/quick-release mechanism Notes:

• Specify color: Black (104) Silver (124) White (248)



	MODEL	LIST PRICE
4 in. extension arm	9118-9112	\$64
	Description: · 4 in. extension arm	
	Notes: • Specify color: Black (104) Silver (124) White (248)	
4 in. extension arm with rotation stop	9118-9112-RS	\$178
	Description: • 4 in. extension arm with rotation stop • For use with E2 Connex	
	Notes: • Specify color: Black (104) Silver (124) White (248)	
8.5 in. extension arm	9118-9130	\$97
	Description: • 8.5 in. extension arm	
	Notes: • Specify color: Black (104) Silver (124) White (248)	
8.5 in. extension arm with rotation stop	9118-9130-RS	\$190
	Description: • 8.5 in. extension arm with rotation stop • For use with E2 Connex	
	Notes: • Specify color: Black (104) Silver (124) White (248)	
12 in. extension arm	9118-12	\$124
	Description: • 12 in. extension arm	
	Notes: • Specify color: Black (104) Silver (124) White (248)	
12 in. extension arm with rotation stop	9118-12-RS	\$217
	Description: • 12 in. extension arm with rotation stop • For use with E2 Connex	
	Notes: • Specify color: Black (104) Silver (124) White (248)	

	MODEL	LIST PRICE
E2 Connex Dual Yoke	8360-RS	\$227
	Description: • Dual yoke allows you to expand your E2 Connex configuration Notes: • Specify color: Black (104) Silver (124) White (248)	
E2 Connex 28" Pole	8448-14 (14" pole length)	\$67
	8448-28 (28" pole length)	\$88
	Description: • 14" or 28" pole length, compatible with E2 Connex components Notes: • Specify color: Black (104) Silver (124) White (248)	
E2 Connex Dynamic Arm	E2-ARM-SLD-	\$257
	Description: • E2 Connex Dynamic Arm with slider and VESA adapter Notes: • Specify color: Black (104) Silver (124) White (248)	
8510 Laptop Tray	8510	\$140
	Description: • 13.5" × 10" • Allows for use of laptop with dual triple monitor configuration • Compatible with 100 mm VESA hole pattern Notes: • Specify color: Black (104) Silver (124) White (248)	
Sliding VESA Assembly	8538	\$67
	Description: 7" of adjustment from left to right Ideal for positioning monitors of varying sizes side-by-side Allows for landscape/portrait monitor positioning Notes: Specify color: Black (104) Silver (124) White (248)	
HD Tilter	8377-175	\$150
	Description: · Allows for landscape/portrait monitor positioning · Monitor tilter mechanism can tilt over 200 degrees Notes: · Specify color: Black (104) Silver (124) White (248)	

MODEL **WEIGHT** LIST PRICE WNST-MAT \$82

Winston Mat

Description:

- · .75" thick durable foam delivers deep-cushion comfort.
- · Bounce-back memory restores energy while standing.
- · Durable, stain-resistant surface.
- · Material: Commercial grade, heavy-duty polyurethane.

Casters



CAS-374 2 lbs. \$79 CAS-375 3 lbs. \$100


CAS-37 4 Description:

- · Set of four 37mm dual wheel casters (2 locking, 2 non locking)
- · For 2 leg HAT base (compatible with HAT bases only)
- · Available in black

CAS-37 5 Description:

- · Set of five 37mm dual wheel casters (2 locking, 3 non locking)
- · For 3 leg base (compatible with HAT bases only)
- · Available in black

Keyboard Tray KT-27 12 lbs. \$359



Description:

- · Tilt adjustment, +10/-10 degrees
- · 11" track
- · 360 degree swivel
- · Keyboard tray size 27" W x 10" D with polyurethane foam wrist rest
- · Built-in mouse tray on left and right side (mouse pad can be repositioned)
- · Exceeds ANSI/BIFMA x5.5


WNSTE-DESK-BEAM-

· Available in black

Winston E-Desk Beam



\$196



Description:

- · Screen size: up to 27"
- Weight capacity: up to 45 lbs. total
 Compatible with Winston E-Desk

· Specify color: Black (BLK) White (WHT)

ACCESSORIES

GROMMETS

60MM Grommet #CPF-2600

\$11

BAG HOOK

BAG HOOK #BH-S-XX

Silver, Black, White \$45



CASTERS + GLIDES

(1) 1" ERGO CASTER

#8027

\$35



(1) 2" ERGO CASTER #8033

Locking \$41

(1) 2" ERGO CASTER

(ELLE & ELLEHAVEN)

#8036

Locking \$64

(1) 3" SOFT WHEEL CASTER #8028

Locking \$91

(1) GLIDE EXTENDER #R015139

\$24

POWER + DATA

(ELLEHAVEN) INLAY **POWER, DATA, & USB**

#D3P4USBSUR-XX-72

Black, White \$927



#D3PSUR-XX-72

Black, White

\$491



BATTERY PACK

BATTERY PACK #BP-KIT

\$768

Includes 1 Battery.

BATTERY KIT #BP-KIT2

\$1,962


Includes 2 Batteries, 1 charging station, and 2 control boxes. Configured to convert an Ellehaven or Elle

from corded to battery operated.

UNDER SURFACE POWER

UNDER SURFACE 6X POWER #NLD6PCOIL-B-120

\$266



CABLE TRAYS (ELLE & ELLEHAVEN)

ELLE CABLE TRAY

Adjustable, 39.6" - 63.6", Black #17000010

\$363



ELLEHAVEN CABLE TRAYS

84". Black #40000008410

\$487




96". Black #40000009610

\$514



96", Frames 108"-120" x 36" Gable, Black #400010812010

\$901



96", Frames 108"-120" x 42" Gable, Black #400110812010

\$936



96", Frames 108"-120" x 48" Gable, Black #400210812010





METAL LAMINATES & WOOD PET & FABRIC Wood (Fiellø) PET Fabric Bases Laminates Fabric Elements Line (Grade 1) Standard: Fusion Line (Grade 2) In-Stock: In-Stock & Standard: Standard: In-Stock: Standard: Barley White Designer White Oak Ash Euro WH DW WO ASH F102 F210 Poppy F104 Silver Manitoba Maple Walnut Slate Rinse SLATE WW F214 Fawn Cypress Charcoal* Sodalite Black Capri BK CHARCOAL F108 F218 Iced Grey* Arundel Pinnacle Walnut Aster Standard: PW F112 F219 * Charcoal and Iced Grey are In-Stock for Wrap Dividers only. Charcoal CH Stately F113 Beyond F220 Laminates (Fiellø) Stucco Mocha Sapphire Standard: Standard: 40 F114 Clear Aluminum Ash Steel Linen 42 ASH F120 F222 Slate Iron Dove Feather Power & Data Beam SLATE F121 White Charcoal Gull Basalt Platinum CHARCOAL F230 WH F122 Silver Iced Grey Pewter Jet Charcoal SI F123 F231 Black Cobalt Black ВК COBALT Oat Storage OAT Pear PEAR White WH Silver Sandstone SANDSTONE SI Black BK **Recycled PET Desktop Converters** (Aura & Fiellø) Flat White Standard: 248 Silver Night 124 FNI Slate FSL Vista Black 104 Grey Duotone 270 Pebble FPE White Black WHT FBL Black Oatmeal BLK FOA Latte FLA **Monitor Arms** Flat White 248 Silver 124

Vista Black 104

WHITE BOARD STORAGE CUSHIONS **SEATING** Standard: In-Stock: Frame: White Clear Acrylic Charcoal CLA 15-13 Frosted Acrylic Black Standard: White Board Sapphire Mesh: WB 15-03 Cloud Poppy 15-04 мзн Smoke M2H Mica 15-07 Salmon Raven 15-08 М1Н Garnet Seat Upholstery: 15-11 Alloy ALLOY Meadow 15-15 Mauve Iron 15-16 **IRON** Taupe Jet 15-17 JET Fern Base: 15-18 Teal Polished Aluminum 15-19 S1PB Black Black Nylon 15-21 S1RR Sodalite Blue 15-44 Iron 15-48 Seafoam 15-49 Orange 15-75 Rust 15-102 Yellow 15-104 Khaki 15-106 Brown 15-109 Lilac 15-110 Frost Green 15-118 Denim 15-153 Mustard 15-155 Blue Green 15-161 Fez 15-164 Midnight 15-167 Sapphire

15-173 Purple 15-184

ACRYLIC &

IN-STOCK



Silver 124
Vista Black 104
Grey Duotone 270
White WHT
Black BLK

Monitor Arms

Silver 124
Vista Black 104



HAT Collective Global Headquarters 100 Kuebler Road Easton, PA 18040

800 524 2744 hatcollective.com



