



MARCH 2024



HAT
COLLECTIVE™
HUMAN ACTIVE TECHNOLOGY

WORK YOUR WAY.

Our product collection empowers you to choose the way you work. An individualized workspace ultimately leads to increased job satisfaction, improved health and well-being, and higher levels of engagement and productivity. Whether in the office or at home, sitting or standing, together or at a distance, our flexible, sophisticated range of workplace solutions lets you work your way.



TABLE OF CONTENTS

INTRODUCTION

Warranty	4
Terms & Conditions	5
Freight	8
Lead Times	10

WORKSTATIONS

Workstations	16
Bases	19
Mobile	38
Power & Data Beam	48
Benching	52
Group & Conference	46, 54
Worksurfaces	56
Desktop Converters	62
Dividers & Modesty Panels	68

MONITOR ARMS

STORAGE

SEATING

ACCESSORIES

Lighting	103
Wire Management	104
Power & Docking	105
CPU Holders	108
Mounts & Adapters	108
Keyboard Trays	111

WARRANTY

Seller warrants that its products will be free from defects in material and workmanship when the title passes to the buyer. Seller will repair (only pre-approved labor and service costs are covered under this warranty) or replace (or issue a pro-rated credit if a similar product is no longer available), at its discretion, any defective product without charge (shipping charges excluded).

Seller may require proof of purchase before performing any repairs or replacing any products during the warranty period. Except as specifically set forth above, Seller makes no warranties, express or implied and specifically disclaims any warranty of merchantability or fitness for a particular purpose. Repair or replacement of the product ordered from Seller shall be buyer’s exclusive remedy.

Seller will not be responsible for incidental or consequential damages.

THIS WARRANTY DOES NOT APPLY TO:

- Damage caused by a carrier.
- Labor charges.
- Normal wear and tear.*
- Defects caused by failure to follow instructions related to the product's installation or intended use.
- COM or other third party materials applied to the products.
- Products subjected to improper use and conditions.
- User modification of, or attachments to the product, including application of your own materials
- Damage resulting from misuse, negligence, accident or alteration.

* Normal use consists of a 5 day, 40 hour work week.

This warranty shall be effective for the applicable time period starting from date of purchase as shown on your original receipt or other proof of purchase. The warranty covers the original purchaser of the product.

PRODUCTS:

- Bases, Benching: craftsmanship for the life of the product. Electrical and mechanical components are warranted for 12 years.
- Power and Data Beam: craftsmanship for the life of the product. Electrical and mechanical components are warranted for 7 years.
- Pedestals are warranted for their lifetime
- Pedestal Cushions are warranted for 2 years.
- Worksurfaces & Dividers are warranted for 5 years. (Worksurface & Divider exclusions include: normal wear and tear, which are to be expected over the course of ownership; damage caused by abuse, misuse, neglect, vandalism, accident, disaster, improper storage, chemical damage, water or fire; damage caused by the carrier in-transit, which will be handled as claims against the carrier; modifications or attachments to the product that are not approved by the Company or use of a product in combination with products or equipment not appropriate for that product; products that were not installed, used or maintained in accordance with product instructions and warnings; causes external to a product such as use of improper cleaning supplies or environmental factors; products which have been modified or altered, repaired or refurbished by someone other than the company.)
- Winston Series: 5 years
- One Touch: 10 years unit/parts, 2 years motor
- Movel: 3 years
- Seating: Parts and components: 10 years, Mesh: 5 years

ACCESSORIES:

- Keyboard Trays: 1 year
- Monitor Arms: 10 years
- Power Modules: 5 years
- CPU Holders: 5 years
- Lighting: 2 years
- Docking Station: 1 year

TERMS & CONDITIONS

The following terms and conditions shall apply to all orders by buyer (“Buyer” or “you”) for goods and services purchased from Human Active Technology (individually the “Seller” or “Us”, and, together with Buyer, the “parties”). By accepting delivery, Buyer agrees to be bound by and accepts these terms and conditions. These terms and conditions supersede the terms and conditions of or attached to the Buyer’s purchase order or any similar document submitted by Buyer (a “Purchase Order”), meaning any provision of the Buyer’s Purchase Order or attachment thereto which conflicts with these terms and conditions shall be ineffective and these terms and conditions shall govern each Purchase Order unless the Seller shall subsequently agree otherwise in writing.

1. RESERVATION OF RIGHTS

Seller reserves the right to change at any time without notice these terms and conditions.

2. PAYMENT TERMS

a. CREDIT – Credit may be extended to Buyer at Seller’s sole discretion. Credit approval is required for all orders on open account. All products, parts and services sold to Buyer on open account are due ‘Net 30 Days’ from date of invoice, unless otherwise agreed to in writing at the time of sale. A service charge at the then-current prevailing rate is assessed on delinquent balances. Seller reserves the right to change this rate or the ‘Net 30 Days’ payment due date from time to time. Service charges will be assessed monthly. The current rate is 1.5% per month (18% annually) or the maximum rate allowed by law, whichever is less. Buyer is responsible for cancellation costs and attorney’s fees associated with collection of monies owed to Seller by Buyer. Buyer shall notify Seller in writing of errors contained in invoices within 30 days of issuance. Invoices are deemed correct 30 days following issuance. Credit accounts past due will be placed on hold– pending orders will not be shipped and work-in-process for pending orders will be stopped until account is made current by Buyer.

b. DEPOSIT FOR LARGE ORDERS – For orders from new customers of \$20,000 or more, standard terms are: 1/2 deposit with the Purchase Order and 1/2 payment prior to shipment. For orders from established customers of \$50,000 or more, standard terms are: 1/2 deposit with the Purchase Order and 1/2 payment Net 30 Days.

3. CURRENCY

All prices quoted and monies due are in U.S. dollars. For non-U.S. customers, payment may be made by certified check, wire transfer or VISA, MasterCard or American Express.

4. DELIVERY & FREIGHT

a. U.S. SHIPMENTS – Unless otherwise negotiated, standard freight terms for order shipments within the 48 contiguous states of the United States are prepay and add to final invoice. Seller reserves the right to reasonably charge the buyer for all non-standard delivery requirements which may include but are not limited to:

- Consolidation and delivery on the same truck
- Expedited or air freight
- Special shipping or packaging methods
- Liftgates/forklift
- Delivery outside of normal hours
- Inside delivery
- Redelivery, notification, etc.
- Improper refusal of product
- Detention charges
- Street unloads
- Redirection of product
- Storage past acknowledged ship date

(All products in the catalog will receive ship dates respective of their product category and can be found on the following page: 10.

i. Title passes to Buyer at the dock of the shipping origin. Choice of carrier is at Seller's discretion, unless specified by Buyer's Purchase Order. Freight charges are added to Buyer's invoice unless Buyer's Purchase Order specifies carrier routing, notes "freight collect," and includes applicable carrier account numbers and/or billing information.

ii. For Alaska – freight is prepaid to Port of Seattle, Washington. For Hawaii, freight is prepaid to Port of Oakland, California.

iii. Customer arranged pick up (will-call) is available with timely and reasonable coordination. Once confirmed, Buyer will have three (3) business days from notification to pick up the order. If the order is not picked up within this time frame, storage charges may apply.

iv. All requests for carrier-guaranteed delivery times shall be considered and will include an additional fee, if accepted. This additional fee will be the maximum liability to the Seller. If the carrier misses the guaranteed delivery time, a refund will be issued to customer.

b.NON-U.S. SHIPMENTS – Unless otherwise negotiated and accepted by the Seller in writing, shipments outside of the U.S. are shipped Freight On Board (FOB) Origin or Shipping Origin. Title passes to Buyer at the dock of Shipping Origin regardless of method of shipment. Transportation costs will be added to invoice unless Buyer's Purchase Order specifies carrier routing, notes "freight collect" and includes applicable carrier account numbers and/or billing information. Unless otherwise negotiated, Buyer is responsible for arranging customs clearance and for filing and paying all applicable duties and taxes outside of the United States.

c.DAMAGE – Seller is not responsible for damage that occurred in transit or during storage. Before accepting a shipment from the carrier, Buyer (and/or its designated receiver) is to carefully review the packing list and inspect the quantity and condition of the items. For any external damage, Buyer should document all damage on the Bill of Lading and request a carrier inspection of the product.

d.CONCEALED DAMAGE – Buyer must report concealed damage to the carrier and Seller, in writing, within 48 hours of receipt. In the event of damage, Buyer shall accept the order and contact Seller for issue resolution. Seller agrees to take all reasonable measures to assist Buyer in resolving claims for loss or damage.

e.EARLY SHIPMENTS – Estimated ship dates are sent with order acknowledgements. Seller may ship up to 5 days early, unless requested otherwise on Buyer’s Purchase Order.

f. REPACKING CHARGES – Any Buyer requests to change shipment methods or destinations stated on Purchase Order, or any requests from Buyer for special packaging not stated on Purchase Order may result in repacking charges if requests require Seller to repack order.

5. TAXES AND DUTIES

Buyer shall be responsible for all taxes and duties which result from the transfer of title, sale or delivery of the goods and services purchased hereunder. Taxes may not be applied if a valid and correct tax exemption certificate is furnished to Seller prior to shipment.

6. CANCELLATIONS

Purchase Orders may not be changed or canceled, in whole or in part, without prior written consent of Seller. Changes or revisions must be clearly indicated on the new Purchase Order and may affect delivery dates. Expenses incurred because of changes will be charged to the Buyer as customer. In the event of cancellations, the customer will be liable for reasonable cancellation charges established by Seller. Charges may be incurred by Buyer for the entire amount of the order. Orders for customized products, custom finishes or applying Customer's Own Material (COM) may not be canceled. All such custom orders are final and non-refundable.

TERMS & CONDITIONS
(CONTINUED)

7. RETURNS AND CLAIM POLICY

a. RESPONSIBILITY. It is Buyer’s responsibility to examine goods upon receipt and to notify Seller with any concerns. Any claims against Seller for apparent defects, errors or shortages must be made by the Buyer within 48 hours after any receipt date. Failure by the Buyer to make any claim against Seller within 48 hours shall constitute acceptance of the goods and waive any apparent defects, errors or shortages.

b. DEFECTIVE ITEMS – Defective items may be returned within limits of the Warranty.

c. CUSTOM-CONFIGURED ITEMS – Non-defective Custom-configured Items are not returnable.

d. RETURNS
Authorized merchandise returns must be approved prior to the arrival of any goods at our dock. Unauthorized returns will not be accepted by Seller. All returns must be labeled with a valid Return Authorization (R/A) number on the outside of packaging. Shipments without R/A numbers will be rejected. R/A numbers may be obtained by calling Seller. Products must be returned to Seller within 30 days of receipt. Returns are subject to up to a 25% restocking fee plus return freight charges. Product must be returned in original cartons in "as new" condition.

e.INSTALLATION
The unboxing and installation of product shall constitute acceptance of the goods and deem teh items as "non-returnable."

8. BLANKET ORDERS

Blanket Orders include any order by Buyer to be received in multiple shipments (“releases”).
·Buyer must accept all releases within 6 months of Purchase Order receipt, unless agreed by Seller otherwise in writing. Units not requested to be shipped by Buyer within 6 months of Purchase Order receipt will be shipped and invoiced to Buyer immediately following the 6 month deadline. Cancellation and order change fees apply as specified in sections 6a and 6b.

9. WARRANTY

Seller warrants that its products will be free from defects in material and workmanship when the title passes to the Buyer. Seller will repair (only pre-approved labor and service costs are covered under this warranty) or replace (or issue a pro-rated credit if a similar product is no longer available) at its discretion any defective product without charge (shipping charges excluded).

Seller may require proof of purchase before performing any repairs or replacing any products during the warranty period. Except as specifically set forth above, Seller makes no warranties, express or implied, and specifically disclaims any warranty of merchantability or fitness for a particular purpose. Repair or replacement of the product ordered from Seller shall be Buyer’s exclusive remedy. Seller will not be responsible for incidental or consequential damages.

THIS WARRANTY DOES NOT APPLY TO:

- Damage caused by a carrier.
- Buyer’s labor charges.
- Normal use, wear and tear.*
- Defects caused by failure to follow instructions related to the product’s installation or intended use.
- Products subjected to improper use and conditions.
- User modification of, or attachments to the product, including application of your own materials (i.e., COM) or a third party’s materials.
- Damage resulting from misuse, negligence, accident or alteration.

TERMS & CONDITIONS
(CONTINUED)

and determine any suit instituted under these terms and conditions (and all Purchase Orders). Each party expressly submits in advance to such jurisdiction in any action or proceeding commenced by the other, and agrees that service of such summons and complaint, or other process or papers, may be made in accordance with the physical Notice provisions hereof concerning certified mail, return receipt requested.

17. NOTICE

The parties may give notice to each other by certified mail, return receipt requested or overnight courier, according to the addresses set forth in the Purchase Order. Ordinary course email notice may be given concerning details of or changes to any given Purchase Order, provided the sender has received electronic confirmation of

*Normal use consists of a 5 day, 40 hour work week.

This warranty shall be effective for the applicable time period starting from date of purchase as shown on your original receipt or other proof of purchase. The warranty covers the original purchaser of the product.

Individual product warranty time periods can be found on the Seller’s websites.

10. INSTALLATION

Seller does not take responsibility for Buyer’s installation of Seller’s products. Buyer must supply own installation or acquire installation services from a third party.

11. ONLINE AUCTIONS

Buyer agrees that product purchased from Seller will not be sold at online auction for less than Seller’s suggested retail price, unless clearly marked as “Used” in both auction subject line and descriptive text. Buyer is obligated to inform prospective bidders that Seller’s warranties are voided by sale at online auction and product purchased at online auction may not for any reason be returned to Seller for repair, credit or exchange. Seller reserves the right to refuse to sell to any Buyer discovered to be in violation of these terms and conditions.

12. RESALE

Subject to Section 11, on any resale of purchased items the Buyer will contractually limit its buyer’s rights and remedies against both Buyer and Seller to the same extent as Buyer’s rights and remedies covered in Warranty and Returns and Claim Policy above.

13.PERMITS & COMPLIANCE

Seller is not responsible for obtaining any permits, inspections or licenses required for installation or operation of the goods or services. Seller makes no promise or representation that the goods or services will conform to any federal, state, local, foreign or other laws, ordinances, regulations, codes or standards.

14. LIMITED LIABILITY

The entire liability of Seller to Buyer for any cause whatsoever, regardless of the form of action, whether in contract, tort or otherwise, shall be limited to the direct damages proven or an amount equal to the purchase price of the products or services, whichever is less. In no event shall Seller be liable for any indirect, special reliance, incidental or consequential damages (including lost profits or savings) sustained or incurred in connection with the product. This paragraph shall survive failure of any exclusive remedy.

15.NON-WAIVER

Any failure on Seller’s part to insist upon the strict performance of any term or condition set forth herein shall not be deemed a waiver of any of Seller’s rights or remedies hereunder, nor of its right to insist upon the strict performance of the same or of any other term of this document in the future. No waiver of any condition of this document shall be valid unless in writing and signed by an authorized representative of Seller.

16. PREVAILING LAW

The parties hereto hereby agree that these terms and conditions (and all Purchase Orders) shall be governed by and construed in accordance with, for all purposes, the laws of the Commonwealth of Pennsylvania, without reference to its rules concerning conflicts of laws, and further agree that the Pennsylvania State courts or the federal court for the Eastern District of Pennsylvania shall have exclusive jurisdiction to hear

FREIGHT

All pricing includes free freight, except for orders under \$2,000 Net. Monitor arms do not incur a freight charge regardless of order value. Any exceptions are noted in this document.

Orders below \$2,000 Net will incur a freight charged based on the information below.

- There is a \$20 minimum freight charge for orders under \$2,000 net, excluding monitor arm and wall mount only orders.

- All orders requiring a residential delivery will be charged a \$50 handling fee

Height Adjustable Bases, Desktop Converters (Winston, One-Touch), Accessories
· For order value less than \$2,000 net, 12% of net

Storage
· For order value less than \$2,000 net, 12% of net with a \$100 minimum Not available to ship via Parcel

Seating
· For order value less than \$2,000 net: \$55 per unit

Worksurfaces, when shipped with bases
· For order value less than \$2,000 net, for worksurfaces of up to 60" x 30, \$89 per worksurface and base combination. Any worksurface larger than 60" x 30" will need to be shipped via LTL and cost will be greater

The following products are excluded from free freight over \$2,000 net. Freight quote required (customerservice@team-hat.com or 800-524-2744)
· Orders for worksurfaces that do not include a base
· Elle
· Ellehaven
· Fiello
· M Series
· Special Order/Custom Product

- Alaska: freight is prepaid to Port of Seattle.
- Hawaii: freight is prepaid to Port of Oakland

DELIVERY
Seller reserves the right to reasonably charge the buyer for all non-standard delivery requirements which may include but are not limited to:

- Consolidation and delivery on the same truck
- Expedited or air freight
- Special shipping or packaging methods
- Liftgates/forklift
- Delivery outside of normal hours
- Inside delivery
- Redelivery, notification, etc.
- Improper refusal of product
- Detention charges
- Street unloads

- Redirection of product
- Storage past acknowledged ship date

WILL CALL
Bay Area orders require will call. Freight surcharge of 5% of net applied if shipping required within the Bay Area.

Will Call orders will have a confirmed pick up date. Customers will have three (3) business days from notification to pick up their order. If the order is not picked up within this time frame, storage charges may apply.

TAXES AND DUTIES
Buyer shall be responsible for all taxes and duties which result from the transfer of title or sale or delivery of the Goods & Services purchased hereunder. Taxes may not be applied if a valid and correct tax exemption certificate is furnished to Seller prior to shipment.

CANCELLATIONS
Purchase Orders may not be changed or canceled, in whole or in part, without prior written consent of Seller. Changes or revisions must be clearly indicated on the new Purchase Order and may affect delivery dates. Expenses incurred because of changes will be charged to the Buyer as customer. In the event of cancellations, the customer will be liable for reasonable cancellation charges established by Seller. Charges may be incurred by Buyer for the entire amount of the order. Orders for customized products, custom finishes or applying Customer's Own Material (COM) may not be canceled. All such custom orders are final and non-refundable.

SHIPMENT DAMAGE CLAIMS
Seller is not responsible for damage that occurred in transit or during storage. Before accepting a shipment from the carrier Buyer (and/or their designated receiver) is to carefully review the packing list and inspect the quantity and condition of the items. For any external damage, Buyer should document all damage on the Bill of Lading and request a carrier inspection of the product. Buyer must report concealed damage to the Carrier and Seller in writing, within 48 hours of delivery.

ROUTING
Standard courier shipments are made via common carrier, unless otherwise specified by customer. Special routing requests made by the customer may result in additional charges to the purchaser. All LTL/full-trailer shipments are dock-to-dock.

Shipments are not guaranteed. Should you require guaranteed service please contact Customer Service. We will work to arrange a specific delivery timetable with the carrier, charges may apply.

	LTL: Over \$2,000 NET	LTL: Under \$2,000 NET	Parcel: Over \$2,000 NET	Parcel: Under \$2,000 NET
MONITOR ARMS	Free Freight	Free Freight	Free Freight	Free Freight
BASES	Free Freight	12% of net	Free Freight	12% of net
WORKSURFACES AND BASE COMBO <small>*WORKSURFACES UP TO 60" X 30" 2-LEG BASE ONLY</small>	Free Freight	\$89 per unit	Free Freight	\$89 per unit
DESKTOP CONVERTERS	Free Freight	12% of net	Free Freight	12% of net
ACCESSORIES	Free Freight	12% of net	Free Freight	12% of net
SEATING	Free Freight	\$55 per unit	Free Freight	\$55 per unit
STORAGE	Free Freight	12% of net, \$100 min- imum	Not available	Not available
WORKSURFACES <small>*STANDARD FINISHES AND SIZES</small>	Call for quote	Call for quote	Call for quote	Call for quote
ELLE ELLEHAVEN FIELLO M SERIES	Call for quote	Call for quote	Call for quote	Call for quote
CARTS	7% of net	7% of net	7% of net	7% of net
WALL TRACKS	Free Freight	Free Freight	Free Freight	Free Freight
SPECIAL ORDER CUSTOM	Call for quote	Call for quote	Call for quote	Call for quote

WORKSTATION LEAD TIMES

ALL LEAD TIMES REFLECT BUSINESS DAYS

PRODUCT CATEGORY	MODELS	IN-STOCK FINISH LEAD TIME	STANDARD FINISH LEAD TIME
Bases	Mid HAT	3 Days	8-12 Weeks
	Mid HAT with C-Foot	-	8-12 Weeks
	Hi HAT	3 Days	8-12 Weeks
	Hi HAT with C-Foot	-	8-12 Weeks
	L Unit	3 Days	8-12 Weeks
	S-Collection Frame Only	-	4-6 Weeks
	M-Series Frame Only	-	4-6 Weeks
	Elle Frame Only	-	6-8 Weeks
Power & Data Beam	Beam Frame	3 Days	-
	Posts	3 Days	-
	Duplex Receptacle	3 Days	-
	Power Pole	3 Days	-
	Power Trac	3 Days	-
	Power Feed	3 Days	-
Benching	Dual Benching Unit	3 Days	-
Group & Conference	Conference Table	3 Days	-
	Ellehaven Frame Only	-	6-8 Weeks
Mobile	M-Nesting Frame Only		4-6 Weeks
Worksurfaces	Rectangular: 24" x 48", 24" x 60", 30" x 48", 30" x 60" *Limited Finishes	3-5 Days*	10-15 Days
	Mid HAT, Hi HAT, L Unit, HAT Benching, S-Collection Worksurfaces	-	10-15 Days
	M-Series Worksurfaces	-	4-6 Weeks
	Elle Worksurfaces	-	4-6 Weeks
	Ellehaven Worksurfaces	-	4-6 Weeks

* Orders over 99, please call
** Orders over 50, please call
** 19 or less: 2-3 weeks, 20 or more: 4 weeks

WORKSTATION LEAD TIMES

ALL LEAD TIMES REFLECT BUSINESS DAYS

PRODUCT CATEGORY	MODELS	IN-STOCK FINISH LEAD TIME	STANDARD FINISH LEAD TIME
Dividers	PET (Surface/Beam Mounted)	-	10-20 Days***
	Fabric Fold (Surface/Beam Mounted)	-	10-20 Days***
	Acrylic (Surface/Beam Mounted)	-	20 Days***
	White Board (Surface/Beam Mounted)	-	20 Days
	Acrylic Modesty Panel	-	10-20 Days***
	Aura	-	15-20 Days

* Orders over 99, please call
** Orders over 50, please call
** 19 or less: 2-3 weeks, 20 or more: 4 weeks

PRODUCT CATEGORY	MODELS	1-10 UNITS	11-25 UNITS	26-50 UNITS	51+ UNITS
Desktop Converters	Winston E-Desk	3 Days	5 Days	7 Days	Call
	Winston Workstation Single*	1 Day	3 Days	5 Days	Call
	Winston Workstation Dual*	1 Day	3 Days	5 Days	Call
	Winston Workstation Triple*	3 Days	5 Days	7 Days	Call
	Winston Workstation Quad*	3 Days	5 Days	7 Days	Call
	Winston-E Single	3 Days	5 Days	7 Days	Call
	Winston-E Dual	3 Days	5 Days	7 Days	Call
	Winston-E Triple	3 Days	5 Days	7 Days	Call
	One Touch Single	20 Days	20 Days	20 Days	Call
	One Touch Dual	20 Days	20 Days	20 Days	Call
	One Touch Triple	20 Days	20 Days	20 Days	Call
	One Touch One over One	20 Days	20 Days	20 Days	Call
	One Touch Two over Two	20 Days	20 Days	20 Days	Call
	One Touch Three over Three	20 Days	20 Days	20 Days	Call

* Finish 248 (White) has a 20 Day lead time.

MONITOR ARMS LEAD TIMES

ALL LEAD TIMES REFLECT BUSINESS DAYS

MODELS	1-10 UNITS	11-25 UNITS	26-50 UNITS	51+ UNITS
Envoy Single	3 Days	5 Days	7 Days	Call
Envoy Dual	3 Days	5 Days	7 Days	Call
E2 Single	Next Day	3 Days	5 Days	Call
E2 Dual	Next Day	3 Days	5 Days	Call
Staxx	3 Days	5 Days	7 Days	Call

MODELS	1-49 UNITS	50-149 UNITS	150+ UNITS
E2 Connex	20 Days	Call	Call
7000 Single*	2 Days	3 Days	Call
7000 Dual*	2 Days	3 Days	Call
7000 Dual Crossbar	2 Days	3 Days	Call
7500	2 Days	4 Days	Call

* Finish 248 (White) has a 20 Day lead time.

STORAGE LEAD TIMES

ALL LEAD TIMES REFLECT BUSINESS DAYS

MODELS	IN-STOCK FINISH LEAD TIME	STANDARD FINISH LEAD TIME
HAT Mobile Pedestal Slim	3 Days	-
HAT Mobile Pedestal	3 Days	-
HAT Mobile Pedestal Cushions	3 Days	8-12 Weeks 50 minimum order qty.
Collective Storage Mobile Locker	Call	-
Collective Storage Mobile Pedestal Slim	Call	-
Collective Storage Mobile Pedestal	Call	-
Collective Storage Mobile Credenza 30"	Call	-
Collective Storage Mobile Credenza 48"	Call	-
Collective Storage Cushions	Call	Call

SEATING LEAD TIMES

ALL LEAD TIMES REFLECT BUSINESS DAYS

MODELS	IN-STOCK FINISH LEAD TIME	STANDARD FINISH LEAD TIME
Iku	3 Days	Call

* Orders over 50, please call.

ACCESSORIES LEAD TIMES

MODELS	LEAD TIMES
Surface Power Modules	3 Days
Wire Management Sleeve	3 Days
Cable Management Sleeve	3 Days
Casters	3 Days
CPU Holders	3 Days
Docking Station	3 Days

MODELS	1-10 UNITS	11-25 UNITS	26-50 UNITS	51+ UNITS
Slider	20 Days	20 Days	20 Days	Call

IN-STOCK PROGRAM

In-Stock products ship in three business days or less.

In-Stock products include:

- Bases
- Power and Data Beams
- Benching
- Worksurfaces (limited skus)
- Mobile Workstations
- Dividers (limited skus)
- Mobile Pedestals
- Seating (limited skus)

Accessories

- Surface Mounted Power
- Wire Management Sleeve
- Cable Management Tray
- Casters
- CPU Holders
- Docking Station

* For more information, please contact your sales representative.

CERTIFICATIONS

HAT Collective leads the way in exceptional quality by combining products that perform with award winning design. We pride ourselves on meeting and exceeding industry standards so customers can feel confident they have invested in quality, high-performing products that will last.

CLEAN AIR GOLD

ANSI/BIFMA e3-2019, Sections 7.6.1, 7.6.2, 7.6.3: Open Plan Office and Private Office
Number: CA-88279-2021a, CA-81406-2021a, CA-80639-2021a, and CA-80639-2021b
Certification Status: Certified
Certification Period(s): Valid thru 1/09/2025

UL 962 / CE / TUV MARKINGS

HAT bases meet UL testing standards.

ANSI / BIFMA

HAT products within this price list generally meet or exceed applicable BIFMA and ANSI standards.

LEED CREDITS

HAT bases qualify for a variety of LEED credits.



WORKSTATIONS

HAT Collective workstations epitomize innovative design and functionality, helping to easily create an active, productive office environment. Sleek aesthetic and quality construction come together to provide a beautiful, healthy, and personalized work experience. Our standard product line offers unmistakable European flare and our in-stock bases are ideal for quick installations.

Problem solving for a complex environment or specific requests? Our Enhanced Design Solutions program enables total customization through professional design support and direct access to our manufacturing team.


To complete your personalized work environment, add power, modesty panels, storage, and more to create a comprehensive HAT Collective workspace.




WORKSTATIONS

STATEMENT OF LINE


BASES




Mid HAT, 2-Stage




Hi HAT, 3-Stage




HAT L Unit, 3-Leg




S-Collection
SE 2-Leg, 2-Stage




S-Collection
SX 2-Leg, 3-Stage




S-Collection
3-Leg, 2-Stage or 3-Stage




S-Collection
Panel Mounted




S-Collection
Wall Mount




Elle




M-Series Freestanding



M-Series Tripod



M-Series Quad



M-Series Wall Mount

POWER & DATA BEAM




Beam Frames

BENCHING




Dual Benching Unit

GROUP & CONFERENCE




Conference Table



Ellehaven


WORKSURFACES



Rectangle


WORKSTATIONS
STATEMENT OF LINE

MOBILE




M-Series Nesting


DESKTOP CONVERTERS




Winston E-Desk




Winston Workstation Single




Winston Workstation Dual




Winston Workstation Triple




Winston Workstation Quad




Winston-E Single




Winston-E Dual




Winston-E Triple




One Touch Single




One Touch Dual




One Touch Triple



One Touch One over One



One Touch Two over Two



One Touch Three over Three

DIVIDERS




Surface Mount (PET, Fabric, Acrylic & White Board)



Beam Mount (PET, Fabric, Acrylic & White Board)




Slide (PET)



Wrap (PET)




Modesty Panel (Acrylic)



Aura

HAT BASES
OVERVIEW


MID HAT, 2-STAGE



C-Foot available

- Electric height adjustable table base (2 Legs)
- Exclusive, easy to assemble, folding frame design
- Expandable width frame (S: 24"- 41", L: 42"- 72")
- 2 stage legs adjust from 27.25"- 46.75" (frame height)
- LED 3 position programmable handset
- Dual sync motors / 300 lb. lift capacity (including top)
- Cable manager included
- Anti collision safety function
- BIFMA, UL, CE, TUV and GreenGuard Gold Certified
- Qualifies for LEED credits
- Raises at 1.2" per second
- C-Foot model available, requires 30" deep worksurfaces



HI HAT, 3-STAGE



C-Foot available

- Electric height adjustable table base (2 Legs)
- Exclusive, easy to assemble, folding frame design
- Expandable width frame (S: 24"- 41", L: 42"- 742)
- 3 stage legs adjust from 23.75"- 49" (frame height)
- LED 3 position programmable handset
- Dual sync motors / 300 lb. lift capacity (including top)
- Cable manager included
- Anti collision safety function
- BIFMA, UL, CE, TUV and GreenGuard Gold Certified
- Qualifies for LEED credits
- Raises at 1.5" per second
- C-Foot model available, requires 30" deep worksurfaces




HAT L UNIT



- Electric height adjustable table base (3 Legs)
- Exclusive, easy to assemble, folding frame design
- Expandable width frame (L: 42"- 72")
- 3 stage legs adjust from 23.75"- 49" (frame height)
- LED 3 position programmable handset
- Tri sync motors / 350 lb. lift capacity (including top)
- Cable manager included
- Anti collision safety function
- BIFMA, UL, CE, TUV and GreenGuard Gold Certified
- Qualifies for LEED credits
- Raises at 1.5" per second

MID HAT BASES

2-STAGE

	MODEL	FOOT	TOP SIZE RECOMMENDED		WEIGHT	LIST PRICE
			WIDTH	DEPTH		
Rectangular, 2 Legs 	HAT2-MID-S-__	T-Foot	28" - 45"	24" - 30"	64 lbs.	\$1,034
	HAT2-MID-L-__	T-Foot	46" - 72"	24" - 30"	68 lbs.	\$1,034
	HAT2-MID-S-C-__	C-Foot	28" - 45"	30"	64 lbs.	\$1,034
	HAT2-MID-L-C-__	C-Foot	46" - 72"	30"	68 lbs.	\$1,034
	Description: <ul style="list-style-type: none">• Expandable width frame (S: 24"- 41", L: 42"- 72")• Lead time on C-Foot bases: 8-12 weeks					
Corner Unit, 2 Legs 	HAT2-MID-S-__	T-Foot	36" - 48"/36" - 48"	24" - 30"	64 lbs.	\$1,034
	HAT2-MID-S-C-__	C-Foot	36" - 48"/36" - 48"	30"	64 lbs.	\$1,034
	Description: <ul style="list-style-type: none">• Lead time on C-Foot bases: 8-12 weeks Note: For corner units over 48" wide use the HAT3-HI-L 3-Leg Base (See L Unit section on page 19)					
120 Degree Unit, 2 Legs 	HAT2-MID-S-__	T-Foot	36" - 48"/36" - 48"	24" - 30"	64 lbs.	\$1,034
	HAT2-MID-S-C-__	C-Foot	36" - 48"/36" - 48"	30"	64 lbs.	\$1,034
	Description: <ul style="list-style-type: none">• Lead time on C-Foot bases: 8-12 weeks Note: For 120 Degree corner units over 48" wide order the HAT3-HI-L 3-Leg Base (See L Unit section on page 19)					

Please specify color:

SI = Silver, WH = White, BK = Black
DM = Industrial Steel Antique, HC = Industrial Steel Matte
(DM and HC are special order only, upcharge applies)

Add code to end of model number.






Example: HAT2-MID-S-SI

Notes:

- See page 19 for table frame specifications
- Worksurfaces not included
- Stocked in silver, white, black
- Custom color match available - standard lead times apply
- DM and HC: 2 Leg List Upcharge = \$70
- C-Foot models are not an in-stock item, standard lead times apply

HI HAT BASES

3-STAGE

	MODEL	FOOT	TOP SIZE RECOMMENDED		WEIGHT	LIST PRICE
			WIDTH	DEPTH		
Rectangular, 2 Legs 	HAT2-HI-S-__	T-Foot	28" - 45"	24" - 30"	70 lbs.	\$1,259
	HAT2-HI-L-__	T-Foot	46" - 72"	24" - 30"	74 lbs.	\$1,259
	HAT2-HI-S-C-__	C-Foot	28" - 45"	30"	70 lbs.	\$1,259
	HAT2-HI-L-C-__	C-Foot	46" - 72"	30"	74 lbs.	\$1,259
	Description: <ul style="list-style-type: none">• Expandable width frame (S: 24"- 41", L: 42"- 72")• Lead time on C-Foot bases: 8-12 weeks					
Corner Unit, 2 Legs 	HAT2-HI-S-__	T-Foot	36" - 48"/36" - 48"	24" - 30"	70 lbs.	\$1,259
	HAT2-HI-S-C-__	C-Foot	36" - 48"/36" - 48"	30"	70 lbs.	\$1,259
	Description: <ul style="list-style-type: none">• Lead time on C-Foot bases: 8-12 weeks Note: For corner units over 48" wide use the HAT3-HI-L 3-Leg Base (See L Unit section below)					
120 Degree Unit, 2 Legs 	HAT2-HI-S-__	T-Foot	36" - 48"/36" - 48"	24" - 30"	70 lbs.	\$1,259
	HAT2-HI-S-C-__	C-Foot	36" - 48"/36" - 48"	30"	70 lbs.	\$1,259
	Description: <ul style="list-style-type: none">• Lead time on C-Foot bases: 8-12 weeks Note: For 120 Degree corner units over 48" wide order the HAT3-HI-L 3-Leg Base (See L Unit section below)					
L Unit, 3-Legs 	HAT3-HI-L-__	T-Foot	48" - 84"/48" - 84"	24" - 30"	100 lbs.	\$1,889
Notes: <ul style="list-style-type: none">• This 3-leg base adjusts for multiple sizes of L-shaped units• This 3-leg base cannot be used with a 3-piece top• This 3-leg base is used for 120 Degree corner units over 48" wide Example: 						

Please specify color:

SI = Silver, WH = White, BK = Black
DM = Industrial Steel Antique, HC = Industrial Steel Matte
(DM and HC are special order only, upcharge applies)

Add code to end of model number.

Example: HAT2-HI-S-SI

Notes:

- See page 19 for table frame specifications
- Worksurfaces not included
- Stocked in silver, white, black
- Custom color match available - standard lead times apply
- DM and HC: 2 Leg List Upcharge = \$70, 3 Leg List Upcharge = \$105
- C-Foot models are not an in-stock item, standard lead times apply

S-COLLECTION
OVERVIEW

SPECIFICATIONS	SE 2-STAGE	SX 3-STAGE	3-LEG 2-STAGE or 3-STAGE
Height Range* (Including 1.125" worksurface)	27.1" - 45.6"	22.2" - 48.7"	2-Stage: 27.1" - 45.6" 3-Stage: 22.2" - 48.7"
Frame-Only Weight Load*	350 lbs.	350 lbs.	525 lbs.
Adjustment Speed Per Second	1.5"	1.5"	1.5"
Worksurface Leg Configuration	2, 3 Legs	2, 3 Legs	3 Legs
Standard Color Options	Silver, Black, White	Silver, Black, White	Silver, Black, White
National Electric Code Compliant	Yes	Yes	Yes
ETL Listed to UL 962**	Yes	Yes	Yes

* Wall Mount not included.
** Panel Mount and Wall Mount not included.

SWITCH

Digital Switch included.



DS Digital Switch

3 programmable positions, digital display
for height read-out (in cm or inch),
up/down controls.

FRAME FINISHES



S (30) Silver
B (10) Black
W (04) White

WORKSURFACE LAMINATE FINISHES


See page 56 for standard worksurfaces.




DW Designer White
MM Manitoba Maple
FC Fawn Cypress
PW Pinnacle Walnut

8 GAUGE METAL FOOT	CODE	FOOT LENGTH	TABLE DEPTH OPTIONS
10" Centered	C	9.85" (250mm)	Panel Mount and 3-Leg Center Only
17" Cantilevered	S	15.76" (400mm)	17" - 30" (3-Leg Only)
22" Cantilevered	M	21.56" (547.6mm)	22" - 27"
28" Cantilevered	L	27.56" (700mm)	28" - 30"
28" Conference T-Foot	T	27.56" (700mm)	28" - 50" (42" - 50" for Conference Only)*


* Worksurface depth above 30" is not ETL listed.



WORKSURFACE SHAPES & CROSSBARS



90° 3-Leg Equal Returns
90° 3-Leg Long Right Return
90° 3-Leg Long Left Return
120° 2-Leg & 3-Leg Equal Returns




RECTANGULAR 2-Leg
90° 2-Leg

A Crossbar = 36" - 48" **B** Crossbar = 49" - 72" **C** Crossbar = 73" - 90" **F** Fixed Crossbar = Additional Sizes

Additional worksurface dimensions and specifications available upon request.
Shape and size of worksurface determines crossbar needed.
Crossbar adjusts in 1" increments.

S-COLLECTION ORDER FRAME



Product Name: Specify product name to determine height adjustability.

Frame Model: Obtain model information from charts on pricing pages.

Frame Color: Specify **B** (black), **W** (white), **S** (silver).

Switch: Specify **DS** (digital)

SE2

-

A-MM

-

S

-

DS

NAME

MODEL

FRAME COLOR


SWITCH

SX2 & SE2 FRAME ONLY

FRAME ONLY WITH 22" CANTILEVER L FEET

Depth Range: 22" - 27"

Height Range: 2-Stage, 27.1" - 45.6"
3-Stage, 22.2" - 48.7"



MODEL	SX2 3-Stage	SE2 2-Stage
A-MM	\$2,630	\$1,446
B-MM	\$2,859	\$1,536

WORKSURFACE SIZES RECOMMENDED


See page 56 for standard worksurfaces.

W		W		W	
D		D		D	
RECTANGULAR		90° CORNER		120°	
W	D	W	D	W	D
36" - 48"	22" - 27"	-	-	36" - 41"	22" - 27"
49" - 72"	22" - 27"	-	-	42" - 48"	22" - 27"

FRAME ONLY WITH 28" CANTILEVER L FEET

Depth Range: Rectangular, 28" - 30"
90° Corner & 120°, 24" - 30"

Height Range: 2-Stage, 27.1" - 45.6"
3-Stage, 22.2" - 48.7"



MODEL	SX2 3-Stage	SE2 2-Stage
A-LL	\$2,797	\$1,490
B-LL	\$2,920	\$1,581

WORKSURFACE SIZES RECOMMENDED

See page 56 for standard worksurfaces.

W		W		W	
D		D		D	
RECTANGULAR		90° CORNER		120°	
W	D	W	D	W	D
36" - 48"	28" - 30"	40" - 48"	24" - 30"	36" - 41"	24" - 30"
49" - 72"	28" - 30"	-	-	42" - 48"	24" - 30"

SX2

-

A-LL

-

S

-

DS

NAME

MODEL


FRAME COLOR

SWITCH


SX2 & SE2 FRAME ONLY

FRAME ONLY WITH 22" CANTILEVER L FEET, CC CROSSBAR

Depth Range: 22" - 27"
Height Range: 2-Stage, 27.1" - 45.6"
3-Stage, 22.2" - 48.7"



WORKSURFACE SIZES RECOMMENDED
See page 58 for standard worksurfaces.




RECTANGULAR

MODEL	SX2 3-Stage	SE2 2-Stage
CC-MM	\$3,217	\$1,894


W	D
73" - 96"	22" - 27"

FRAME ONLY WITH 28" CANTILEVER L FEET, CC CROSSBAR

Depth Range: 28" - 30"
Height Range: 2-Stage, 27.1" - 45.6"
3-Stage, 22.2" - 48.7"



WORKSURFACE SIZES RECOMMENDED
See page 58 for standard worksurfaces.



RECTANGULAR

MODEL	SX2 3-Stage	SE2 2-Stage
CC-LL	\$3,278	\$1,939


W	D
73" - 96"	28" - 30"




SX2 & SE2 FRAME ONLY

FRAME ONLY WITH 28" T FEET


Depth Range: 28" - 30"
Height Range: 2-Stage, 27.1" - 45.6"
3-Stage, 22.2" - 48.7"




WORKSURFACE SIZES RECOMMENDED
See page 56 for standard worksurfaces.



RECTANGULAR



90° CORNER




120°

MODEL	SX2 3-Stage	SE2 2-Stage
A-TT	\$2,797	\$1,490
B-TT	\$2,920	\$1,581


W	D	W	D	W	D
36" - 48"	28" - 30"	40" - 48"	28" - 30"	36" - 41"	28" - 30"
49" - 72"	28" - 30"	-	-	42" - 48"	28" - 30"

FRAME ONLY WITH 28" T FEET, CC CROSSBAR

Depth Range: 28" - 30"
Height Range: 2-Stage, 27.1" - 45.6"
3-Stage, 22.2" - 48.7"



WORKSURFACE SIZES RECOMMENDED
See page 58 for standard worksurfaces.



RECTANGULAR


MODEL	SX2 3-Stage	SE2 2-Stage
CC-TT	\$3,278	\$1,939

W	D
73" - 96"	28" - 30"




FRAME ONLY WITH WALL MOUNT

Depth Range: 24" - 30"
Height Range: 2-Stage, 27.1" - 45.6"
3-Stage, 22.2" - 48.7"



WORKSURFACE SIZES RECOMMENDED
See page 56 for standard worksurfaces.



MODEL	SX2 WM	SE2 WM
	3-Stage	2-Stage
A-WM	\$2,879	\$1,635
B-WM	\$2,996	\$1721

W	D
36" - 48"	24" - 30"
49" - 72"	24" - 30"

SX2

-

A-TT

-

S

-

DS

NAME

MODEL

FRAME
COLOR


SWITCH




SX2 & SE2 PANEL MOUNT FRAME ONLY

FRAME ONLY FOR RECTANGULAR WORKSURFACE

10" Feet
Height Range: 2-Stage, 27.1" - 45.6"
3-Stage, 22.2" - 48.7"



WORKSURFACE SIZES RECOMMENDED
See page 56 for standard workspacesp.



MODEL	PANEL	SX2 3-Stage	SE2 2-Stage
A-CC	PM**	\$2,910	\$1604
B-CC	PM**	\$3,034	\$1,694

W	D
35" - 47"	22" - 30"
48" - 71"	22" - 30"

For panel integration systems not listed, please contact your sales rep for a custom quote.
Extended lead times may apply subject to HAT Engineering Review.


****AVAILABLE PANEL INTEGRATIONS**

Steelcase Answer	01	Knoll Reff	05
Steelcase Avenir	15	Knoll Autostrad	05
Haworth Compose	02	Knoll Dividends	11
Haworth Unigroup	03	Allsteel	06
Herman Miller Canvas	02	Dirtt Wall	07
Herman Miller A02	04	AIS Divi	10
Teknion Leverage	02	AIS M Wall	10


SX3 & SE3 FRAME ONLY

FRAME ONLY FOR 90° WORKSURFACE

17" Cantilever Feet
Height Range: 2-Stage, 27.1" - 45.6"
3-Stage, 22.2" - 48.7"



WORKSURFACE SIZES RECOMMENDED
See page 56 for standard workspaces.




MODEL	SX3 3-Stage	SE3 2-Stage
AA-SS-C	\$3,220	\$2,168
BB-SS-C	\$3,276	\$2,259

W	D
42" - 54"	22" - 30"
54" - 78"	22" - 30"


SXV3 & SEV3 FRAME ONLY

FRAME ONLY FOR 120° WORKSURFACE

22" or 28" Cantilever Feet
Height Range: 2-Stage, 27.1" - 45.6"
3-Stage, 22.2" - 48.7"



WORKSURFACE SIZES RECOMMENDED
See page 56 for standard workspaces.



MODEL	SXV3 3-Stage	SEV3 2-Stage
BB-MM-C	\$3,333	\$2,283
BB-LL-C	\$3,389	\$2,372

W	D
60" - 78"	22" - 27"
60" - 78"	28" - 30"

SX3

-

AA-SS-C

-

S

-

DS

NAME

MODEL

FRAME
COLOR

SWITCH



FIELLØ®
OVERVIEW

SPECIFICATIONS	FIELLØ
Height Range (frame only)	21.1" - 47.6"
Fiellø Frame Only Weight Capacity	350 lbs.
Adjustment Speed Per Second	1.5"
Worksurface Leg Configuration	2 Legs
Standard Color Options	White, Silver, Black
Foot	27.5" L foot

SWITCH OPTIONS

Digital Switch included.
Additional \$194 charge for DS and \$216 for PH.



UD Up Down

Up/down controls.



DS Digital Switch

3 programmable positions, digital display
for height read-out (in cm or inch),
up/down controls.



PH Personal Health Assistant Tracker

4 programmable positions, LED reminder indicates when to
change your position, Bluetooth® integration, digital display for
height read-out (in cm or inch), tilt up/down for height adjust.

* The Bluetooth® integration is available for both your computer
and your phone (iOS and Android) and gives you the power
to set your standing goals.

FIELLØ®

FRAME

FL2-L-30

-

W

-

PH

NAME

FRAME FINISH

SWITCH

FRAME FINISHES

White

Silver

Black

WORKSURFACE

MODEL	A	B
6030	60"	30"
7230	72"	30"

WORKSURFACE FINISHES

Linen
Tier 1: LNLN (Matte)
Tier 2: LVLN (Fingerprint resistant)

Feather
Tier 1: NA
Tier 2: FVPD (Fingerprint resistant)

Platinum*
Tier 1: PLPL (Matte)
Tier 2: PVPL (Fine velvet)

Charcoal
Tier 1: NA
Tier 2: CVCH (Traceless)

Black*
Tier 1: BLBL (Matte)
Tier 2: BVBL (Tracelless)

F2T

-

6030


-

BVBL

NAME

MODEL

FINISH



RB RIBBON PANEL (2 PANELS)

MODEL	A	B	C
MP-RB-X-WW	30.5"	13.75"	16"
MP-RB-X-FFF	30.5"	13.75"	16"

PANELS

RECYCLED PET

Oatmeal

Latte

Pebble

Slate


Night

Black

WOOD VENEER

Oak

Walnut



DR DRAWER

MODEL*	A	B	C	FINISH
DR-SM-X-WW	15.75"	.7"	14.5"	STEEL & WOOD

X = METAL

White


Silver

Black

WW = WOOD VENEER

WO
Oak

WW
Walnut



BH BAG HOOK


MODEL	A	B	C	FINISH
BH-X	1.5"	2.33"	1.18"	STEEL

X = METAL

White


Silver

Black




FP FULL PANEL (2 PANELS)

MODEL	A	B	C	FINISH
MP-FP-X-WW	30.5"	30"	16"	WOOD
MP-FP-X-FFF	30.5"	30"	16"	FABRIC



Reversed Panels
Full Panel Modesty



Full Panel Privacy


M-SERIES FRAMES

OVERVIEW


SPECIFICATIONS	FREESTANDING	NESTING	WALL MOUNT	BENCHING
Height Range*	27.6" - 44.1"	28.6" - 45.1"	29.4" - 45.9" **	27.6" - 44.1"
Frame-Only Weight Load	15 - 105 lbs.	15 - 25 lbs.	15 - 60 lbs.	15 - 105 lbs.
Column Selections	UL, L, M, H	UL	UL, L	UL, L, M, H
Base Options	H, X	N	WM	TP, Q
Standard Color Options	Silver, Black, White	Silver, Black, White	Silver, Black, White	Silver, Black, White

*Including 1.125" worksurface.
**When placed at the recommended height of 3" from the floor.


AVERAGE TASK LOAD WEIGHTS




Monitor
5-7 lbs.



Laptop
5-10 lbs.



Monitor Arm
12-15 lbs.



CPU
18-20 lbs.

COLUMN SELECTION EQUATION

+

=

Top Weight

Average Task Load

Total Weight Load

Frame only Weight Load

15 - 32 lbs.
33 - 46 lbs.
47 - 63 lbs.
64 - 81 lbs.
82 - 105 lbs.

Column Option


UL Ultra Light
ULP Ultra Light+
L Light
M Medium*
H Heavy*

* Not available for Nesting or Wall Mount.


5/16" METAL PLATE	CODE	# OF GLIDES	TABLE DEPTH OPTIONS	WORKSURFACE SHAPE
Organic H	H	6*	24" - 30"	Rectangular
Organic X	X	8*	30"	Rectangular
Nesting	N	4	22"	Petal
Wall Mount	WM	-	18" - 24"	Rectangular
Tripod Bench	TP	6	18" - 24"	120°
Quad Bench	Q	8	18" - 24"	90°

* Casters available for additional cost.


BASES




H
Organic H




X
Organic X



N
Nesting



Q
Quad Benching



TP
Tripod Benching

FRAME FINISHES



S (30)
Silver



B (10)
Black



W (04)
White

WORKSURFACE LAMINATE FINISHES

See page 57 for standard worksufaces.



DW
Designer
White



MM
Manitoba
Maple




FC
Fawn
Cypress




PW
Pinnacle
Walnut

M-SERIES ORDER FRAME




Product Name: Specify product name to determine height adjustability.
Frame Model: Obtain model information from charts on pricing pages.
Base Option: Specify **H** (organic h), **X** (organic X).
Column Option: Specify **UL** (ultra light), **ULP** (ultra light plus), **L** (light), **M** (medium), **H** (heavy).
Frame Color: Specify **B** (black), **W** (white), **S** (silver).



M-SERIES FREESTANDING FRAME ONLY




M COLUMN & H BASE




MODEL	H BASE
0	\$1,408
1	\$1,408

Pricing reflects frame only.

WORKSURFACE SIZES RECOMMENDED
See page 57 for standard worksurfaces.

 <p>Diagram of a rectangular corner. The top horizontal edge is labeled 'W' and the left vertical edge is labeled 'D'.</p>	 <p>Diagram of a 90-degree corner. The top-left edge is labeled 'W' and the left edge is labeled 'D'.</p>	 <p>Diagram of a 120-degree corner. The top-left edge is labeled 'W' and the left edge is labeled 'D'.</p>			
RECTANGULAR	90° CORNER	120°			
W	D	W	D	W	D
30" - 47"	24" - 30"	42" - 48"	24"	42"	24"
48" - 54"	24" - 30"				

M COLUMN & X BASE



MODEL	X BASE
2	\$1,429

Pricing reflects frame only.


WORKSURFACE SIZES RECOMMENDED
See page 57 for standard worksurfaces.

RECTANGULAR	
W	D
55" - 60"	30"




M-SERIES NESTING FRAME ONLY

NP COLUMN & BASE (INCLUDING CASTERS)



WORKSURFACE SIZES RECOMMENDED
See page 57 for standard worksurfaces.



PETAL

MODEL	N BASE
N	\$1,039

Pricing reflects frame only.


* M-Series Nesting table is only available with an Ultra Light column with a petal shaped top and V shaped nesting base.

W	D
28"	22"




M-SERIES WALL MOUNT FRAME ONLY

WM COLUMN, & BASE



WORKSURFACE SIZES RECOMMENDED
See page 57 for standard worksurfaces.



RECTANGULAR


MODEL	
WM	\$1,197

Pricing reflects frame only.


W	D
20" - 48"	18" - 24"

M-SERIES WALL MOUNT WITH TILT FRAME ONLY

WMT COLUMN, & BASE



WORKSURFACE SIZES RECOMMENDED
See page 57 for standard worksurfaces.



RECTANGULAR

MODEL	
WMT	\$1,225


Pricing reflects frame only.

W	D
20" - 48"	18" - 24"



M-SERIES TRIPOD FRAME ONLY

M-TP COLUMN & BASE



WORKSURFACE SIZES RECOMMENDED
See page 58 for standard worksurfaces.




MODEL	
M-TP	\$4,924


Pricing reflects frame only.

M-SERIES QUAD FRAME ONLY

M-Q COLUMN & BASE



WORKSURFACE SIZES RECOMMENDED
See page 58 for standard worksurfaces.



MODEL	
M-Q	\$6,636

Pricing reflects frame only.

M-TP

-

L

-

W






NAME

COLUMN

FRAME COLOR



WORKSURFACES FOR M-SERIES FREESTANDING, NESTING, WALL

ORGANIC H BASE	MODEL	DEPTH	WIDTH	WEIGHT	LIST PRICE
Rectangular 	M1T-3624-H-_____	24"	36"	27 lbs.	\$954
	M1T-4224-H-_____	24"	42"	31 lbs.	\$1,003
	M1T-4824-H-_____	24"	48"	36 lbs.	\$1,146
	M1T-5424-H-_____	24"	54"	40 lbs.	\$1,289
	M1T-3630-H-_____	30"	36"	28 lbs.	\$1,074
	M1T-4230-H-_____	30"	42"	39 lbs.	\$1,253
	M1T-4830-H-_____	30"	48"	45 lbs.	\$1,432
	M1T-5430-H-_____	30"	54"	50 lbs.	\$1,611
ORGANIC X BASE					
Rectangular 	M1T-5430-X-_____	30"	54"	40 lbs.	\$1,611
	M1T-6030-X-_____	30"	60"	56 lbs.	\$1790
N BASE					
Petal 	M1T-2822-N-_____	22"	28"	16 lbs.	\$935
WALL MOUNT					
Rectangular 	M1T-2018-WM-_____	18"	20"	12 lbs.	\$831
	M1T-2024-WM-_____	24"	20"	15 lbs.	\$883
	M1T-2418-WM-_____	18"	24"	13.5 lbs.	\$914
	M1T-3024-WM-_____	24"	30"	22.5 lbs.	\$945
	M1T-3624-WM-_____	24"	36"	27 lbs.	\$954
	M1T-4224-WM-_____	24"	42"	31 lbs.	\$1,003
	M1T-4824-WM-_____	24"	48"	36 lbs.	\$1,146
WALL MOUNT WITH TILT					
Rectangular 	M1T-2018-WMT-_____	18"	20"	12 lbs.	\$831
	M1T-2024-WMT-_____	24"	20"	15 lbs.	\$883
	M1T-2418-WMT-_____	18"	24"	13.5 lbs.	\$914
	M1T-3024-WMT-_____	24"	30"	22.5 lbs.	\$945
	M1T-3624-WMT-_____	24"	36"	27 lbs.	\$954
	M1T-4224-WMT-_____	24"	42"	31 lbs.	\$1,003
	M1T-4824-WMT-_____	24"	48"	36 lbs.	\$1,146

WORKSURFACE LAMINATE FINISHES
(Surface Edge: Matching)



DW
Designer
White



MM
Manitoba
Maple



FC
Fawn
Cypress







PW
Pinnacle
Walnut

Please specify color:
PW = Pinnacle Walnut, FC = Fawn Cypress, MM = Manitoba Maple, DW = Designer White

Add code to end of model number.
Example: M1T-3624-H-PWPW

WORKSURFACES FOR M-SERIES TRIPOD & QUAD

TRIPOD	MODEL	DESCRIPTION	DEPTH	WIDTH	WEIGHT	LIST PRICE
120° Curved 	M1T3-MV-TP-3618-_____	Set of 3	18"	36"	43 lbs. per top	\$5,925
	M1T3-MV-TP-3624-_____	Set of 3	24"	36"	45 lbs. per top	\$6,081
	M1T3-MV-TP-4018-_____	Set of 3	18"	40"	51 lbs. per top	\$6,212
	M1T3-MV-TP-4024-_____	Set of 3	24"	40"	51 lbs. per top	\$6,343
120° Straight 	M1T3-MV-TP-3618S-_____	Set of 3	18"	36"	43 lbs. per top	\$5,925
	M1T3-MV-TP-3624S-_____	Set of 3	24"	36"	45 lbs. per top	\$6,081
	M1T3-MV-TP-4018S-_____	Set of 3	18"	40"	51 lbs. per top	\$6,212
	M1T3-MV-TP-4024S-_____	Set of 3	24"	40"	51 lbs. per top	\$6,343
QUAD						
90° Curved 	M1T3-MC-Q-3618-_____	Set of 4	18"	36"	35 lbs. per top	\$4,156
	M1T3-MC-Q-3624-_____	Set of 4	24"	36"	37 lbs. per top	\$4,364
	M1T3-MC-Q-4018-_____	Set of 4	18"	40"	42 lbs. per top	\$4,967
	M1T3-MC-Q-4024-_____	Set of 4	24"	40"	45.5 lbs. per top	\$5,088
90° Straight 	M1T3-MC-Q-3618S-_____	Set of 4	18"	36"	35 lbs. per top	\$4,156
	M1T3-MC-Q-3624S-_____	Set of 4	24"	36"	37 lbs. per top	\$4,364
	M1T3-MC-Q-4018S-_____	Set of 4	18"	40"	42 lbs. per top	\$4,967
	M1T3-MC-Q-4024S-_____	Set of 4	24"	40"	45.5 lbs. per top	\$5,088

WORKSURFACE LAMINATE FINISHES
(Surface Edge: Matching)



DW
Designer
White



MM
Manitoba
Maple



FC
Fawn
Cypress



PW
Pinnacle
Walnut

Please specify color:
PW = Pinnacle Walnut, FC = Fawn Cypress, MM = Manitoba Maple, DW = Designer White

Add code to end of model number.
Example: M1T3-MV-TP-3618-PWPW

ELLEHAVEN FRAMES

OVERVIEW

SPECIFICATIONS	FRAME ONLY
Height Range	27" - 46.7"
Frame-Only Weight Load	450 lbs.
Adjustment Speed Per Second	1.5"
Standard Color Options	Silver, Black, White
Width Options	84", 96", 108", 120"
Depth Options	36", 42", 48"

ELLE HEIGHT ADJUSTABLE FRAMES

OVERVIEW

SPECIFICATIONS	FRAME ONLY
Height Range	27" - 46.7"
Available With Sliding Worksurface	No
Frame-Only Weight Load	400 lbs.
Adjustments Speed Per Second	1.5"
Standard Color Options	Silver, Black, White
Width Options	48" - 72"
Depth Options	30"

ELLE STATIC FRAMES

OVERVIEW

SPECIFICATIONS	FRAME ONLY
Height Options	28", 42"
Frame-Only Weight Load	400 lbs.
Standard Color Options	Silver, Black, White
Width Options	48" - 72"
Depth Options	30"

SWITCH *ELLEHAVEN, ELLE HEIGHT ADJUSTABLE

Digital Switch included.



DS Digital Switch

3 programmable positions, digital display for height read-out (in cm or inch), up/down controls.

FRAME FINISHES



S (30)
Silver



B (10)
Black



W (04)
White

WORKSURFACE LAMINATE FINISHES

See pages 59 & 60 for standard worksufaces.



DW
Designer
White



MM
Manitoba
Maple



FC
Fawn
Cypress



PW
Pinnacle
Walnut

ELLE HEIGHT ADJUSTABLE FRAME ONLY


EL FRAME ONLY

FRAME OPTIONS:
FOT Frame Only Top Mounted FOE Frame Only Enshrined Mounted FTS Frame Only Top Sliding FES Frame Only Enshrined Sliding

FOT	FOE	FTS	FES	W	D
\$2,445	\$2,543	\$2,712	\$2,712	48" - 72"	30"


Frame only for sliding worksurface maximum opening width is 5".
Rear fixed worksurface is 9" deep and front sliding worksurface is 21".

FOT
Frame Only
Top Mounted



FTS
Frame Only
Top Sliding

FOE
Frame Only
Enshrined
Mounted



FES
Frame Only
Enshrined Sliding

EL

NAME

-

FOT

SURFACE
TYPE

-

W

FRAME
COLOR

-

DS

SWITCH


ELLE STATIC FRAME ONLY

EL FRAME ONLY

FRAME OPTIONS:
FOT Frame Only Top Mounted

MODEL	FOT	W	D	H
28	\$1,533	48" - 72"	30"	28"
42	\$1,655	48" - 72"	30"	42"

FOT
Frame Only
Top Mounted



EL

NAME

-

28

MODEL

-

FOT

SURFACE
TYPE

-


W

FRAME
COLOR

ELLEHAVEN FRAME ONLY

EH Frame Only

MODEL	W	D	LIST PRICE
A-36	72" - 96"	36"	\$4,575
B-36	108" - 120"	36"	\$4,913
A-42	72" - 96"	42"	\$4,631
B-42	108" - 120"	42"	\$4,970
A-48	72" - 96"	48"	\$4,687
B-48	108" - 120"	48"	\$5,026



EH

NAME

-

A-36

MODEL

-

W

FRAME COLOR

-

DS

SWITCH SELECTION



WORKSURFACES FOR ELLE
OVERVIEW

TOP	MODEL	DEPTH	WIDTH	WEIGHT	LIST PRICE
Rectangular	EL1T-6030-TM-_____	30"	60"	56 lbs.	\$1,147
	EL1T-7230-TM-_____	30"	72"	67 lbs.	\$1,376
ENSHRINED					
Rectangular	EL1T-6030-EM-_____	30"	60"	56 lbs.	\$1,147
	EL1T-7230-EM-_____	30"	72"	67 lbs.	\$1,376
TOP SLIDING					
Rectangular	EL1T-6030-TS-_____	30"	60"	56 lbs.	\$1,611
	EL1T-7230-TS-_____	30"	72"	67 lbs.	\$1,871
ENSHRINED SLIDING					
Rectangular	EL1T-6030-ES-_____	30"	60"	56 lbs.	\$1,611
	EL1T-7230-ES-_____	30"	72"	67 lbs.	\$2,258

WORKSURFACE LAMINATE FINISHES
(Surface Edge: Matching)



DW
Designer
White



MM
Manitoba
Maple



FC
Fawn
Cypress



PW
Pinnacle
Walnut

Please specify color:
PW = Pinnacle Walnut, FC = Fawn Cypress, MM = Manitoba Maple, DW = Designer White

Add code to end of model number.
Example: **EL1T-7230-ES-PWPW**

WORKSURFACES FOR ELLEHAVEN
OVERVIEW

	MODEL	DEPTH	WIDTH	WEIGHT	LIST PRICE
Rectangular	EH1T-8436-_____	36"	84"	94 lbs.	\$2,140
	EH1T-8442-_____	42"	84"	110 lbs.	\$2,497
	EH1T-8448-_____	48"	84"	126 lbs.	\$2,854
	EH1T-9636-_____	36"	96"	108 lbs.	\$2,446
	EH1T-9642-_____	42"	96"	126 lbs.	\$2,854
	EH1T-9648-_____	48"	96"	144 lbs.	\$3,261
	EH1T-10836-_____	36"	108"	121 lbs.	\$2,752
	EH1T-10842-_____	42"	108"	141 lbs.	\$3,210
	EH1T-10848-_____	48"	108"	162 lbs.	\$3,669
	EH1T-12036-_____	36"	120"	135 lbs.	\$3,058
	EH1T-12042-_____	42"	120"	157 lbs.	\$3,567
	EH1T-12048-_____	48"	120"	180 lbs.	\$4,077

WORKSURFACE LAMINATE FINISHES
(Surface Edge: Matching)



DW
Designer
White



MM
Manitoba
Maple



FC
Fawn
Cypress








PW
Pinnacle
Walnut

Please specify color:
PW = Pinnacle Walnut, FC = Fawn Cypress, MM = Manitoba Maple, DW = Designer White

Add code to end of model number.
Example: **EH1T-8436-PWPW**

POWER & DATA BEAM

	MODEL	SIZE	WEIGHT	LIST PRICE
End Post with Foot 	HRPF23-E-__	23" x 3.25" x 3.25"	7 lbs.	\$259
	Note: · Post ships with 15" foot			
180 Degree Post with Foot 	HRPF23-180-__	23" x 3.25" x 3.25"	7 lbs.	\$285
	Note: · Post ships with 15" foot			
L Post, 2 Way 	HRP24-L-__	24" x 3.25" x 3.25"	5 lbs.	\$224
	Note: · Post ships with a leveling glide			
T Post, 3 Way 	HRP24-T-__	24" x 3.25" x 3.25"	5 lbs.	\$247
	Note: · Post ships with a leveling glide			
X Post, 4 Way 	HRP24-X-__	24" x 3.25" x 3.25"	5 lbs.	\$269
	Note: · Post ships with a leveling glide			

Please specify color:

SI = Silver, WH = White, BK = Black





Add code to end of model number.

Example: HRP24-L-SI

Note:

· All posts ship with mounting hardware, connecting hinges and top cap

POWER & DATA BEAM

	MODEL	SIZE	WEIGHT	LIST PRICE
120 Degree 2 Way Post 	HRP24-2-120-__	24" H	3 lbs.	\$243
	Note: · Post ships with a leveling glide			
120 Degree 3 Way Post 	HRP24-3-120-__	24" H	3 lbs.	\$267
	Note: · Post ships with a leveling glide			
Beam Frame 	HRLB-36-__	6" x 36" x 2.75"	8 lbs.	\$742
	HRLB-48-__	6" x 48" x 2.75"	10 lbs.	\$807
	HRLB-60-__	6" x 60" x 2.75"	12 lbs.	\$872
	HRLB-72-__	6" x 72" x 2.75"	15 lbs.	\$937
	Notes: · Raceway covers include 2 outlet cutouts and 1 voice/data cutout · Each raceway cover ships with voice/date cover plate and data jack adapter kit · Posts ordered separately · Beam ships pre-marked to accept beam mounted divider clamps			
Power Pole 	PP12-__	144" x 3.25" x 3.25"	6 lbs.	\$618
	PP12-2-__	144" x 3.25" x 3.25"	6 lbs.	\$668
Notes: · Ceiling Power Feed Kit must be ordered separately · Ships with a foot · Includes Ceiling Trim Kit · Compatible with either Beam or Dual Bench				
PP12: · Can only be installed at end of run				
PP12-2: · Can be installed in the middle of a run or at the end of run				

Please specify color:

SI = Silver, WH = White, BK = Black




Add code to end of model number.

Example: HRP24-L-SI



Note:

· All posts ship with mounting hardware, connecting hinges and top cap

POWER & DATA BEAM

	MODEL	DESCRIPTION	SIZE	WEIGHT	LIST PRICE
Cable Management Tray 	CMT2-36-__	Cable Tray, 36"	4" x 36"	3 lbs.	\$84
	CMT2-48-__	Cable Tray, 48"	4" x 48"	4 lbs.	\$93
	CMT2-60-__	Cable Tray, 60"	4" x 60"	5 lbs.	\$102
	CMT2-72-__	Cable Tray, 72"	4" x 72"	6 lbs.	\$111
	Description: <ul style="list-style-type: none">· Allows user to lay cables outside of Power Beam· Mounts to underside of beam - one required for each side· Mounts left or right· When ordering for use with a benching system, please order one size smaller than worksurface Example: 72" worksurface: Order a 60" Cable Management Tray· When ordering for use with a power beam, please order the matching size Example: 72" power beam: Order a 72" Cable Management Tray				
Power Trac 	PT-36	Power Trac, 36" with Jumper	36"	4 lbs.	\$282
	PT-48	Power Trac, 48" with Jumper	48"	5 lbs.	\$298
	PT-60	Power Trac, 60" with Jumper	60"	6 lbs.	\$312
	PT-72	Power Trac, 72" with Jumper	72"	7 lbs.	\$329
	Notes: <ul style="list-style-type: none">· 4 circuit, 8 wire system· Will accept up to 4 duplex receptacles per Trac (2 per side)				
Duplex Receptacle 	DR-1	Duplex Receptacle, Circuit 1		1 lb.	\$31
	DR-2	Duplex Receptacle, Circuit 2		1 lb.	\$31
	DR-3	Duplex Receptacle, Circuit 3		1 lb.	\$31
	DR-4	Duplex Receptacle, Circuit 4		1 lb.	\$31
	DR-1-T24	Duplex Receptacle, Circuit 1, Title 24		1 lb.	\$36
	DR-2-T24	Duplex Receptacle, Circuit 2, Title 24		1 lb.	\$36
	DR-3-T24	Duplex Receptacle, Circuit 3, Title 24		1 lb.	\$36
	DR-4-T24	Duplex Receptacle, Circuit 4, Title 24		1 lb.	\$36
	CHBX	Chicago Receptacle Box (sold individually)		1 lb.	\$337
	Notes: <ul style="list-style-type: none">· DR models ship in color matching Power Beam· For every Beam or Bench, order 2 CHBX (ie: 3 Beam or Bench x 2 CHBX = 6 CHBX)· CHBX is double sided, and accommodates 2 electrician provided receptacles				

POWER & DATA BEAM

	MODEL	DESCRIPTION	SIZE	WEIGHT	LIST PRICE
Power Feed 	BFK-E	Base Power Feed Kit, End Entry	72"	5 lbs.	\$256
	BFK-S	Base Power Feed Kit, Side Entry	72"	5 lbs.	\$280
	CFK	Ceiling Power Feed Kit	144"	9 lbs.	\$274
	BFK-E-NY-72/72	Base Power Feed Kit, End Entry for New York	72"	10 lbs.	\$446
	Notes: <ul style="list-style-type: none">· NFK-E-NY-72/72 is stocked in a common size. Special sizes available upon request: please contact your sales rep for more information· For complete Title 24 compliant electrical component, please call your sales rep for more information				
Gallery End Panel Bracket Kit 	GPBRKT-KIT-__				\$201
Description: <ul style="list-style-type: none">· Allows gallery panels to be attached to power/data beam end post (gallery panels not sold by HAT)· Kit includes two clamps· Gallery panels not to exceed 36" H or 63" W· Compatible with panel thickness of .75" - 1.5"· End panels with built-in leveling feet recommended· Wood screws not included					
Notes: <ul style="list-style-type: none">· Specify color: Silver (SI) White (WH) Black (BK)					

HAT BENCHING

OVERVIEW

HOW TO ORDER

The HAT Benching System was designed to be very simply and easy to specify, order and install.


To specify, please follow these simple steps:

1. Specify a Dual Benching Unit for either a 48", 60" or 72" worksurface.

This unit includes 2 height adjustable frames (adjusts from 27.25" - 46.75" high) with adjustable glides, 2 horizontal connector bars, a Power Beam and Power Trac with Jumper Connector
2. Specify the Duplex Receptacles, Power Feed type (base or ceiling) and Power Pole (see page 50)
3. Specify a Connector Beam

The 11.25" Beam is used to connect a Dual Benching Unit to an adjoining Benching Unit or a power pole
4. Specify optional Cable Management Tray (see page 50)
5. Specify optional Dividers (see pages 68-80)
6. Specify Worksurfaces (see page 56)

	MODEL	TOP SIZE RECOMMENDED		WEIGHT	LIST PRICE
		WIDTH	DEPTH		
Dual Benching Unit	DBUHAT-48-MID-L-__	48"	24" - 30"	118 lbs.	\$3,617
	DBUHAT-60-MID-L-__	60"	24" - 30"	122 lbs.	\$3,709
	DBUHAT-72-MID-L-__	72"	24" - 30"	126 lbs.	\$3,795



Description:

- Includes 2 height adjustable frames (adjusts 27.5" - 46.75" high)
- Includes 2 horizontal connector bars to connect base legs
- Includes Power Beam
- Includes Power Trac with jumper connector

Notes:

- Duplex Receptacles must be ordered separately
- Base/Ceiling Power Feed must be ordered separately
- Worksurfaces must be ordered separately
- Beam or Surfaces Mounted Dividers must be ordered separately
- Optional Cable Management Tray must be ordered separately
- Available in White, Silver or Black

Please specify color:

SI = Silver, WH = White, BK = Black

Add code to end of model number.


Example: DBUHAT-48-MID-L-SI

Notes:

- Worksurfaces not included
- Stocked in silver, white, black
- Custom color match available - standard lead times apply

HAT BENCHING

	MODEL	TOP SIZE RECOMMENDED		WEIGHT	LIST PRICE
		WIDTH	DEPTH		
Chicago Dual Benching Unit	DBUHAT-48-MID-L-CH-__	48"	24" - 30"	118 lbs.	\$3,369
	DBUHAT-60-MID-L-CH-__	60"	24" - 30"	122 lbs.	\$3,446
	DBUHAT-72-MID-L-CH-__	72"	24" - 30"	126 lbs.	\$3,518




Description:

- Includes 2 height adjustable frames (adjusts 27.5" - 46.75" high)
- Includes 2 horizontal connector bars to connect base legs
- Includes Power Beam
- Please note CH model numbers do not included power trac with jumper connector

Notes:

- Duplex Receptacles must be ordered separately
- CHBX must be ordered separately
- Base/Ceiling Power Feed must be ordered separately
- Worksurfaces must be ordered separately
- Beam or Surfaces Mounted Dividers must be ordered separately
- Optional Cable Management Tray must be ordered separately
- Available in White, Silver or Black


	MODEL	SIZE	WEIGHT	LIST PRICE
Connector Beam	BENCH-9 CONNECT-__	6" x 9" x 2.75"	3 lbs.	\$209
	BENCH-10.5 CONNECT-__	6" x 10.0" x 2.75"	3 lbs.	\$209
	BENCH-11.25 CONNECT-__	6" x 11.25" x 2.75"	3 lbs.	\$209
	BENCH-11.625 CONNECT-__	6" x 11.625" x 2.75"	3 lbs.	\$209



Description:

- Connects 2 sections of Dual Benching
- Jumper cable passes through this beam
- 9" Connect Beam is used to connect to Power Pole
- 10.5" and 11.25" can be used for smaller worksurfaces and when a Mobile Slim Pedestal is not in use between Dual Benching Units
- 11.625" Connector Beam allows a Mobile Slim Pedestal to fit into the dead space between Dual Benching Units

MODEL	LIST PRICE
Gallery End Panel Bench Bracket Kit	
GPBRKT-KIT-BENCH-__	\$201



Description:

- Allows gallery panels to be attached to the end of a benching unit (gallery panels not sold by HAT)
- Kit includes two clamps
- Gallery panels not to exceed 36" H or 66" W
- Compatible with panel thickness of .75" - 1.5"
- End panels with built-in leveling feet recommended
- Wood screws not included

Notes:

- Specify color: Silver (SI) White (WH) Black (BK)

Please specify color:

SI = Silver, WH = White, BK = Black

Add code to end of model number.


Example: DBUHAT-48-MID-L-SI

Notes:

- Worksurfaces not included
- Stocked in silver, white, black
- Custom color match available - standard lead times apply


HAT GROUP & CONFERENCE OVERVIEW

GROUP & CONFERENCE TABLE BASE, 2-STAGE



- Electric height adjustable table base (4 Legs)
- Exclusive, easy to assemble, folding frame design
- Expandable width frame (42"- 74")
- 2-stage legs adjust from 27.25"- 46.75" (frame height)
- LED 4 position programmable handset
- Quad sync motors / 350 lb. lift capacity (including top)
- Cable manager included
- Anti collision safety function
- UL, CE, TUV and GREENGUARD GOLD Certified
- Qualifies for LEED credits
- Raises at 1.2" per second

	MODEL	TOP SIZE RECOMMENDED		WEIGHT	LIST PRICE
		WIDTH	DEPTH		
Conference Table Base	HAT4-MID-L-__	72" - 120"	42" - 60"	110 lbs.	\$2,136



- Notes:**
- Ships without feet, includes adjustable glides
 - Stocked only in black

Please specify color:
BK = Black

Add code to end of model number.
Example: HAT4-MID-L-BK

- Notes:**
- Worksurface not included
 - Stocked in black only



WORKSURFACES FOR MID HAT, HI HAT, L UNIT, HAT BENCHING, S-COLLECTION

WORKSURFACE DETAILS

- Edge Detail: 1.125" LPL/TFL Laminate with 2mm PVC Matching Edge
- Standard Laminate Colors: Pinnacle Walnut (PW), Fawn Cypress (FC), Manitoba Maple (MM), Designer White (DW)
- Grommets not offered

IN-STOCK PROGRAM


- Available in the most frequently ordered worksurface options:

Designer White

30" x 48", 30" x 60"
- Ships in 3 - 5 business days
- Worksurfaces must be ordered with a corresponding base/bench
- Quantity 1 to 99 worksurfaces
- Orders under \$2,000 NET will have a freight surcharge

STANDARD SHIP PROGRAM

- Available in: 17 size options, 4 laminates
- 10 - 15 business days plus shipping
- Worksurfaces must be ordered with a corresponding base/bench
- Orders under \$2,000 NET will have a freight surcharge

	MODEL	DEPTH	WIDTH	WEIGHT	LIST PRICE
Rectangular <div></div>	WS-2424-__	24"	24"	14 lbs.	\$291
	WS-2430-__	24"	30"	19 lbs.	\$296
	WS-2436-__	24"	36"	21 lbs.	\$319
	WS-2442-__	24"	42"	24 lbs.	\$323
	WS-2448-__	24"	48"	28 lbs.	\$335
	WS-2454-__	24"	54"	31 lbs.	\$354
	WS-2460-__	24"	60"	35 lbs.	\$373
	WS-2466-__	24"	66"	38 lbs.	\$508
	WS-2472-__	24"	72"	42 lbs.	\$526
	WS-3030-__	30"	30"	22 lbs.	\$307
	WS-3036-__	30"	36"	26 lbs.	\$321
	WS-3042-__	30"	42"	30 lbs.	\$327
	WS-3048-__	30"	48"	35 lbs.	\$347
	WS-3054-__	30"	54"	39 lbs.	\$360
	WS-3060-__	30"	60"	44 lbs.	\$396
	WS-3066-__	30"	66"	48 lbs.	\$517
	WS-3072-__	30"	72"	53 lbs.	\$535

WORKSURFACE LAMINATE FINISHES
(Surface Edge: Matching)



DW
Designer
White



MM
Manitoba
Maple



FC
Fawn
Cypress



PW
Pinnacle
Walnut


Please specify color:
PW = Pinnacle Walnut, FC = Fawn Cypress, MM = Manitoba Maple, DW = Designer White

Add code to end of model number.
Example: WS-3072-PW









DESKTOP CONVERTERS

	MODEL	WEIGHT CAPACITY	SCREEN SIZE	LIST PRICE
Winston E-Desk	WNSTE-DESK	Up to 100 lbs.	Single Monitor: Up to 32" Dual Monitor: Up to 24"	\$1,261
<div><div></div><div><p>Description:</p><ul style="list-style-type: none">• Height Adjustment: 19.0"• Upper Worksurface: 32.25" W x 8.5" D• Lower Worksurface: 32.25" W x 11.5" D• Base: 35.5" W x 24.5" D• Electric height adjustment with touchscreen controls and memory• Available in White or Black<p>Notes:</p><ul style="list-style-type: none">• Specify color: White (WHT) Black (BLK)</div></div>				





DESKTOP CONVERTERS

	MODEL	WEIGHT CAPACITY	SCREEN SIZE	LIST PRICE
Winston Workstation Single	WNST-1-__	7 – 20 lbs.	Up to 43"	\$1,197
	Description: <ul style="list-style-type: none">• Height Adjustment: 17.1"• Worksurface: 30" W x 23" D• Base: 20.7" W x 22" D Notes: <ul style="list-style-type: none">• Specify color: Black (104) Silver (124) White (248)			
Winston Workstation Dual	WNST-2-__	10 – 26 lbs.	Up to 27"	\$1,261
	Description: <ul style="list-style-type: none">• Height Adjustment: 17.1"• Worksurface: 30" W x 23" D• Base: 20.7" W x 22" D Notes: <ul style="list-style-type: none">• Specify color: Black (104) Silver (124) White (248)			
Winston Workstation Triple	WNST-3-__	15 – 36 lbs.	Up to 24"	\$1,507
	Description: <ul style="list-style-type: none">• Height Adjustment: 17.1"• Worksurface: 30" W x 23" D• Base: 20.7" W x 22" D Notes: <ul style="list-style-type: none">• Specify color: Black (104) Silver (124) White (248)			
Winston Workstation Quad	WNST-4-__	24 – 40 lbs.	Up to 24"	\$1,876
	Description: <ul style="list-style-type: none">• Height Adjustment: 17.1"• Worksurface: 30" W x 23" D• Base: 20.7" W x 22" D Notes: <ul style="list-style-type: none">• Specify color: Black (104) Silver (124) White (248)			



DESKTOP CONVERTERS

	MODEL	WEIGHT CAPACITY	SCREEN SIZE	LIST PRICE
Winston-E Single	WNSTE-1-270	Up to 40 lbs.	Up to 43"	\$1,778
	Description: <ul style="list-style-type: none">• Height Adjustment: 18.4"• Worksurface: 30" W x 22" D• Base: 16" W x 21" D• Electric height adjustment with memory• Available in Grey Duotone			
Winston-E Dual	WNSTE-2-270	Up to 40 lbs.	Up to 30"	\$1,976
	Description: <ul style="list-style-type: none">• Height Adjustment: 18.4"• Worksurface: 30" W x 22" D• Base: 16" W x 21" D• Electric height adjustment with memory• Focal depth and independent monitor height adjustments• Available in Grey Duotone			
Winston-E Triple	WNSTE-3-270	Up to 40 lbs.	Up to 24"	\$2,137
	Description: <ul style="list-style-type: none">• Height Adjustment: 18.4"• Worksurface: 30" W x 22" D• Base: 16" W x 21" D• Electric height adjustment with memory• Focal depth and independent monitor height adjustments• Available in Grey Duotone			

DESKTOP CONVERTERS

	MODEL	WEIGHT CAPACITY	SCREEN SIZE	LIST PRICE
One Touch Single	1TCH-1-___	up to a 25 lb. monitor 100 lbs. total unit weight capacity	Up to 49"	\$2,192
	Description: <ul style="list-style-type: none">• Height Adjustment: 20"• Upper Worksurface: 15" D x 36" W• Lower Worksurface: 17" D x 36" W• Mount: Clamp, Rail Notes: <ul style="list-style-type: none">• Specify color: Black (BLK) Silver (SLV)			
One Touch Dual	1TCH-2-___	up to 15 lbs. per monitor 100 lbs. total unit weight capacity	Up to 32"	\$2,682
	Description: <ul style="list-style-type: none">• Height Adjustment: 20"• Upper Worksurface: 15" D x 36" W• Lower Worksurface: 17" D x 36" W• Mount: Clamp, Rail Notes: <ul style="list-style-type: none">• Specify color: Black (BLK) Silver (SLV)			
One Touch Triple	1TCH-3-___	up to 15 lbs. per monitor on wing up to a 25 lb. monitor on column 100 lbs. total unit weight capacity	Up to 24"	\$2,796
	Description: <ul style="list-style-type: none">• Height Adjustment: 20"• Upper Worksurface: 15" D x 36" W• Lower Worksurface: 17" D x 36" W• Mount: Clamp, Rail Notes: <ul style="list-style-type: none">• Specify color: Black (BLK) Silver (SLV)			
One Touch One over One	1TCH-1/1-___	up to 25 lbs. per monitor 100 lbs. total unit weight capacity	Up to 49"	\$2,950
	Description: <ul style="list-style-type: none">• Height Adjustment: 20"• Upper Worksurface: 15" D x 36" W• Lower Worksurface: 17" D x 36" W• Mount: Clamp, Rail Notes: <ul style="list-style-type: none">• Specify color: Black (BLK) Silver (SLV)			

DESKTOP CONVERTERS

	MODEL	WEIGHT CAPACITY	SCREEN SIZE	LIST PRICE
One Touch Two over Two	1TCH-2/2-___	up to 15 lbs. per monitor 100 lbs. total unit weight capacity	Up to 32"	\$3,251
	Description: <ul style="list-style-type: none">• Height Adjustment: 20"• Upper Worksurface: 15" D x 36" W• Lower Worksurface: 17" D x 36" W• Mount: Clamp, Rail Notes: <ul style="list-style-type: none">• Specify color: Black (BLK) Silver (SLV)			
One Touch Three over Three	1TCH-3/3-___	up to 15 lbs. per monitor on wing up to 25 lbs. per monitor on column 100 lbs. total unit weight capacity	Up to 24"	\$3,587
	Description: <ul style="list-style-type: none">• Height Adjustment: 20"• Upper Worksurface: 15" D x 36" W• Lower Worksurface: 17" D x 36" W• Mount: Clamp, Rail Notes: <ul style="list-style-type: none">• Specify color: Black (BLK) Silver (SLV)			



DIVIDERS & MODESTY PANELS

Create privacy in any open environment with our easy-to-install partitions. Dividers add spatial barriers and distinctive design to an office landscape, prioritizing both functionality and aesthetic. Choose from opaque or transparent, permanent or portable to take advantage of the protection, acoustic control, and flexibility provided by HAT Collective dividers.




SURFACE MOUNTED DIVIDERS

IN-STOCK

	MODEL	H	W	LIST PRICE
PET Dividers	EDDI-PET-4824-S	24"	48"	\$408
	EDDI-PET-6024-S	24"	60"	\$480
	Description: <ul style="list-style-type: none">• Tackable PET Divider .75" thick, radius corners• .90 NRC rating• Made from 60% post consumer recycled PE plastic water bottles• VOC free• 100% recyclable polyester fiber• Easily clamps onto surfaces .75" - 1.87"• Mounting hardware included (silver finish)• Orders over 50, please check stock Notes: <ul style="list-style-type: none">• Specify color - "Ash" (SP-18) or "Slate" (SP-33)			
Mesa Slide Divider	SD-2424-_____	24"	24"	\$401
	Description: <ul style="list-style-type: none">• Above desk height: 24"• Tackable PET Divider 1.125" thick, radius corners• .90 NRC rating• Made from 60% post consumer recycled PE plastic water bottles• VOC free• 100% recyclable polyester fiber• Easily slides onto surfaces 1.125" thick (1.125" opening for desk)• Orders over 50, please check stock Notes: <ul style="list-style-type: none">• Specify color - "Ash" (ASH) or "Slate" (SLATE)			



SURFACE MOUNTED DIVIDERS

IN-STOCK


	MODEL	H	W	WEIGHT	LIST PRICE
	Mesa PET Wrap Divider				
	WD-4828-__	28"	48"	22 lbs.	\$927
	WD-6028-__	28"	60"	25 lbs.	\$1008
	WD-7228-__ *	28"	72"		\$1,067
Description: <ul style="list-style-type: none">• Above desk height: 24"• Below desk height: 3" (assuming 1" desk thickness)• Longest length of side: 23"• Tackable PET Divider, .75" thick, radius corners• .90 NRC rating• Made from 60% post consumer recycled PE plastic water bottles• VOC free• 100% recyclable polyester fiber• Easily clamps onto surfaces .75" - 1.87"• Orders over 50, please check stock					
Notes: <ul style="list-style-type: none">• Specify color - “Iced Grey” (IG) or “Charcoal” (CH)					
* WD-7228-__ is Standard, 8-10 week lead time					

SURFACE MOUNTED DIVIDERS

STANDARD

	MODEL	H	24"W	30"W	36"W	42"W	48"W	54"W	60"W	66"W	72"W
 	PET Dividers										
	EDD-PET-__-12	12"	\$393	\$425	\$465	\$499	\$538	\$570	\$596	\$757	\$779
	EDD-PET-__-18	18"	\$450	\$491	\$556	\$580	\$661	\$684	\$709	\$933	\$958
	EDD-PET-__-24	24"	\$507	\$570	\$603	\$716	\$742	\$766	\$798	\$1,135	\$1,160
	EDD-PET-__-30*	30"	\$570	\$603	\$716	\$742	\$854	\$887	\$904	\$1,167	\$1,201
Description: <ul style="list-style-type: none">• Tackable PET Divider .75" thick, radius corners• .90 NRC rating• Made from 60% post consumer recycled PE plastic water bottles• VOC free• 100% recyclable polyester fiber• Easily clamps onto surfaces .75" - 1.87"• Mounting hardware included (silver finish) - 66" W and over ship with 3 clamps											
Notes: <ul style="list-style-type: none">• Specify color - Pear, Cobalt, Sandstone, Ash, Slate, Charcoal• Lead time on orders of 19 or less: 2-3 weeks• Lead time on orders of 20 or more: 4 weeks											
* 30" H dividers available for use ONLY with ADCs (see page 73)											

Fabric Fold Dividers



Elements Line (Grade 1 Fabric)

FDD-FF-__-12	12"	\$478	\$528	\$569	\$611	\$639	\$711	\$728	\$929	\$1,000
FDD-FF-__-18	18"	\$589	\$672	\$772	\$822	\$844	\$994	\$1,011	\$1,324	\$1,446
FDD-FF-__-24	24"	\$640	\$732	\$811	\$892	\$922	\$1,056	\$1,080	\$1,386	\$1,526
FDD-FF-__-30*	30"	\$860	\$1,063	\$1,143	\$1,225	\$1,274	\$1,629	\$1,656	\$2,106	\$2,347

Fusion Line (Grade 2 Fabric)

FDD-FF-__-12	12"	\$508	\$569	\$611	\$660	\$687	\$772	\$787	\$1,000	\$1,082
FDD-FF-__-18	18"	\$649	\$742	\$853	\$945	\$952	\$1,125	\$1,149	\$1,466	\$1,608
FDD-FF-__-24	24"	\$691	\$803	\$892	\$994	\$1,031	\$1,176	\$1,207	\$1,536	\$1,678
FDD-FF-__-30*	30"	\$971	\$1,205	\$1,306	\$1,418	\$1,489	\$1,872	\$1,919	\$2,399	\$2,672

Description:




- Tackable fabric .87" thick, radius corners
- .30 NRC rating
- 100% recyclable polyester fiber
- Easily clamps onto surfaces .75" - 1.87"
- Mounting hardware included (silver finish) - 66" W and over ship with 3 clamps

Notes:



- Specify fabric color
- Lead time on orders of 19 or less: 2-3 weeks
- Lead time on orders of 20 or more: 4 weeks

*** 30" H dividers available for use ONLY with ADCs (see page 73)**


SURFACE MOUNTED DIVIDERS
STANDARD

	MODEL	H	24"W	30"W	36"W	42"W	48"W	54"W	60"W	66"W	72"W
White Board Dividers 	WDD-WB-__-12	12"	\$454	\$506	\$548	\$587	\$626	\$789	\$802	\$923	\$968
	WDD-WB-__-18	18"	\$534	\$599	\$715	\$748	\$765	\$1,125	\$1,136	\$1,276	\$1,350
	WDD-WB-__-24	24"	\$600	\$687	\$758	\$856	\$876	\$1,176	\$1,195	\$1,335	\$1,412
	Description: <ul style="list-style-type: none">• White board .7" thick, square corners• Easily clamps onto surfaces .75" – 1.87"• Mounting hardware included (silver finish) – 66"W and over ship with 3 clamps Notes: <ul style="list-style-type: none">• Lead time on all orders: 4 weeks										
Mesa Acrylic Dividers 	ADD-__-12	12"	\$345	\$380	\$401	\$440	\$468	\$487	\$538	\$633	\$660
	ADD-__-18	18"	\$408	\$455	\$500	\$558	\$587	\$650	\$689	\$798	\$856
	ADD-__-24	24"	\$459	\$534	\$565	\$684	\$686	\$715	\$857	\$968	\$969
	Description: <ul style="list-style-type: none">• Frosted Acrylic .25" thick, radius corners• Easily clamps onto surfaces .75" – 1.87"• Mounting hardware included (silver finish) – 66"W and over ships with 3 clamps Notes: <ul style="list-style-type: none">• Lead time on all orders: 4+ weeks										
Acrylic Modesty Panel 	AMP-__-12	12"	N/A	N/A	\$337	\$378	\$406	\$423	\$475	\$537	\$565
	AMP-__-18	12"	N/A	N/A	\$437	\$495	\$525	\$582	\$627	\$701	\$762
	Description: <ul style="list-style-type: none">• Frosted Acrylic .25" thick, radius corners• Easily mounted under the worksurface• Mounting hardware included (silver finish) Notes: <ul style="list-style-type: none">• Lead time on all orders: 4+ weeks										

DIVIDER CLAMPS



	MODEL	LIST PRICE
Adjustable Divider Clamps 	ADC (1 pair)	\$114
Description: <ul style="list-style-type: none">• Allows surface mounted dividers to adjust up or down• Mounts to underside of surface• For use with dividers .2" – 1.1" thick• For use with PET & Fabric Fold Dividers• Silver finish• Must be used with surface mounted dividers 30" H Notes: <ul style="list-style-type: none">• Lead time on orders of 19 or less: 2-3 weeks• Lead time on orders of 20 or more: 4 weeks• Sold with accompanying divider only		
Offset Bracket Plates 	ADC-OSB (1 pair)	No Charge
Description: <ul style="list-style-type: none">• The offset bracket plate allows for a .5" gap from worksurface to divider, providing extra room for a clamp mounted monitor arm or power module. Notes: <ul style="list-style-type: none">• Shipped upon request only		

MODESTY PANELS

	MODEL	H	24"W	30"W	36"W	42"W	48"W	54"W	60"W	66"W	72"W
Acrylic Modesty Panel 	AMP-__-12	12"	N/A	N/A	\$337	\$378	\$406	\$423	\$475	\$537	\$565
	AMP-__-18	12"	N/A	N/A	\$437	\$495	\$525	\$582	\$627	\$701	\$762
	Description: <ul style="list-style-type: none">• Frosted Acrylic .25" thick, radius corners• Easily mounted under the worksurface• Mounting hardware included (silver finish) Notes: <ul style="list-style-type: none">• Lead time on all orders: 4+ weeks										





BEAM MOUNTED DIVIDERS

IN-STOCK

	MODEL	H	W	LIST PRICE
PET Dividers	EDDI-PET-4824-B	24"	48"	\$327
	EDDI-PET-6024-B	24"	60"	\$399
<div><div></div><div></div></div> <div><p>Description:</p><ul style="list-style-type: none">• Tackable PET Divider .75" thick, radius corners• .90 NRC rating• Made from 60% post consumer recycled PE plastic water bottles• VOC free• 100% recyclable polyester fiber• Mounting hardware included (silver finish)<p>Notes:</p><ul style="list-style-type: none">• Specify color - "Ash" (SP-18) or "Slate" (SP-33)</div>				

BEAM MOUNTED DIVIDERS

STANDARD


	MODEL	H	36"W	42"W	48"W	54"W	60"W	66"W	72"W
PET Dividers	HRED-PET-__-12	12"	\$401	\$433	\$474	\$506	\$532	\$692	\$715
	HRED-PET-__-18	18"	\$492	\$513	\$596	\$619	\$644	\$869	\$893
	HRED-PET-__-24	24"	\$538	\$652	\$676	\$701	\$734	\$1,071	\$1,095
<div><div></div><div></div></div> <div><p>Description:</p><ul style="list-style-type: none">• Tackable PET Divider .75" thick, radius corners• .90 NRC rating• Made from 60% post consumer recycled PE plastic water bottles• VOC free• 100% recyclable polyester fiber• Mounting hardware included (silver finish) - 66" W and over ships with 3 clamps<p>Notes:</p><ul style="list-style-type: none">• Specify color - Pear, Cobalt, Sandstone, Ash, Slate, Charcoal• Lead time on orders of 19 or less: 2-3 weeks• Lead time on orders of 20 or more: 4 weeks</div>									
<hr/>									
Fabric Fold Dividers	Elements Line (Grade 1 Fabric)								
	HRFD-FF-__-12	12"	\$511	\$554	\$585	\$655	\$672	\$844	\$915
	HRFD-FF-__-18	18"	\$715	\$765	\$790	\$937	\$956	\$1,239	\$1,360
	HRFD-FF-__-24	24"	\$755	\$837	\$868	\$998	\$1,026	\$1,300	\$1,441
	Fusion Line (Grade 2 Fabric)								
	HRFD-FF-__-12	12"	\$554	\$603	\$633	\$715	\$732	\$915	\$997
	HRFD-FF-__-18	18"	\$796	\$856	\$897	\$1,070	\$1,093	\$1,380	\$1,485
	HRFD-FF-__-24	24"	\$837	\$937	\$976	\$1,121	\$1,153	\$1,452	\$1,594
<div><div></div><div></div></div> <div><p>Description:</p><ul style="list-style-type: none">• Tackable fabric, .87" thick, radius corners• .30 NRC rating• Mounting hardware included (silver finish). 66" W and over ships with 3 clamps• Special sizes available: Please contact your sales rep<p>Notes:</p><ul style="list-style-type: none">• Specify fabric color• Lead time on orders of 19 or less: 2-3 weeks• Lead time on orders of 20 or more: 4 weeks</div>									

BEAM MOUNTED DIVIDERS
STANDARD

	MODEL	H	36"W	42"W	48"W	54"W	60"W	66"W	72"W
White Board Dividers 	HRD-WB-_-12	12"	\$485	\$526	\$565	\$729	\$741	\$812	\$876
	HRD-WB-_-18	18"	\$655	\$686	\$705	\$1,063	\$1,075	\$1,183	\$1,259
	HRD-WB-_-24	24"	\$705	\$794	\$814	\$1,115	\$1,134	\$1,241	\$1,319

Description:
• White board .7" thick, square corners
• Mounting hardware included (silver finish) - 66" W and over ship with 3 clamps
• Special sizes available: Please call your sales rep



Mesa Acrylic Dividers 	HRAD-_-12	12"	\$339	\$379	\$408	\$425	\$478	\$539	\$568
	HRAD-_-18	18"	\$439	\$496	\$526	\$583	\$629	\$705	\$764
	HRAD-_-24	24"	\$503	\$624	\$627	\$655	\$797	\$874	\$879

Description:
• Frosted Acrylic .25" thick, radius corners
• Mounting hardware included (silver finish) - 66" W and over ships with 3 clamps
• Special sizes available: Please call your sales rep




Notes:
• Lead time on all orders: 4 weeks



AURA® OVERVIEW

SPECIFICATIONS	AURA
Overall Height	23"
Width	46", 58", 70", or 92"
Material	PET
Thickness	9mm (.35")
Edge	Beveled Felt
Environmental	50% from recycled water bottles, Declare Certified
Acoustics	ASTM C 423: NRC [500hz] = .76 NRC [1000hz] = 1
Fire Rating	UL tested ASTM E-84: Class A

- XL - 92" X 23"**
8 Brackets
\$1,294
- L - 70" X 23"**
6 Brackets
\$1,238
- M - 58" X 23"**
5 Brackets
\$827
- S - 46" X 23"**
4 Brackets
\$664




AURA® FINISHES


AURA COLORS


- 

FNI
Night
- 

FSL
Slate
- 

FPE
Pebble
- 

FBL
Black
- 

FOA
Oatmeal
- 

FLA
Latte


BRACKET FINISHES

- 

B
Black
- 

S
Silver
- 

W
White




AURA® PRICING

RECTANGULAR WORKSURFACE

LEFT SIDE RETURN / CENTER COVERAGE / RIGHT SIDE RETURN
Dimensions based on 7/8" gap rear with flush on sides


W	D	XL 92" X 23"	L 70" X 23"	M 58" X 23"	S 46" X 23"
48"	30"	21.5" / 48" / 21.5"	10.8" / 48" / 10.8"	4.8" / 48" / 4.8"	46" back edge only
60"	30"	15.5" / 60" / 15.5"	4.8" / 60" / 4.8"	0" / 58.0" / 0"	46" back edge only
72"	30"	9.5" / 72" / 9.5"	0" / 70" / 0"	58" back edge only	46" back edge only
84"	30"	3.5" / 84" / 3.5"	70" back edge only	58" back edge only	46" back edge only
96"	30"	0" / 92" / 0"	70" back edge only	58" back edge only	46" back edge only



90° WORKSURFACE

LEFT SIDE RETURN / LEFT BACK / RIGHT BACK / RIGHT SIDE RETURN
Dimensions based on 7/8" gap rear with flush on sides

W	D	XL 92" X 23"	L 70" X 23"	M 58" X 23"	S 46" X 23"
36"	30"	10.1" / 36" / 36" / 10.1"	0" / 35" / 35" / 0"	0" / 30" / 30" / 0"	0" / 24" / 24" / 0"
42"	30"	4.1" / 42" / 42" / 4.1"	0" / 35" / 35" / 0"	0" / 30" / 30" / 0"	0" / 24" / 24" / 0"
48"	30"	0" / 46" / 46" / 0"	0" / 35" / 35" / 0"	0" / 30" / 30" / 0"	0" / 24" / 24" / 0"



120° WORKSURFACE

LEFT SIDE RETURN / LEFT BACK / RIGHT BACK / RIGHT SIDE RETURN
Dimensions based on 7/8" gap rear with flush on sides

W	D	XL 92" X 23"	L 70" X 23"	M 58" X 23"	S 46" X 23"
36"	30"	9.7" / 36" / 36" / 9.7"	0" / 35" / 35" / 0"	0" / 29" / 29" / 0"	0" / 23" / 23" / 0"
42"	30"	3.7" / 42" / 42" / 3.7"	0" / 35" / 35" / 0"	0" / 29" / 29" / 0"	0" / 23" / 23" / 0"
48"	30"	0" / 46" / 46" / 0"	0" / 35" / 35" / 0"	0" / 29" / 29" / 0"	0" / 23" / 23" / 0"



AS2

NAME

-

XL

MODEL

-

FLA

COLOR

-

8

BLACK BRACKETS

-

S

OUTER FASTENERS

Outer fasteners are available in (S) silver or (B) black.




MONITOR ARMS

Our sophisticated monitor arms provide ergonomics, space savings, and clever design. Here, you'll find one-touch adjustment, effortless movement, and sure-footed stability to support a multitude of screen configurations. Reclaim your desktop with our sleek mounting systems that are easy to install.




MONITOR ARMS STATEMENT OF LINE

MONITOR ARMS




MONITOR ARMS
STATEMENT OF LINE


MOUNTS & ACCESSORIES




Thru-Desk Conversion Kit
for Top Down Mounts




Charging Cap




Charging Cap E2 Dual



Height Adjust Adapter









Next Gen Tilter










Slider





	MODEL	WEIGHT CAPACITY	SCREEN SIZE	LIST PRICE
	E2 Single	E2-1-___	Flat panel: 2.2 – 20 lbs. Curved monitor: Up to 16 lbs.	Based on weight \$322
	Description: <ul style="list-style-type: none">• Mounting: Top down desk mount: clamps to desk edge or grommet, desk thickness up to 1.5"• Height adjustment: 13.3"• Extension range: 23.7" Notes: <ul style="list-style-type: none">• Specify color: Black (104) Silver (124) White (248)			
	E2 Dual	E2-2-___	Flat panel: 2.2 – 20 lbs. Curved monitor: Up to 16 lbs.	Up to 27" \$598
	Description: <ul style="list-style-type: none">• Mounting: Top down desk mount: clamps to desk edge, desk thickness up to 1.5"• Height adjustment: 13"• Extension range: 17.5" – 28.5" side-by-side Notes: <ul style="list-style-type: none">• Specify color: Black (104) Silver (124) White (248)			


	MODEL	WEIGHT CAPACITY	SCREEN SIZE	LIST PRICE
	7000 Single	7000-500-___	Flat panel: 3 – 10lbs. Curved monitor: Up to 10 lbs	Based on weight \$410
		7000-800-___	Flat Panel: 10 – 22 lbs. Curved monitor: Up to 22 lbs	Based on weight \$410
		7000-1000-___	Flat Panel: 13 – 28 lbs. Curved monitor: Up to 22 lbs	Based on weight \$410
		7000-1000-HD-___	Flat Curved: 13 – 28 lbs	Based on weight \$479
Description: <ul style="list-style-type: none">• Mounting: Top down desk mount: clamps to desk edge or grommet, desk thickness up to 1.5"• Height adjustment: 16"• Extension range: 24" Notes: <ul style="list-style-type: none">• Specify color: Black (104) Silver (124) White (248)				
	7000 Dual	7000-2-500-SLD-___	3 – 10 lbs. per monitor	Up to 32" \$800
		7000-2-800-SLD-___	10 – 22 lbs. per monitor	Up to 32" \$800
Description: <ul style="list-style-type: none">• Mounting: Top down: desk clamp, grommet mount• Height adjustment: 16"• Extension range: 24" Notes: <ul style="list-style-type: none">• Specify color: Black (104) Silver (124) White (248)				
	7000 Dual Crossbar	7000-1-8537H-___	6 – 14 lbs. per monitor	Up to 27" \$562
	Description: <ul style="list-style-type: none">• Mounting: Top down desk mount: clamps to desk edge or grommet, desk thickness up to 1.5" Notes: <ul style="list-style-type: none">• Specify color: Black (104) Silver (124) White (248)			
	7500	7500-500-___	2 – 13 lbs.	Up to 43" \$626
		7500-800-___	6 – 21 lbs.	Up to 43" \$626
		7500-1000-___	8 – 27 lbs.	Up to 43" \$626
		7500-1500-___	12 – 40 lbs.	Up to 43" \$6264
Description: <ul style="list-style-type: none">• Mounting: Desk edge, thru-desk, grommet, wall, reverse wall, side bolt• Height adjustment: 18"• Extension range: 27" Notes: <ul style="list-style-type: none">• Specify color: Black (104) Silver (124) White (248)				


	MODEL	WEIGHT CAPACITY	SCREEN SIZE	LIST PRICE
Staxx Single 	STX-01S-___	1 – 30 lbs.	Up to 50"	\$298
	Description: • Mounting: Top down desk mount: clamps to desk edge or grommet, desk thickness up to 1.5" Notes: • Specify color: Black (104) Silver (124) White (248)			
Staxx Dual 	STX-02S-___	1 – 20 lbs. per monitor	Up to 24"	\$678
	STX-02W-___	1 – 20 lbs. per monitor	24" – 30"	\$748
Staxx Triple 	STX-03S-___	1 – 15 lbs. per monitor	Up to 24"	\$807
	STX-03W-___	1 – 15 lbs. per monitor	24" – 30"	\$860
Staxx 1 Over 1 	STX-11S-___	1 – 20 lbs. per monitor	Up to 30"	\$782
	Description: • Mounting: Top down desk mount: clamps to desk edge or grommet, desk thickness up to 1.5" Notes: • Specify color: Black (104) Silver (124) White (248)			


	MODEL	WEIGHT CAPACITY	SCREEN SIZE	LIST PRICE
Staxx 2 Over 2 	STX-22S-___	1 – 15 lbs. per monitor	Up to 24"	\$938
	STX-22W-___	1 – 15 lbs. per monitor	24" – 30"	\$971
Staxx 3 Over 3 	STX-33S-___	1 – 10 lbs. per monitor	Up to 24"	\$1,358
	STX-33W-___	1 – 10 lbs. per monitor	24" – 30"	\$1,410
Staxx Dual Articulating 	STX-450-___	10 – 23 lbs. per monitor	Up to 27"	\$884
	STX-500-___	3 – 10 lbs. per monitor	Up to 27"	\$884
	STX-600-___	7 – 17 lbs. per monitor	Up to 27"	\$884
	STX-800-___	10 – 22 lbs. per monitor	Up to 27"	\$884
	STX-1000-___	13 – 28 lbs. per monitor	Up to 27"	\$884
	Description: • Mounting: Top down desk mount: clamps to desk edge or grommet, desk thickness up to 1.5" Notes: • Specify color: Black (104) Silver (124) White (248)			


	MODEL	WEIGHT CAPACITY	SCREEN SIZE	LIST PRICE
 STX-450-8510 STX-500-8510 STX-600-8510 STX-800-8510 STX-1000-8510	STX-450-8510-___	10 – 23 lbs. per monitor	Up to 27"	\$1,068
	STX-500-8510-___	3-10 lbs. per monitor	Up to 27"	\$1,068
	STX-600-8510-___	7 – 17 lbs. per monitor	Up to 27"	\$1,068
	STX-800-8510-___	10 – --22 lbs. per monitor	Up to 27"	\$1,068
	STX-1000-8510-___	13 – 28 lbs. per monitor	Up to 27"	\$1,068
Description: • Supports 3 – 13.5 lb laptop • Mounting: Top down desk mount: clamps to desk edge or grommet, desk thickness up to 1.5"				
Notes: • Specify color: Black (104) Silver (124) White (248)				


Staxx Dual w/Sliders	STX-02-SLD-___	20 lbs. per monitor	Up to 27"	\$510
				
Description: • Mounting: Top down desk mount: clamps to desk edge or grommet, desk thickness up to 1.5"				
Notes: • Specify color: Black (104) Silver (124) White (248)				


Staxx Dual Articulating w/Sliders	STX-2-500-SLD-___ STX-2-800-SLD-___	3-10 lbs. per monitor 20 lbs. per monitor	Up to 27" Up to 27"	\$877 \$877
				
Description: • Mounting: Top down desk mount: clamps to desk edge or grommet, desk thickness up to 1.5"				
Notes: • Specify color: Black (104) Silver (124) White (248)				


Staxx Triple w/Sliders	STX-3S-500-SLD-___ STX-3S-800-SLD-___	3-10 lbs. per monitor 20 lb. per monitor	Up to 27" Up to 27"	\$1,025 \$1,025
				
Description: • Mounting: Top down desk mount: clamps to desk edge or grommet, desk thickness up to 1.5"				
Notes: • Specify color: Black (104) Silver (124) White (248)				




	MODEL	WEIGHT CAPACITY	SCREEN SIZE	LIST PRICE
Staxx Dual Laptop w/Slider	STX-2-500-8510-___ STX-2-800-8510-___	3 – 10 lbs. per monitor 20 lbs. per monitor	Up to 27" Up to 27"	\$1.007 \$1.007
				
Description: • Mounting: Top down desk mount: clamps to desk edge or grommet, desk thickness up to 1.5"				
Notes: • Specify color: Black (104) Silver (124) White (248)				

E2 Connex Single	E2-01-SD-___	Flat panel: 2.2 – 20 lbs. Curved monitor: Up to 16 lbs.	Any size within weight capacity	\$475
				
Description: • Mounting: Top down desk mount: clamps to desk edge or grommet, desk thickness up to 1.5"				
Notes: • Specify color: Black (104) Silver (124) White (248)				

E2 Connex Dynamic Dual	E2-02-D-___	2.2 – 20 lbs. per monitor	Up to 32" (bezel measured left to right)	\$839
				
Description: • Mounting: Top down desk mount: clamps to desk edge or grommet, desk thickness up to 1.5"				
Notes: • Specify color: Black (104) Silver (124) White (248)				

E2 Connex Dynamic Dual Wide	E2-02-SD-___	2.2 – 20 lbs. per monitor	Up to 39" (bezel measured left to right)	\$964
				
Description: • Mounting: Top down desk mount: clamps to desk edge or grommet, desk thickness up to 1.5"				
Notes: • Specify color: Black (104) Silver (124) White (248)				

E2 Connex Dynamic Triple	E2-03-SD-___	2.2 – 20 lbs. per monitor	Up to 28.5" (bezel measured left to right)	\$1,082
				
Description: • Mounting: Top down desk mount: clamps to desk edge or grommet, desk thickness up to 1.5"				
Notes: • Specify color: Black (104) Silver (124) White (248)				

	MODEL	WEIGHT CAPACITY	SCREEN SIZE	LIST PRICE	
	E2 Connex Static Dual	E2-02-SS-__	2.2 - 20 lbs. per monitor	Up to 37" (bezel measured left to right)	\$724
	Description: · Mounting: Top down desk mount: clamps to desk edge or grommet, desk thickness up to 1.5"				
	Notes: · Specify color: Black (104) Silver (124) White (248)				
	E2 Connex Static Triple	E2-03-SSS-__	2.2 - 20 lbs. per monitor	Up to 27.5" (bezel measured left to right)	\$852
	Description: · Mounting: Top down desk mount: clamps to desk edge or grommet, desk thickness up to 1.5"				
	Notes: · Specify color: Black (104) Silver (124) White (248)				
	E2 Connex One Over One	E2-11-HD-__	See description	See description	\$334
	Description: · Mounting:Top down desk mount: clamps to desk edge or grommet, desk thickness up to 1.5" · Weight capacity: Flat Panel Monitors: Up to 40 lbs. per monitor Curved Monitors: 0 - 26.5 lbs. per monitor · Screen size: One Flat Panel Monitor: Up to 43" (16:9 aspect ratio) Two Flat Panel Monitors: Up to 49" (21:9 aspect ratio) Two Curved Monitors: Up to 49" (21:9 aspect ratio)				
	Notes: · Specify color: Black (104) Silver (124) White (248)				



STORAGE

Stay organized and keep your belongings secure with HAT storage units. Our mobile pedestals are heavy-duty, lockable, and comfortably accommodate your office supplies. Slide your mobile storage unit underneath your worksurface for easy, out-of-the-way access.



STORAGE STATEMENT OF LINE


STORAGE




HAT Mobile Pedestal Slim
(10.6")




HAT Mobile Pedestal
(15")



HAT Pedestal Cushions




Collective Storage
Mobile Locker




Collective Storage
Mobile Pedestal Slim (12")




Collective Storage
Mobile Pedestal (15")







Collective Storage
Mobile Credenza (30")



Collective Storage
Mobile Credenza (48")







Collective Storage
Cushions

	MODEL	WIDTH	DEPTH	HEIGHT	WEIGHT	LIST PRICE
HAT Mobile Pedestal Slim 	MPEDBF-10-__	10.6"	22"	21"	55 lbs.	\$623
	Description: <ul style="list-style-type: none">• Mobile Box/File Pedestal• Includes lock and key• Includes pencil tray• Letter or legal filing• Includes casters (2 locking, 2 non-locking)• Stocked in silver, white and black Notes: <ul style="list-style-type: none">• Key alike available (add \$10 to list)• Master/Core Key available (add \$10 to list)					
HAT Mobile Pedestal 	MPEDBF-15-__	15"	22"	21"	65 lbs.	\$623
	Description: <ul style="list-style-type: none">• Mobile Box/File Pedestal• Includes lock and key• Includes pencil tray• Letter or legal filing• Includes casters (2 locking, 2 non-locking)• Stocked in silver, white and black Notes: <ul style="list-style-type: none">• Key alike available (add \$10 to list)• Master/Core Key available (add \$10 to list)					
HAT Pedestal Slim Cushion 	MPEDCUS-10 <small>(in-stock)</small>	10.6"	22"	1.5"	5 lbs.	\$132
	MPEDCUS-10 <small>(standard)</small>	10.6"	22"	1.5"	5 lbs.	\$138
	Description: <ul style="list-style-type: none">• Pedestal seat cushion• High density foam• Laminated plywood understructure• Attached with velcro• Stocked in #15-13 charcoal fabric Notes: <ul style="list-style-type: none">• Other colors available: 8 week lead time• 50 QTY minimum order for non-stocked colors					
HAT Pedestal Cushion 	MPEDCUS-15 <small>(in-stock)</small>	15"	22"	1.5"	6 lbs.	\$132
	MPEDCUS-15 <small>(standard)</small>	15"	22"	1.5"	6 lbs.	\$138
	Description: <ul style="list-style-type: none">• Pedestal seat cushion• High density foam• Laminated plywood understructure• Attached with velcro• Stocked in #15-13 charcoal fabric Notes: <ul style="list-style-type: none">• Other colors available: 8 week lead time• 50 QTY minimum order for non-stocked colors					






Please specify color:
SI = Silver, WH = White, BK = Black

Add code to end of model number.
Example: MPEDBF-15-SI

	MODEL	WIDTH	DEPTH	HEIGHT	WEIGHT	LIST PRICE
Collective Storage Mobile Locker 	STG-LKR-12-__	12"	20"	24"	35 lbs.	\$864
	Description: <ul style="list-style-type: none">• Mobile locker• Includes lock and key• Includes pencil tray• Letter or legal filing• Includes casters (2 locking, 2 non-locking) and anti-tipping counterweight• Available in silver, white and black Notes: <ul style="list-style-type: none">• 25 QTY minimum order					
Collective Storage Mobile Pedestal Slim 	STG-PED-12-__	12"	20"	24"	62 lbs.	\$974
	Description: <ul style="list-style-type: none">• Mobile box/file pedestal• Includes lock and key• Includes pencil tray• Letter or legal filing• Includes casters (2 locking, 2 non-locking) and anti-tipping counterweight• Available in silver, white and black Notes: <ul style="list-style-type: none">• 25 QTY minimum order					
Collective Storage Mobile Pedestal 	STG-PED-15-__	15"	20"	24"	69 lbs.	\$1,017
	Description: <ul style="list-style-type: none">• Mobile box/file pedestal• Includes lock and key• Includes pencil tray• Letter or legal filing• Includes casters (2 locking, 2 non-locking) and anti-tipping counterweight• Available in silver, white and black Notes: <ul style="list-style-type: none">• 25 QTY minimum order					
Collective Storage Mobile Credenza (30") 	STG-CRD-30-__	30"	15"	24"	53 lbs.	\$1,413
	Description: <ul style="list-style-type: none">• Mobile credenza• Includes shelving and sliding door• Includes casters (2 locking, 2 non-locking)• Available in silver, white and black Notes: <ul style="list-style-type: none">• 25 QTY minimum order					

Please specify color:
SI = Silver, WH = White, BK = Black

Add code to end of model number.
Example: STG-PED-15-SI

	MODEL	WIDTH	DEPTH	HEIGHT	WEIGHT	LIST PRICE
<div><div><div>Collective Storage Mobile Credenza (48")</div><div></div></div></div>	STG-CRD-48-__	48"	20"	27"	117 lbs.	\$2,590
<div><div>Description:</div><div><ul style="list-style-type: none">• Includes shelving and 2 drawers• Includes lock and key• Includes casters (2 locking, 4 non-locking)• Available in silver, white and black</div><div>Notes:</div><div><ul style="list-style-type: none">• 25 QTY minimum order</div></div>						
<div><div><div>Collective Storage Locker/Pedestal Slim Cushion (12")</div><div></div></div></div>	STG-CUS-12-__-__	12"	20"	1.5"	3 lbs.	\$190
<div><div>Description:</div><div><ul style="list-style-type: none">• Locker/pedestal seat cushion• High density foam• Attached with velcro</div><div>Notes:</div><div><ul style="list-style-type: none">• 25 QTY minimum order</div></div>						
<div><div><div>Collective Storage Pedestal Cushion (15")</div><div></div></div></div>	STG-CUS-15-__-__	15"	20"	1.5"	4 lbs.	\$215
<div><div>Description:</div><div><ul style="list-style-type: none">• Pedestal seat cushion• High density foam• Attached with velcro</div><div>Notes:</div><div><ul style="list-style-type: none">• 25 QTY minimum order</div></div>						
<div><div><div>Collective Storage Credenza Cushion (30")</div><div></div></div></div>	STG-CUS-30-__-__	30"	15"	1.5"	6 lbs.	\$222
<div><div>Description:</div><div><ul style="list-style-type: none">• Credenza seat cushion• High density foam• Attached with velcro</div><div>Notes:</div><div><ul style="list-style-type: none">• 25 QTY minimum order</div></div>						
<div><div><div>Collective Storage Credenza Cushion (48")</div><div></div></div></div>	STG-CUS-48-__-__	48"	20"	1.5"	12 lbs.	\$425
<div><div>Description:</div><div><ul style="list-style-type: none">• Credenza seat cushion• High density foam• Attached with velcro</div><div>Notes:</div><div><ul style="list-style-type: none">• 25 QTY minimum order</div></div>						

Please specify color:
SI = Silver, WH = White, BK = Black

Add code to end of model number.
Example: STG-PED-15-SI



SEATING

HAT Collective offers everything you need to work your way, including our original ergonomic seating solution. Every body is different. Our HAT Collective seating adapts to an individual's natural movement making for a fluid and supportive experience.







	MODEL	LIST PRICE
	IKU-B-M1H-JET-S1BB	\$945
	IKU-B-M2H-IRON-S1BB	\$945
	IKU-B-M3H-ALLOY-S1BB	\$945
	IKU-B-M1H-JET-S1PB	\$1,185
	IKU-B-M2H-IRON-S1PB	\$1,185
	IKU-B-M3H-ALLOY-S1PB	\$1,185
	IKU-W-M1H-JET-S1PB	\$1,339
	IKU-W-M2H-IRON-S1PB	\$1,339
	IKU-W-M3H-ALLOY-S1PB	\$1,339
	Description: Weight Range: 300 lbs Armrest Adjustment Range: 7.5" – 10.5" (top of armrest to top of seat pan) Armrests Lock: 11 increment positions Black Nylon Base: 16.8" – 20.5" Polished Aluminum Base: 16.2" – 19.9" Seatback Adjustment Range: 95° – 129°, 4 position back lock Seat Depth Adjustment: 2.3"	
	Notes: • Frame: Black (B), White (W) • Mesh: Raven (M1H), Smoke (M2H), Cloud (M3H) • Seat Upholstery: Jet (JET), Alloy (ALLOY), Iron (IRON) • Base: Black Nylon (S1BB), Polished Aluminum (S1PB)	

ACCESSORIES

Our collection of accessories ensures you get the most out of your workspace. Manage and organize wires, mobilize your keyboard, or mount your CPU. We have everything you need to complete your desk, personalizing your workstation to function for you.



	MODEL	WEIGHT	LIST PRICE
Wire Management Trough 	WMT-SI Description: <ul style="list-style-type: none">• Large capacity supports multiple wires, cables and a power strip• Multiple cable pass through ports offers versatile cable management• Trough hinges open, allowing for easy access and installation• Heavy-duty steel construction• 30" W x 3" H x 4" D• Available in silver	6 lbs.	\$198
Wire Management Sleeve 	WMS-42 Description: <ul style="list-style-type: none">• Expandable zip up nylon mesh management sleeve• 42" length• Available in black	1 lb.	\$46
Senko Task Light 	SENKO-1-__ Description: <ul style="list-style-type: none">• LED• 11 watts• 15,000 hours light lifespan• 3000k color temperature• 3-way touch dimmer (10%, 50%, 100%)• Base dimension: Ø 5.9"• Freestanding• ETL, FCC and CEC certified Notes: <ul style="list-style-type: none">• Specify color: Silver (SLV) Black (BLK)	5.5 lbs.	\$263
Docking Station 	DS-1-BLK DS-1-CM-BLK (w/Clamp Mount) DS-1-VM-BLK (w/VESA Mount) Description: <ul style="list-style-type: none">• Mac and PC compatible• Dimensions: 3.75" W x 3.75" D x 1.33" H• Docking Interface: USB-C 3.1• Interfaces: (2) HDMI 1.4, (3) USB-A 3.1 Gen 1, (1) RJ45 Port, (1) Audio Jack In/Out• Single Display Resolution: 2560 x 1440 @ 50Hz• Dual Display Resolution: 1920 x 1080 @ 60Hz• Audio: 2.1 Channel• Ethernet: Type 10/100/100 Base-T• PD Charging: 85W• Power Adapter: AC 100/240V		\$835 \$994 \$949

1. VERTICAL WIRE MANAGEMENT SYSTEM

Exclusive to S-Collection workstations, the Vertical's flexible design manages wires on a vertical plane through a BIFMA-required range. The main unit attaches to the leg with magnets, allowing for flexibility of mounting and reconfiguration.

* Not compatible with panel integration or HAT bases.

439900-__
Black, Silver, White
22" - 48" Adjustable Height
\$206

Chain available in Black only.

2. POCKET CABLE MANAGEMENT

Keep cords neat and organized with an easy to install mesh cable management sleeve that is compatible with any base and worksurface. Includes 12 velcro straps that securely lock in your wires.

Standard
CMT-04 (Black)
CMT-06 (Grey)
38" W x 5" D
\$205


Mini
CMT-24-04 (Black)
CMT-24-06 (Grey)
24" W x 5" D
\$155


3. FLEX WIRE MANAGEMENT TRAY


This tray comes in three sizes. Its flexible design and thin steel construction allow for high flexibility in mounting and configuration. Seams along the surface indicate where bending should occur.




990103-__ Black, Silver, White 22.4" W \$106	990102-__ Black, Silver, White 43.7" W \$118	990101-__ Black, Silver, White 55.5" W \$133
--	--	--









	MODEL	COMPATABILITY	LIST PRICE
Snap on Charging Mount	CHG-CAP-1-__	Single top down	\$245
	CHG-CAP-2-__	Dual top down	\$245
	CHG-CAP-E-__	Dual E2	\$245
	Description: <ul style="list-style-type: none">• Features 2 USB-A and 1 USB-C port• Input: 100-240VAC, 50/60Hz, 2.0A (Max.)• Output: 24VDC, 3A, 72W Notes: <ul style="list-style-type: none">• Specify color: White (WH) Silver (SI) Black (BK)		







Reya USB Hub	PWR-AC-__	\$145
	Description: <ul style="list-style-type: none">• Includes one USB-A port and a one USB-C port• Can charge laptop up to 65 Watts• Mount: Desk edge/surface mount, under mount, edge mount• Desk edge/surface mount: 0.5" - 1.75"• Compatible with Mid and Hi HAT only Notes: <ul style="list-style-type: none">• Specify color: Black (BK) White (WH)	







Reya Standard Surface Power Module	PWR-ACC-__	\$325
	Description: <ul style="list-style-type: none">• Features 2 power receptacles, 1 USB-A and 2 USB-C ports• Charges laptops up to 65W• Mount: Desk edge, 0.75" - 1.75" Notes: <ul style="list-style-type: none">• Specify color: White (WH) Black (BK)	


	MODEL	LIST PRICE
<div>Reya Wireless Surface Power Module</div> <div></div>	<div>PWR-ACC-WRLS-__</div> <div>Description:<ul style="list-style-type: none">• Features 2 power receptacles, 1 USB-A and 2 USB-C ports• Charges laptops up to 65W• Fast Qi certified wireless charging• Mount: Desk edge, 0.75" - 1.75"Notes:<ul style="list-style-type: none">• Specify color: White (WH) Black (BK)</div>	<div>\$475</div>
<div>Reya Power Strip</div> <div></div>	<div>PWR-STRP-__</div> <div>Description:<ul style="list-style-type: none">• 6 power receptacles• Input: 125VAC, 60Hz, 15A max• Output: AC Outlets (6): 120VAC, 60HZ, 15A maxNotes:<ul style="list-style-type: none">• Specify color: White (WH) Black (BK)</div>	<div>\$130</div>
<div>Reya Power Strip with Hardwired Standard Surface Power Module</div> <div></div>	<div>PWR-ACC-STRP-__</div> <div>Description:<ul style="list-style-type: none">• Charges laptops up to 65W• Mount: Desk edge, 0.75" - 1.75"Surface module:<ul style="list-style-type: none">• Features 2 power receptacles, 1 USB-A and 2 USB-C portsPower Strip<ul style="list-style-type: none">• 6 power receptacles• Input: 125VAC, 60Hz, 15A max• Output: AC Outlets (6): 120VAC, 60HZ, 15A maxNotes:<ul style="list-style-type: none">• Specify color: White (WH) Black (BK)</div>	<div>\$500</div>



	MODEL	WEIGHT	LIST PRICE
CPU Holder 	CPU-HLDR-1 Description: <ul style="list-style-type: none">• 22 lbs. max weight capacity• Supports computers 11.8" - 21" H, 3.5" - 8" D• 360 degree swivel• Mount under desk or on wall• Available in black	7 lbs.	\$168
CPU Holder w/Track 	CPU-HLDR-2 Description: <ul style="list-style-type: none">• 22 lbs max weight capacity• Supports computers 11.8" - 21" H, 3.5" - 8" D• Slide track: 5.79" x 19.09"• Track adjustment: 12.8"• 360 degree swivel• Minimum worksurface depth: 20"• Mount under desk• Available in black• Not compatible with Mid HAT & Hi HAT bases	12 lbs.	\$203
Thru-Desk Conversion Kit for Top Down Mounts 	8524-TM-CK (compatible with single top down mount) 8540-TM-CK (compatible with E2 dual) Description: <ul style="list-style-type: none">• Hardware kit to convert top down mount desk edge mount to thru-desk• Desk thickness up to 1.5"• Bolt is M8 x 100mm Notes: <ul style="list-style-type: none">• Hardware only, does not include mount		No Charge
FlexMount Conversion Kit for Top Down Mounts 	8524-FM-CK Description: <ul style="list-style-type: none">• Hardware kit to convert top down mount to flex mount• 2-piece clamp for panel/screen systems• Desk thickness up to 1.5" Notes: <ul style="list-style-type: none">• Hardware only, does not include mount		\$67
Height Adjustable Adapter 	8473-603 Description: <ul style="list-style-type: none">• Allows for fine-tune monitor height adjustment• Attaches between tilter and VESA plate• Compatible with 7000 and Staxx series monitor mounts Notes: <ul style="list-style-type: none">• Color: Black e-coat		\$42
Next Gen Tilter 	8500-___ Description: <ul style="list-style-type: none">• Quick-install/quick-release mechanism Notes: <ul style="list-style-type: none">• Specify color: Black (104) Silver (124) White (248)		\$61

	MODEL	LIST PRICE
4 in. extension arm 	9118-9112-___ Description: <ul style="list-style-type: none">• 4 in. extension arm Notes: <ul style="list-style-type: none">• Specify color: Black (104) Silver (124) White (248)	\$62
4 in. extension arm with rotation stop 	9118-9112-RS-___ Description: <ul style="list-style-type: none">• 4 in. extension arm with rotation stop• For use with E2 Connex Notes: <ul style="list-style-type: none">• Specify color: Black (104) Silver (124) White (248)	\$174
8.5 in. extension arm 	9118-9130-___ Description: <ul style="list-style-type: none">• 8.5 in. extension arm Notes: <ul style="list-style-type: none">• Specify color: Black (104) Silver (124) White (248)	\$95
8.5 in. extension arm with rotation stop 	9118-9130-RS-___ Description: <ul style="list-style-type: none">• 8.5 in. extension arm with rotation stop• For use with E2 Connex Notes: <ul style="list-style-type: none">• Specify color: Black (104) Silver (124) White (248)	\$185
12 in. extension arm 	9118-12 Description: <ul style="list-style-type: none">• 12 in. extension arm-___ Notes: <ul style="list-style-type: none">• Specify color: Black (104) Silver (124) White (248)	\$121
12 in. extension arm with rotation stop 	9118-12-RS-___ Description: <ul style="list-style-type: none">• 12 in. extension arm with rotation stop• For use with E2 Connex Notes: <ul style="list-style-type: none">• Specify color: Black (104) Silver (124) White (248)	\$209

	MODEL	LIST PRICE
E2 Connex Dual Yoke	8360-RS-___	\$219
	Description: <ul style="list-style-type: none">• Dual yoke allows you to expand your E2 Connex configuration Notes: <ul style="list-style-type: none">• Specify color: Black (104) Silver (124) White (248)	
E2 Connex 28" Pole	8448-28-___	\$86
	Description: <ul style="list-style-type: none">• 28" Pole, compatible with E2 Connex components Notes: <ul style="list-style-type: none">• Specify color: Black (104) Silver (124) White (248)	
E2 Connex Dynamic Arm	E2-ARM-SLD-___	\$248
	Description: <ul style="list-style-type: none">• E2 Connex Dynamic Arm with slider and VESA adapter Notes: <ul style="list-style-type: none">• Specify color: Black (104) Silver (124) White (248)	
8510 Laptop Tray	8510-___	\$137
	Description: <ul style="list-style-type: none">• 13.5" x 10"• Allows for use of laptop with dual triple monitor configuration• Compatible with 100 mm VESA hole pattern Notes: <ul style="list-style-type: none">• Specify color: Black (104) Silver (124) White (248)	
Sliding VESA Assembly	8538-___	\$65
	Description: <ul style="list-style-type: none">• 7" of adjustment from left to right• Ideal for positioning monitors of varying sizes side-by-side• Allows for landscape/portrait monitor positioning Notes: <ul style="list-style-type: none">• Specify color: Black (104) Silver (124) White (248)	
HD Tilter	8377-175-___	\$147
	Description: <ul style="list-style-type: none">• Allows for landscape/portrait monitor positioning• Monitor tilter mechanism can tilt over 200 degrees Notes: <ul style="list-style-type: none">• Specify color: Black (104) Silver (124) White (248)	

	MODEL	WEIGHT	LIST PRICE
Winston Mat	WNST-MAT		\$82
	Description: <ul style="list-style-type: none">• .75" thick durable foam delivers deep-cushion comfort.• Bounce-back memory restores energy while standing.• Durable, stain-resistant surface.• Material: Commercial grade, heavy-duty polyurethane.		
Casters	CAS-37 4 CAS-37 5	2 lbs. 3 lbs.	\$78 \$98
	CAS-37 4 Description: <ul style="list-style-type: none">• Set of four 37mm dual wheel casters (2 locking, 2 non locking)• For 2 leg HAT base (compatible with HAT bases only)• Available in black CAS-37 5 Description: <ul style="list-style-type: none">• Set of five 37mm dual wheel casters (2 locking, 3 non locking)• For 3 leg base (compatible with HAT bases only)• Available in black		
FlexShield	SHIELD-2430-WHT	12 lbs.	\$357
	Description: <ul style="list-style-type: none">• 24" W x 30" H, Pass through window: 12" W x 3.5" H• Constructed of polycarbonate: 250 times stronger than glass and virtually indestructible		
FlexShield Wings	SHIELD-WINGS	9 lbs.	\$269
	Description: <ul style="list-style-type: none">• 11.75" W x 30" H• Flexible extruded hinges with adhesive allows user you to configure panels at any angle (requires FlexShield)• Constructed of polycarbonate: 250 times stronger than glass and virtually indestructible• Sold in pairs		
Keyboard Tray	KT-27	12 lbs.	\$350
	Description: <ul style="list-style-type: none">• Tilt adjustment, +10/-10 degrees• 11" track• 360 degree swivel• Keyboard tray size 27" W x 10" D with polyurethane foam wrist rest• Built-in mouse tray on left and right side (mouse pad can be repositioned)• Exceeds ANSI/BIFMA x5.5• Available in black		
Winston E-Desk Beam	WNSTE-DESK-BEAM-___		\$191
	Description: <ul style="list-style-type: none">• Screen size: up to 27"• Weight capacity: up to 45 lbs. total• Compatible with Winston E-Desk Notes: <ul style="list-style-type: none">• Specify color: Black (BLK) White (WHT)		


ACCESSORIES

GROMMETS

60MM Grommet
#CPF-2600
\$11

BAG HOOK

BAG HOOK
#BH-S-XX
Silver, Black, White
\$44



CASTERS + GLIDES

(1) 1" ERGO CASTER
#8027
Locking
\$34



(1) 2" ERGO CASTER
#8033
Locking
\$40


(1) 2" ERGO CASTER
(ELLE & ELLEHAVEN)
#8036
Locking
\$62

(1) 3" SOFT WHEEL CASTER
#8028
Locking
\$89

(1) GLIDE EXTENDER
#R015139
\$23

POWER + DATA

(ELLEHAVEN) INLAY
POWER, DATA, & USB
#D3P4USBSUR-XX-72
Black, White
\$900



#D3PSUR-XX-72
Black, White
\$477




BATTERY PACK

BATTERY PACK
#BP-KIT
\$755
Includes 1 Battery.

BATTERY KIT
#BP-KIT2
\$1,928
Includes 2 Batteries,
1 charging station, and
2 control boxes. Configured
to convert an Ellehaven or Elle
from corded to battery operated.


UNDER SURFACE POWER

UNDER SURFACE
6X POWER
#NLD6PCOIL-B-120
\$258




CABLE TRAYS (ELLE & ELLEHAVEN)

ELLE CABLE TRAY
Adjustable, 39.6" - 63.6", Black
#17000010
\$348




ELLEHAVEN CABLE TRAYS


84", Black
#400000008410
\$467




96", Black
#400000009610
\$493




96", Frames 108"-120" x 36" Gable, Black
#400010812010
\$864






















































96", Frames 108"-120" x 42" Gable, Black
#400110812010
\$898



96", Frames 108"-120" x 48" Gable, Black
#400210812010
\$920



METAL			LAMINATES & WOOD			PET & FABRIC		
Bases			Laminates			PET		
In-Stock:			In-Stock:			In-Stock:		
	White WH			Designer White DW			Ash ASH	
	Silver SI			Fawn Cypress FC			Slate SLATE	
	Black BK						Charcoal* CHARCOAL	
Standard:			Standard:			Standard:		
	Steel Antique DM			Manitoba Maple MM			Iced Grey* IG	
	Steel Matte HC			Fawn Cypress FC		Standard:		
	Charcoal CH			Pinnacle Walnut PW			Ash ASH	
	Mocha 40		Laminates (Fiellø)				Slate SLATE	
	Clear 42		Standard:				Charcoal CHARCOAL	
Power & Data Beam				Linen			Iced Grey IG	
	White WH			Feather			Cobalt COBALT	
	Silver SI			Platinum			Oat OAT	
	Black BK			Charcoal			Pear PEAR	
Storage				Black			Sandstone SANDSTONE	
	White WH					Recycled PET (Aura & Fiellø)		
	Silver SI					Standard:		
	Black BK						Night FNI	
Desktop Converters							Slate FSL	
	Flat White 248						Pebble FPE	
	Silver 124						Black FBL	
	Vista Black 104						Oatmeal FOA	
	Grey Duotone 270						Latte FLA	
	White WHT							
	Black BLK							
Monitor Arms								
	Flat White 248							
	Silver 124							
	Vista Black 104							

METAL	LAMINATES & WOOD		PET & FABRIC			WHITE BOARD	STORAGE CUSHIONS	SEATING
	Laminates	Wood (Fiello)	PET	Fabric Elements Line (Grade 1) Standard:	Fabric Fusion Line (Grade 2) Standard:	Standard:	In-Stock:	Frame:
	In-Stock:	Standard:	In-Stock:			<div><div></div> Clear Acrylic CLA</div> <div><div></div> Frosted Acrylic FRA</div> <div><div></div> White Board WB</div>	<div><div></div> Charcoal 15-13</div>	<div><div></div> White W</div> <div><div></div> Black B</div>
	<div><div></div> Designer White DW</div> <div><div></div> Fawn Cypress FC</div>	<div><div></div> Oak WO</div> <div><div></div> Walnut WW</div>	<div><div></div> Ash ASH</div> <div><div></div> Slate SLATE</div> <div><div></div> Charcoal* CHARCOAL</div> <div><div></div> Iced Grey* IG</div>	<div><div></div> Gaia F101</div> <div><div></div> Euro F102</div> <div><div></div> Mikan F103</div> <div><div></div> Poppy F104</div> <div><div></div> Sodalite F108</div> <div><div></div> Arundel F112</div> <div><div></div> Stately F113</div> <div><div></div> Sapphire F114</div> <div><div></div> Steel F120</div> <div><div></div> Iron F121</div> <div><div></div> Basalt F122</div> <div><div></div> Jet F123</div>	<div><div></div> Barley F210</div> <div><div></div> Sable F211</div> <div><div></div> Java F212</div> <div><div></div> Lemongrass F213</div> <div><div></div> Rinse F214</div> <div><div></div> Radiant F215</div> <div><div></div> Tyrian F216</div> <div><div></div> Hyacinth F217</div> <div><div></div> Capri F218</div> <div><div></div> Aster F219</div> <div><div></div> Beyond F220</div> <div><div></div> Stucco F221</div> <div><div></div> Aluminum F222</div> <div><div></div> Dove F223</div> <div><div></div> Links F224</div> <div><div></div> Atoll F225</div> <div><div></div> Maize F226</div> <div><div></div> Papaya F227</div> <div><div></div> Macintosh F228</div> <div><div></div> Berry F229</div> <div><div></div> Gull F230</div> <div><div></div> Pewter F231</div>		<div><div></div> Sapphire 15-03</div> <div><div></div> Poppy 15-04</div> <div><div></div> Mica 15-07</div> <div><div></div> Salmon 15-08</div> <div><div></div> Garnet 15-11</div> <div><div></div> Meadow 15-15</div> <div><div></div> Mauve 15-16</div> <div><div></div> Taupe 15-17</div> <div><div></div> Fern 15-18</div> <div><div></div> Teal 15-19</div> <div><div></div> Black 15-21</div> <div><div></div> Sodalite 15-41</div> <div><div></div> Blue 15-44</div> <div><div></div> Iron 15-48</div> <div><div></div> Seafoam 15-49</div> <div><div></div> Orange 15-75</div> <div><div></div> Rust 15-102</div> <div><div></div> Yellow 15-104</div> <div><div></div> Khaki 15-106</div> <div><div></div> Brown 15-109</div> <div><div></div> Lilac 15-110</div> <div><div></div> Frost Green 15-118</div> <div><div></div> Denim 15-153</div> <div><div></div> Mustard 15-155</div> <div><div></div> Blue Green 15-161</div> <div><div></div> Fez 15-164</div> <div><div></div> Midnight 15-167</div> <div><div></div> Sapphire 15-173</div> <div><div></div> Purple 15-184</div>	<div><div></div> Mesh:</div> <div><div></div> Cloud M3H</div> <div><div></div> Smoke M2H</div> <div><div></div> Raven M1H</div>
	Standard:		Standard:				Standard:	Seat Upholstery:
	<div><div></div> Designer White DW</div> <div><div></div> Manitoba Maple MM</div> <div><div></div> Fawn Cypress FC</div> <div><div></div> Pinnacle Walnut PW</div>		<div><div></div> Ash ASH</div> <div><div></div> Slate SLATE</div> <div><div></div> Charcoal CHARCOAL</div> <div><div></div> Iced Grey IG</div> <div><div></div> Cobalt COBALT</div> <div><div></div> Oat OAT</div> <div><div></div> Pear PEAR</div> <div><div></div> Sandstone SANDSTONE</div>				<div><div></div> Alloy ALLOY</div> <div><div></div> Iron IRON</div> <div><div></div> Jet JET</div>	
	Laminates (Fiello)		Recycled PET (Aura & Fiello)					Base:
	Standard:		Standard:					<div><div></div> Polished Aluminum S1PB</div> <div><div></div> Black Nylon S1BB</div>
	<div><div></div> Linen</div> <div><div></div> Feather</div> <div><div></div> Platinum</div> <div><div></div> Charcoal</div> <div><div></div> Black</div>		<div><div></div> Night FNI</div> <div><div></div> Slate FSL</div> <div><div></div> Pebble FPE</div> <div><div></div> Black FBL</div> <div><div></div> Oatmeal FOA</div> <div><div></div> Latte FLA</div>					

IN-STOCK

White
WH

Silver
SI

Black
BK

White
WH

Silver
SI

Black
BK

White
WH

Silver
SI

Black
BK

Designer White
DW

Fawn Cypress
FC

Ash
ASH

Slate
SLATE

Charcoal*
CHARCOAL

Iced Grey*
IG

Charcoal
15-13

Black
B

Frame:

Raven
M1H

Mesh:

Jet
JET

Seat Upholstery:

Black Nylon
S1BB

Base:

White
WH

Silver
SI

Black
BK

White
WH

Silver
SI

Black
BK

White
WH

Silver
SI

Black
BK

Silver
124

Vista Black
104

Grey Duotone
270

White
WHT

Black
BLK

Silver
124

Vista Black
104



HAT
COLLECTIVE™
HUMAN ACTIVE TECHNOLOGY

HAT Collective
Global Headquarters
100 Kuebler Road
Easton, PA 18040

800 524 2744
hatcollective.com

