

# CERTIFICATE OF COMPLIANCE

**Certificate Number** 20171213-E496344  
**Report Reference** E496344-20171212  
**Issue Date** 2017-DECEMBER-13

**Issued to:** ZHEJIANG JIECANG LINEAR MOTION TECHNOLOGY CO LTD  
PROVINCIAL HIGH TECH PARK  
XINCHANG COUNTY  
SHAOXING, ZHEJIANG 312500 CHINA


**This is to certify that representative samples of** COMPONENT - FURNISHINGS, HOUSEHOLD AND COMMERCIAL  
USR/CNR - Linear Actuators system, Models Height Adjustable  
Frame JC35TS and Height Adjustable Frame JC35TT

Have been investigated by UL in accordance with the  
Standard(s) indicated on this Certificate.

**Standard(s) for Safety:** UL 962 - Household and Commercial Furnishings  
CSA C22.2 No.68-09 - C22.2 NO. 68-09 (R2014) - Motor-  
operated appliances (household and commercial)

**Additional Information:** See the UL Online Certifications Directory at  
[www.ul.com/database](http://www.ul.com/database) for additional information

Only those products bearing the UL Certification Mark should be considered as being covered by UL's  
Certification and Follow-Up Service.

The UL Recognized Component Mark generally consists of the manufacturer's identification and catalog  
number, model number or other product designation as specified under "Marking" for the particular  
Recognition as published in the appropriate UL Directory. As a supplementary means of identifying products  
that have been produced under UL's Component Recognition Program, UL's Recognized Component Mark:  
, may be used in conjunction with the required Recognized Marks. The Recognized Component Mark is  
required when specified in the UL Directory preceding the recognitions or under "Markings" for the individual  
recognitions.

Recognized components are incomplete in certain constructional features or restricted in performance  
capabilities and are intended for use as components of complete equipment submitted for investigation rather  
than for direct separate installation in the field. The final acceptance of the component is dependent upon its  
installation and use in complete equipment submitted to UL LLC.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program

UL LLC


Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please  
contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

<b>Applicant:</b>	SIS Ergo	<b>Manufacturer:</b>	Rufac Aps. (SIS DK)
<b>Address:</b>	55 Wentworth Avenue Londonderry, NH 03053	<b>Address:</b>	Ellehaven 6 5900 Rudkobing
<b>Country:</b>	USA	<b>Country:</b>	Denmark
<b>Contact:</b>	Nicholas Tetreault	<b>Contact:</b>	Soren Rasmussen
<b>Phone:</b>	800.374.7438	<b>Phone:</b>	+45 63 51 51 51
<b>FAX:</b>	603.434.8456	<b>FAX:</b>	NA
<b>Email:</b>	ntetreault@sisergo.com	<b>Email:</b>	sor@rufac.dk
<b>Party Authorized To Apply Mark:</b>	Same as Manufacturer		
<b>Report Issuing Office:</b>	Arlington Heights, IL		

**Control Number:** 5000907      **Authorized by:**   
for L. Matthew Snyder, Certification Manager



This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.

Intertek Testing Services NA Inc.  
545 East Algonquin Road, Arlington Heights, IL 60005  
Telephone 800-345-3851 or 847-439-5667 Fax 312-283-1672

<b>Standard(s):</b>	Household and Commercial Furnishings [UL 962:2014 Ed.4+R:06May2019]
<b>Product:</b>	Motor-Operated Appliances (Household And Commercial) [CSA C22.2#68:2018 Ed.8]
<b>Brand Name:</b>	None

SX, SE, SXL, SEL or SU; followed by 2; followed by -; followed by A-, B-, C-, BB-, BC- or CC-; followed by MM-, ML-, MT-, LL-, LT-, TT-, V22-, V28-, V28T- or V29-; followed by up to two characters; followed by -; followed by two letters.

SX or SE; followed by 3; followed by -; followed by AA, AB, AC, BB, BC, CC, ABB, ACC, BBB, BBC, BCC, BBBB, BBCC or CCCC; followed by SS-, SM-, SL-, ST-, MM-, ML-, MT-, LL-, LT-, TT-, V22-, V28-, V28T- or V29-; followed by C-; followed by up to two characters; followed by -; followed by two letters.

**Models:**

SX, SE, SXL, SEL or SU; followed by 2-; followed by 36 to 96; followed by 24 to 30; followed by up to two characters; followed by -; followed by two letters; followed by -; followed by up to two characters; followed by -; followed by up to two characters.

SX or SE; followed by 3-; followed by 36 to 96; followed by 2 to 3; followed by 36 to 96; followed by 2 to 3; followed by up to two characters; followed by -; followed by two letters; followed by -; followed by up to two characters; followed by -; followed by up to two characters.